

Sustainable Vegetable gardening: eco-friendly approaches to home grown produce- A comprehensive overview

Abstract

Sustainable vegetable gardening is an eco-friendly practice that integrates organic farming principles, resource conservation, and biodiversity promotion to produce nutritious, chemical-free food while minimizing environmental impact. This approach emphasizes soil health through the use of organic amendments, crop rotation, composting, and mulching to improve fertility and water retention. Water conservation techniques, such as drip irrigation and rainwater harvesting, are employed to optimize water use, especially in arid regions. Pest and disease management relies on integrated pest management (IPM), biological controls, companion planting, and the use of organic pesticides to reduce chemical input while maintaining crop health. Sustainable homegrown produce has been shown to have superior nutritional content compared to commercially grown produce, and the avoidance of synthetic chemicals reduces the risk of pesticide residue exposure. Additionally, gardening fosters healthy eating habits by connecting individuals to their food sources, encouraging the consumption of fresh, unprocessed vegetables, and contributing to food security. The mental and physical health benefits of gardening, including reduced stress, increased physical activity, and improved mental well-being, further highlight its holistic value. However, challenges such as the initial setup costs, time investment, pest management, and knowledge gaps can hinder widespread adoption. Addressing these challenges requires greater access to resources, educational initiatives, and the development of climate-resilient practices tailored to specific regions. Future trends in sustainable gardening include the adoption of technological innovations, such as smart irrigation systems, automation, and vertical farming, which offer scalable solutions for urban and small-scale gardeners. The COVID-19 pandemic has underscored the importance of resilient, local food systems, and sustainable gardening is poised to play a critical role in addressing future food security concerns.

Comment [u2]: Paper objectives are missing

Comment [u3]: Methodology can be explained and the abstract is not robust

Keywords: *Sustainable, Gardening, Organic, Biodiversity, Composting, Nutritional, IPM, Urban, Irrigation, Heirloom*

I. Introduction

A. Definition of Sustainable Vegetable Gardening

Sustainable vegetable gardening is a practice aimed at cultivating vegetables using methods that are ecologically sound, economically viable, and socially responsible. It emphasizes the use of natural resources in a way that ensures their availability for future generations, without degrading the environment or contributing to the depletion of essential resources like soil, water, and biodiversity. This type of gardening focuses on minimizing external inputs, such as synthetic fertilizers and pesticides, and instead relies on organic practices that enhance soil fertility, promote biodiversity, and manage pests through natural means. Sustainable gardening also fosters the health of ecosystems by working with natural processes rather than against them, thereby reducing the overall environmental impact [1]. A central concept in sustainable gardening is the creation of a self-sustaining system that cycles nutrients

efficiently, limits waste, and optimizes resource use. The ultimate goal is to produce high-quality, nutritious vegetables while maintaining the long-term health of the **environment**.

Comment [u4]: Introduction is very general please be very specific and brief as discussing the term is unnecessarily adding more useless content

B. Importance of Home-grown Produce

The importance of home-grown produce extends beyond the obvious benefits of providing fresh, nutritious food directly from one's garden. It plays a critical role in promoting food security, reducing the carbon footprint associated with transporting produce, and improving individual health through a closer connection to food sources. The food we grow at home is free from the chemicals often used in commercial farming, offering a healthier option to consumers. The nutritional value of vegetables starts to degrade after harvest, so eating produce immediately after picking ensures higher levels of vitamins and minerals [2]. Furthermore, home-grown vegetables empower individuals and communities to become more self-reliant, reducing their dependency on industrial agriculture systems that are often unsustainable and environmentally harmful. Growing one's own vegetables also encourages biodiversity, as gardeners tend to grow a variety of crops and heirloom varieties that are often not found in conventional **farming**.

Comment [u5]: Objectives are not clear please make it more alligned

In urban areas, home gardening has been shown to have a positive impact on mental and physical health. A research demonstrates that engaging with gardening reduces stress, promotes physical activity, and enhances a sense of well-being. Additionally, home-grown produce can help combat the issue of food deserts, which are areas where access to fresh, affordable, and nutritious food is limited [3]. By cultivating vegetables at home, individuals can contribute to a more equitable food system and make nutritious food accessible to all.

C. Overview of Eco-friendly Gardening Approaches

Eco-friendly gardening approaches are at the heart of sustainable vegetable gardening, incorporating techniques and practices that protect the environment, conserve resources, and foster biodiversity. Central to these practices is organic gardening, which avoids synthetic chemicals and promotes the use of natural fertilizers, such as compost and manure, to improve soil fertility. Composting, for instance, recycles organic matter back into the soil, enhancing its structure and ability to retain water, thus **reducing the need** for irrigation [4].

Comment [u6]: This para can be in introduction

Another key eco-friendly practice is the implementation of integrated pest management (IPM), which involves using biological controls, such as beneficial insects and companion planting, to manage pests instead of relying on harmful pesticides. This approach not only protects crops but also promotes the health of local ecosystems by encouraging natural predators of pests to thrive. Companion planting, where certain plants are grown together to mutually benefit each other, has been shown to improve yields, deter pests, and reduce the need for chemical inputs.

Water conservation is also critical in eco-friendly gardening. Techniques like drip irrigation, mulching, and rainwater harvesting help to minimize water use, which is particularly important in regions experiencing water scarcity. Drip irrigation delivers water directly to the plant roots, reducing water loss through evaporation, while mulching helps to retain soil moisture and suppress weeds [5]. Rainwater harvesting, in turn, allows gardeners to collect and store rainwater for later use, further reducing dependence on municipal water sources and conserving valuable water resources.

Additionally, eco-friendly gardening approaches encourage the use of native plant species that are well-adapted to local conditions, requiring less water and fewer inputs while providing habitat for local wildlife and pollinators. This not only enhances biodiversity but also supports the broader ecological health of the garden environment.

Comment [u7]: Conservation measures can be very crux it is disturbing flow

II. Principles of Sustainable Vegetable Gardening

A. Conservation of Resources

The conservation of natural resources is a cornerstone of sustainable vegetable gardening, emphasizing the efficient use of essential inputs such as water, soil, and energy [6]. Resource conservation practices aim to ensure that vegetable production does not deplete or degrade these resources, thus enabling long-term productivity. One key strategy for conserving water is the implementation of drip irrigation systems, which deliver water directly to the plant roots, minimizing evaporation and runoff. A research demonstrates that drip irrigation can reduce water usage by up to 50% compared to traditional sprinkler systems, while simultaneously improving crop yields. In addition to drip irrigation, rainwater harvesting systems allow gardeners to collect and store rainwater for later use, further reducing dependence on municipal water supplies.

Soil conservation is equally critical in sustainable gardening. Techniques such as mulching, crop rotation, and cover cropping help maintain soil structure, reduce erosion, and prevent nutrient depletion. Mulching, for instance, not only conserves soil moisture but also reduces erosion by providing a protective layer over the soil surface [7]. Crop rotation, which involves alternating different crops in the same area across growing seasons, helps to maintain soil fertility and reduce the buildup of soil-borne pests and diseases. Cover cropping, where non-harvested plants are grown to cover the soil during off-seasons, improves soil health by adding organic matter and protecting against erosion.

Comment [u8]: Same thing are repeated again and again

B. Minimization of Environmental Impact

Minimizing the environmental impact of vegetable gardening is fundamental to sustainability, requiring gardeners to adopt practices that reduce pollution, greenhouse gas emissions, and overall ecological disruption. One significant environmental concern is the use of synthetic fertilizers and pesticides, which can lead to soil and water contamination, as well as harm non-target species such as pollinators and beneficial insects [8]. Sustainable vegetable gardening avoids or minimizes the use of these chemicals, instead promoting natural alternatives that support soil and plant health. For example, organic fertilizers, such as compost and manure, are used to enrich the soil with nutrients without introducing harmful chemicals.

Integrated Pest Management (IPM) is another eco-friendly approach that minimizes environmental harm by using a combination of biological, cultural, mechanical, and chemical controls to manage pests. IPM relies on preventive measures, such as crop rotation, planting pest-resistant varieties, and encouraging natural predators, before resorting to chemical interventions. This approach not only reduces the need for synthetic pesticides but also supports biodiversity and reduces the risk of pest resistance developing [9].

Comment [u9]: Conservation and environment impact can be written together to make sense

Additionally, sustainable gardening aims to reduce the carbon footprint associated with food production. By growing vegetables locally, gardeners can avoid the emissions related to transporting produce over long distances, a practice that contributes significantly to global greenhouse gas emissions. Furthermore,

practices such as composting organic waste reduce methane emissions from landfills, while also recycling nutrients back into the soil. Using renewable energy sources, such as solar power for irrigation systems, further reduces the environmental impact of home gardening [10].

C. Promoting Biodiversity

Biodiversity is a crucial component of sustainable vegetable gardening, as it enhances ecosystem resilience, improves soil health, and supports a diverse array of beneficial organisms, including pollinators, soil microbes, and natural pest predators. By promoting a variety of plant species within the garden, gardeners can create habitats that attract and sustain beneficial insects, birds, and other wildlife, which in turn contribute to the overall health and productivity of the garden ecosystem. Companion planting, for example, is a technique where different plants are grown together in a way that mutually benefits each species. Certain plants can repel pests or attract beneficial insects, while others improve soil fertility by fixing nitrogen or adding organic matter [11].

Comment [u10]: Why same thing is written under different sub heading

Another key practice in promoting biodiversity is the use of heirloom and open-pollinated seed varieties. These varieties are genetically diverse and adapted to local conditions, making them more resilient to pests, diseases, and environmental stresses compared to modern hybrid varieties. Seed saving and exchanging heirloom varieties help maintain genetic diversity in the vegetable garden, which is critical for food security and adapting to changing environmental conditions.

Additionally, creating diverse habitats within the garden, such as wildflower borders, insect hotels, and ponds, encourages a variety of wildlife to thrive. These natural elements not only support pollinators, such as bees and butterflies, but also provide homes for beneficial predators like ladybugs and lacewings that help control pest populations [12]. Maintaining a diverse ecosystem within the garden reduces the need for external inputs like pesticides and fertilizers, making the garden more self-sustaining and environmentally friendly.

D. Integration of Organic Practices

Organic gardening is inherently aligned with the principles of sustainability, as it focuses on building healthy ecosystems through natural processes rather than relying on synthetic inputs. The integration of organic practices in vegetable gardening involves using organic fertilizers, pest management strategies, and soil-building techniques that enhance the long-term fertility and productivity of the soil. Organic practices emphasize the use of compost, green manures, and natural pest controls, which improve soil structure, increase microbial activity, and promote plant health.

One of the key aspects of organic gardening is composting, which transforms organic waste into nutrient-rich compost that can be used to fertilize the garden. Composting not only reduces waste but also enriches the soil with essential nutrients, improves soil structure, and promotes beneficial microbial activity [13]. The use of compost in organic gardening is a sustainable alternative to synthetic fertilizers, which can degrade soil health and contribute to water pollution through runoff.

Organic pest management focuses on using natural methods to control pests, such as biological controls, physical barriers, and cultural practices. For instance, the introduction of beneficial insects like ladybugs and predatory wasps can help keep pest populations in check without the need for chemical pesticides.

Additionally, practices like crop rotation, intercropping, and companion planting can prevent the buildup of pests and diseases, further reducing the need for harmful chemicals [14].

Another critical component of organic gardening is soil health. Organic practices emphasize the use of cover crops, green manures, and reduced tillage to maintain healthy soil ecosystems. Cover crops, such as clover or rye, protect the soil from erosion, add organic matter, and improve soil fertility by fixing nitrogen. By integrating these organic practices, sustainable vegetable gardening not only produces healthier food but also enhances the overall resilience and sustainability of the garden ecosystem.

III. Soil Health and Management

A. Importance of Healthy Soil in Sustainable Gardening

Healthy soil is fundamental to sustainable vegetable gardening, as it provides essential nutrients, water, and support for plants, while also serving as a habitat for beneficial microorganisms. Healthy soil contributes to a more resilient ecosystem by promoting plant growth and maintaining biodiversity. It acts as a carbon sink, helping to mitigate climate change by sequestering atmospheric carbon [15]. Soil is critical for ecosystem services, including nutrient cycling, water filtration, and supporting biodiversity, all of which are integral to sustainable gardening. The health of the soil directly affects plant vitality and yield, and poor soil management can lead to nutrient depletion, erosion, and the loss of soil fertility. Therefore, maintaining soil health is key to ensuring the long-term sustainability of gardening practices.

Comment [u11]: More study are there please refer and make thing more robust

B. Organic Soil Amendments and Fertilizers

Organic soil amendments and fertilizers play a crucial role in enhancing soil fertility without the harmful environmental impacts associated with synthetic inputs. Organic materials, such as compost, manure, and green manures, provide essential nutrients to plants while improving soil structure, water-holding capacity, and microbial activity [16]. Composting organic matter transforms it into a nutrient-rich amendment that can be incorporated into the soil, boosting its nutrient content and reducing the need for synthetic fertilizers. Organic amendments also promote the activity of beneficial soil organisms, such as earthworms and microbes, which help break down organic matter and cycle nutrients, thus enhancing soil health. Manure, when applied appropriately, can be a potent source of nutrients and organic matter, improving soil fertility and structure. The use of organic fertilizers also reduces the risk of water contamination, as they are less likely to leach into waterways compared to chemical fertilizers [17].

C. Mulching for Soil Conservation

Mulching is a key practice in soil conservation, as it helps to regulate soil temperature, conserve moisture, suppress weeds, and prevent soil erosion. Mulching involves covering the soil with organic materials such as straw, leaves, or compost, or inorganic materials like plastic sheeting. By protecting the soil surface, mulches reduce evaporation, allowing more moisture to remain in the soil, which is especially beneficial in arid and semi-arid regions. Mulching also helps to prevent soil erosion by reducing the impact of rainfall and wind on the soil surface, thus keeping the soil intact and reducing the loss of nutrients. In addition, organic mulches contribute to soil fertility as they decompose, adding organic matter and improving soil structure [18].

D. Composting and Vermicomposting

Composting and vermicomposting are sustainable practices that recycle organic waste into nutrient-rich compost, which can be used to improve soil health. Composting is the process of breaking down organic matter, such as kitchen scraps, garden waste, and leaves, into humus—a nutrient-rich material that enhances soil fertility. Vermicomposting, on the other hand, involves the use of worms, particularly red wigglers, to accelerate the decomposition process and produce a high-quality compost called worm castings, which are rich in nutrients and beneficial microbes. Both composting and vermicomposting help to reduce waste, improve soil structure, and enhance nutrient availability, making them essential practices for sustainable gardening [19]. These processes also contribute to reducing greenhouse gas emissions by diverting organic waste from landfills, where it would otherwise produce methane, a potent greenhouse gas.

E. Crop Rotation and Cover Cropping

Crop rotation and cover cropping are essential practices for maintaining soil fertility and preventing soil degradation in sustainable vegetable gardening. Crop rotation involves growing different types of crops in the same area over successive seasons, which helps to break pest and disease cycles, reduce soil nutrient depletion, and improve soil structure. For example, legumes can be rotated with other crops to fix nitrogen in the soil, reducing the need for synthetic fertilizers. Crop rotation also enhances biodiversity in the soil, as different crops support different microbial communities, contributing to overall soil health.

Cover cropping, on the other hand, involves planting cover crops, such as clover, rye, or vetch, during the off-season or between crop rotations. Cover crops protect the soil from erosion, improve soil structure, and add organic matter as they decompose [20]. Additionally, certain cover crops, such as legumes, can fix atmospheric nitrogen, enriching the soil and reducing the need for external nitrogen inputs. Both crop rotation and cover cropping are vital strategies for maintaining healthy, productive soils in sustainable gardening systems.

Comment [u12]: In gardening it is multi cropping not mono cropping right?

IV. Water Conservation and Management

A. Efficient Irrigation Techniques

Water conservation is a critical aspect of sustainable vegetable gardening, particularly in regions facing water scarcity. Efficient irrigation techniques, such as drip irrigation and soaker hoses, ensure that water is delivered directly to the plant roots, minimizing evaporation and runoff. Drip irrigation systems can significantly reduce water usage compared to overhead sprinklers, which are less precise and lead to higher water losses due to evaporation and wind drift. Additionally, efficient irrigation techniques help to maintain consistent soil moisture levels, which is essential for plant health and productivity. Soil moisture sensors can be used in conjunction with these systems to monitor soil moisture levels and reduce unnecessary watering, further improving water use efficiency [21].

B. Rainwater Harvesting

Rainwater harvesting is a sustainable method of collecting and storing rainwater for use in the garden, reducing reliance on municipal water supplies. This practice not only conserves water but also reduces stormwater runoff, which can lead to soil erosion and water pollution. Rain barrels and cisterns can be used to collect rainwater from rooftops, which can then be used for irrigation during dry periods. By utilizing rainwater, gardeners can reduce their water footprint and contribute to sustainable water

management practices. In addition, rainwater is often free of the salts and chemicals found in treated municipal water, making it beneficial for plants and soil [22].

C. Use of Drip Irrigation Systems

Drip irrigation is a highly efficient irrigation method that delivers water directly to the root zone of plants, reducing water waste and improving plant health. Studies have shown that drip irrigation can reduce water usage by up to 50% compared to traditional sprinkler systems, while also improving crop yields. The system works by releasing small amounts of water through emitters placed at the base of each plant, ensuring that the soil remains consistently moist without becoming waterlogged. This precision watering method not only conserves water but also reduces the risk of diseases caused by excess moisture, such as root rot and fungal infections. Drip irrigation is particularly beneficial in arid and semi-arid regions where water conservation is critical [23].

D. Drought-resistant Vegetable Varieties

Drought-resistant vegetable varieties are an essential component of water conservation in sustainable gardening. These varieties have been bred or selected for their ability to thrive with minimal water, making them ideal for regions prone to drought or water scarcity. Drought-resistant vegetables, such as certain types of tomatoes, peppers, and beans, have adaptations that allow them to conserve water, such as deeper root systems or reduced leaf surface area. By growing drought-tolerant varieties, gardeners can reduce their water usage without sacrificing yields, contributing to more sustainable water management practices in vegetable gardening [24].

V. Organic Pest and Disease Management

A. Integrated Pest Management (IPM)

Integrated Pest Management (IPM) is a critical approach in sustainable gardening that seeks to manage pests and diseases by integrating various methods to minimize the reliance on chemical pesticides. IPM combines biological, cultural, physical, and chemical strategies to reduce pest populations to economically acceptable levels while minimizing risks to the environment, humans, and non-target organisms. The primary goal of IPM is not the eradication of pests but the management of pest populations in a way that preserves the ecological balance within the garden. Cultural controls, such as crop rotation and sanitation, prevent the buildup of pests, while biological controls introduce natural predators to keep pest populations in check. Physical barriers, such as row covers, can also be used to block pests from accessing plants [25]. When necessary, IPM may involve the targeted use of organic pesticides that are less harmful to the environment. This approach not only reduces the risk of pest resistance to chemicals but also preserves beneficial insects and other organisms that contribute to a healthy garden ecosystem.

B. Biological Pest Control Methods

Biological pest control involves the use of living organisms, such as predators, parasitoids, and pathogens, to control pest populations in a sustainable and environmentally friendly manner. This method harnesses natural relationships within ecosystems to keep pest numbers in check without the need for chemical interventions. For example, ladybugs (Coccinellidae) and lacewings (Chrysopidae) are commonly introduced to control aphid populations, while predatory mites (Phytoseiidae) can be used to

manage spider mites. Parasitoid wasps (*Trichogramma* spp.), which lay their eggs inside pest larvae, can effectively control caterpillars and other insect pests [26]. In addition to predators and parasitoids, certain microbial agents, such as *Bacillus thuringiensis* (Bt), are used to infect and kill specific insect pests without harming beneficial insects or other wildlife. Biological control methods align with sustainable gardening principles by promoting biodiversity and reducing the need for chemical pesticides that can harm non-target organisms and disrupt ecological balance.

C. Companion Planting for Natural Pest Deterrence

Companion planting is a technique that involves growing certain plants together to enhance their growth and deter pests. This method is based on the idea that some plants have natural properties that repel pests or attract beneficial insects that feed on pests. For example, marigolds (*Tagetes* spp.) are often planted alongside vegetables to deter nematodes and other soil-dwelling pests, while basil (*Ocimum basilicum*) is known to repel aphids, whiteflies, and mosquitoes when planted near tomatoes [27]. Similarly, nasturtiums (*Tropaeolum* spp.) can be used as a trap crop to attract aphids away from other plants, reducing the need for chemical interventions. In addition to pest control, companion planting can improve soil health, enhance nutrient availability, and increase overall garden productivity by fostering beneficial plant interactions. This method is a key component of organic gardening, as it reduces the reliance on synthetic pesticides and promotes a more diverse and resilient garden ecosystem.

D. Use of Organic Pesticides and Fungicides

Organic pesticides and fungicides are essential tools in sustainable gardening, providing a means to control pests and diseases without the harmful environmental effects associated with synthetic chemicals. Organic pesticides are derived from natural sources, such as plants, minerals, or microbes, and are designed to target pests with minimal impact on non-target organisms and ecosystems [28]. Neem oil (*Azadirachtaindica*), for instance, is a widely used organic pesticide that disrupts the life cycle of pests, including aphids, whiteflies, and caterpillars, while being safe for beneficial insects like bees and ladybugs. Pyrethrin, derived from chrysanthemum flowers, is another organic pesticide that is effective against a wide range of insect pests. Organic fungicides, such as copper-based compounds or sulfur, can be used to manage fungal diseases like powdery mildew and blight, while also being less harmful to the environment compared to synthetic fungicides. By using organic pest and disease management tools, gardeners can maintain healthy crops while minimizing their ecological footprint and promoting a more sustainable gardening practice.

VI. Climate-resilient Gardening Practices

A. Adaptation to Climate Change

Climate change poses significant challenges to gardening, as rising temperatures, changing precipitation patterns, and increased frequency of extreme weather events can affect plant growth, water availability, and pest populations [29]. Climate-resilient gardening practices involve adapting to these changes by choosing plant varieties that can withstand heat, drought, or excessive rainfall and by modifying gardening techniques to conserve resources and reduce vulnerability. One key strategy is improving soil health, as healthy soils with high organic matter content are better able to retain moisture, mitigate temperature fluctuations, and support resilient plant growth. Additionally, gardeners can adjust planting

schedules to account for longer growing seasons or changing frost dates, allowing crops to mature before extreme weather events occur. Using shade structures, windbreaks, and mulch can also help protect plants from heat stress and reduce the impact of climate variability on garden productivity [30].

B. Use of Season Extension Techniques (e.g., Greenhouses, Cold Frames)

Season extension techniques allow gardeners to grow vegetables beyond the typical growing season, providing protection from frost, heat, or excessive rainfall. Greenhouses, cold frames, and hoop houses are common tools used to create controlled environments where temperature, humidity, and light levels can be managed to optimize plant growth. These structures can extend the growing season by several weeks or even months, enabling gardeners to grow cold-sensitive crops in cooler climates or start plants earlier in the spring. Cold frames, which are simple, low-cost structures made of transparent materials, trap solar heat to create a warm environment for plants, protecting them from frost and cold temperatures. Greenhouses provide more extensive protection and allow for year-round cultivation of vegetables, flowers, and other crops. By utilizing season extension techniques, gardeners can adapt to climate variability and ensure a continuous supply of fresh produce throughout the year [31].

C. Growing Climate-appropriate Vegetable Varieties

Growing vegetable varieties that are well-suited to the local climate is essential for climate-resilient gardening. Climate-appropriate varieties are typically more resistant to temperature extremes, drought, or high humidity, and require fewer inputs in terms of water and pest control. In arid regions, drought-tolerant varieties such as tepary beans (*Phaseolus acutifolius*) or certain tomato cultivars have been bred to thrive with minimal water. In areas prone to excessive rainfall, flood-tolerant crops like swamp cabbage (*Ipomoea aquatica*) can be more successful than traditional crops. Choosing locally adapted heirloom varieties is also a valuable strategy, as these plants have evolved over time to thrive in specific climate conditions, making them more resilient to environmental stresses. By selecting vegetable varieties that are adapted to their climate, gardeners can reduce resource use and improve the sustainability of their gardening practices [32].

D. Reducing Carbon Footprint in Gardening

Gardening, when done sustainably, can contribute to reducing carbon emissions by sequestering carbon in the soil, reducing the need for food transportation, and minimizing the use of synthetic inputs. One of the primary ways to reduce the carbon footprint of gardening is through the use of organic and regenerative practices that enhance soil health and increase soil carbon storage. Healthy soils with high organic matter content can sequester significant amounts of carbon, mitigating the effects of climate change. In addition, home gardening eliminates the need for transporting produce over long distances, thereby reducing greenhouse gas emissions from transportation. Using renewable energy sources for powering garden tools or irrigation systems, such as solar-powered water pumps, further reduces the carbon footprint of gardening [33]. Finally, minimizing the use of synthetic fertilizers and pesticides, which are energy-intensive to produce and contribute to nitrous oxide emissions, helps lower the overall environmental impact of gardening. By adopting these practices, gardeners can contribute to climate mitigation efforts while growing food in an environmentally sustainable manner.

VII. Sustainable Garden Design and Layout

A. Raised Beds and Container Gardening

Raised beds and container gardening are vital elements in sustainable garden design, providing an efficient use of space, improving soil quality, and reducing resource use. Raised beds are elevated garden plots that allow for better control over soil composition, drainage, and plant spacing. They also help in reducing soil compaction, which is beneficial for root growth and soil health [34]. Raised beds are particularly useful in areas where the native soil may be poor or contaminated, as they allow gardeners to create a controlled growing environment by introducing high-quality, nutrient-rich soil. Furthermore, raised beds help retain moisture and can reduce the need for excessive irrigation.

Container gardening, which involves growing plants in pots or other containers, is another effective method for optimizing space, especially in urban environments where ground space may be limited. Containers can be moved to optimize sunlight exposure and are useful for growing vegetables in small spaces such as balconies or rooftops. Both raised beds and container gardening offer flexibility and ease of access, making them suitable for individuals with physical limitations. These gardening techniques contribute to sustainability by promoting water conservation, efficient use of space, and improved crop productivity [35].

B. Vertical Gardening Techniques

Vertical gardening is a space-saving technique that involves growing plants upwards using trellises, walls, or vertical planters. This method maximizes the use of available space and is ideal for small-scale or urban gardening where horizontal space is limited. Vertical gardening can increase the yield of crops such as beans, cucumbers, tomatoes, and other vining plants by allowing them to grow vertically instead of sprawling on the ground. Vertical gardening systems also improve air circulation around plants, reducing the incidence of fungal diseases and pests that thrive in humid, crowded conditions.

In addition to its practical benefits, vertical gardening enhances the aesthetic appeal of garden spaces and can be integrated into architectural designs such as green walls and living facades. These systems can also contribute to building insulation and improve air quality in urban environments by absorbing pollutants and carbon dioxide [36]. Vertical gardening aligns with sustainable practices by promoting efficient use of space, reducing resource inputs, and contributing to environmental health in dense urban areas.

C. Use of Native Plants for Pollinators and Soil Enrichment

The use of native plants in garden design plays a critical role in promoting biodiversity, supporting pollinators, and enhancing soil health. Native plants are species that have evolved in a particular region and are adapted to the local climate, soil, and ecological conditions. These plants require fewer resources, such as water and fertilizers, and are more resistant to pests and diseases than non-native species, making them an integral part of sustainable gardening. Native plants also provide vital habitat and food sources for pollinators such as bees, butterflies, and birds, which are essential for the pollination of many crops.

In addition to supporting biodiversity, native plants can improve soil health by promoting the growth of beneficial microbes and enhancing nutrient cycling. Some native plants, such as legumes, fix nitrogen in the soil, enriching it for future crops. Incorporating native plants into sustainable garden design not only

benefits the ecosystem but also reduces the need for chemical inputs, making the garden more resilient and environmentally friendly [37].

D. Designing for Maximum Sunlight Exposure

Designing a garden to maximize sunlight exposure is crucial for optimizing plant growth and ensuring high yields, as sunlight is a primary energy source for photosynthesis. In sustainable garden design, it is essential to consider the orientation of the garden and the positioning of plants to capture the most sunlight throughout the day. South-facing gardens typically receive the most sunlight in the northern hemisphere, while north-facing gardens are optimal in the southern hemisphere.

In addition to garden orientation, the placement of taller plants at the back of the garden and shorter plants at the front ensures that all plants receive adequate sunlight without being shaded by others. Raised beds, vertical gardening, and container gardening can also be strategically positioned to make the best use of available sunlight, particularly in urban environments where buildings or other structures may block light. Maximizing sunlight exposure not only improves plant growth but also reduces the need for supplemental lighting or energy inputs, contributing to a more sustainable gardening practice [38].

VIII. Seed Saving and Heirloom Varieties

A. Importance of Heirloom and Non-GMO Seeds

Heirloom seeds are open-pollinated varieties that have been passed down through generations, often for their superior flavor, nutritional value, and adaptability to local growing conditions. Unlike genetically modified organisms (GMOs), heirloom seeds are not engineered in laboratories, making them more genetically diverse and resilient to environmental stresses. The use of heirloom seeds in sustainable gardening promotes biodiversity and preserves plant genetic resources, which are critical for food security in the face of climate change. Heirloom varieties are often better adapted to organic growing conditions, requiring fewer chemical inputs and being more resistant to pests and diseases [39].

B. Techniques for Saving Seeds

Seed saving is a sustainable practice that allows gardeners to collect and store seeds from their crops for future planting. This practice reduces reliance on commercial seed suppliers and contributes to the preservation of plant genetic diversity. Techniques for saving seeds vary depending on the plant species but generally involve allowing the plant to mature fully, harvesting the seeds, cleaning them to remove debris, and storing them in a cool, dry place to maintain viability. For example, tomato seeds can be fermented to remove the gelatinous coating before drying and storing. Seed saving not only ensures a sustainable supply of seeds for future gardening seasons but also allows gardeners to select and propagate plants that are best suited to their local growing conditions.

C. Benefits of Seed Diversity

Maintaining seed diversity is essential for creating resilient agricultural systems that can adapt to changing environmental conditions, pests, and diseases. Genetic diversity in seeds allows plants to develop different traits, such as drought tolerance, disease resistance, or enhanced nutritional content, which are critical for sustainable gardening in the face of climate variability [40]. Seed diversity also

contributes to a more vibrant and diverse food system, preserving unique plant varieties that might otherwise be lost in the commercial seed market dominated by a few large corporations. By promoting seed diversity, gardeners contribute to the long-term sustainability and resilience of agricultural ecosystems.

D. Seed Banks and Community Sharing Initiatives

Seed banks and community sharing initiatives are vital resources for preserving plant genetic diversity and promoting access to heirloom and non-GMO seeds. Seed banks, such as the Svalbard Global Seed Vault, store seeds from around the world to ensure that plant varieties are protected from extinction due to environmental disasters, war, or other threats. Community seed exchanges and sharing initiatives allow gardeners to access diverse seed varieties and share their own saved seeds, fostering local biodiversity and strengthening community resilience [41]. These initiatives support sustainable gardening practices by promoting seed sovereignty and reducing dependence on commercial seed markets.

IX. Urban and Small-scale Vegetable Gardening

A. Growing Vegetables in Urban Settings

Urban vegetable gardening has gained popularity as a means to enhance food security, reduce carbon footprints, and create green spaces in densely populated areas. Urban gardening allows city dwellers to grow their own food, even in small spaces, such as balconies, rooftops, or community gardens. This practice not only provides access to fresh, nutritious produce but also promotes sustainable food production by reducing the energy and emissions associated with transporting food over long distances. Urban gardens also contribute to urban biodiversity, improve air quality, and mitigate the urban heat island effect by providing green spaces that absorb heat and carbon dioxide.

B. Space-efficient Gardening Techniques

Space-efficient gardening techniques are essential for maximizing productivity in small urban spaces. Techniques such as square-foot gardening, vertical gardening, and container gardening allow gardeners to grow a variety of crops in limited areas [42]. Square-foot gardening divides the garden into small, manageable sections, enabling intensive planting while minimizing wasted space. Vertical gardening, as discussed earlier, optimizes the use of vertical space, while container gardening provides flexibility and mobility, making it ideal for urban settings where ground space may be scarce. These techniques contribute to the sustainability of urban gardening by increasing food production without requiring large amounts of land or resources.

C. Community Gardens and Shared Gardening Spaces

Community gardens are shared spaces where individuals or groups can grow vegetables, herbs, and flowers. These gardens promote social interaction, provide access to fresh food, and contribute to urban sustainability by converting unused land into productive green spaces. Community gardens foster a sense of community, encourage knowledge sharing, and provide opportunities for individuals who may not have access to their own gardening space to participate in food production [43]. Additionally, community gardens often use sustainable practices, such as organic gardening and composting, to reduce their environmental impact and promote biodiversity.

D. Rooftop and Balcony Gardening

Rooftop and balcony gardening are innovative solutions for urban environments where ground space is limited. These gardening techniques utilize underused spaces to grow vegetables, herbs, and even small fruit trees in containers or raised beds. Rooftop gardens, in particular, can provide numerous environmental benefits, including reducing building energy consumption by providing insulation, mitigating stormwater runoff, and improving air quality. Balcony gardening allows individuals to grow their own food, even in apartment buildings or high-rise complexes, contributing to urban food security and sustainability [44]. Both rooftop and balcony gardens support sustainable urban living by creating green spaces that enhance biodiversity and provide access to fresh, local produce.

X. Nutritional and Health Benefits of Sustainable Homegrown Produce

A. Nutritional Superiority of Fresh Produce

Homegrown vegetables harvested at their peak ripeness typically possess higher nutritional value than store-bought produce, which is often picked prematurely and transported long distances. Freshly harvested produce retains more vitamins and minerals because the nutritional quality of vegetables begins to degrade once harvested. Research indicates that homegrown vegetables contain higher levels of essential nutrients such as vitamin C, potassium, and antioxidants compared to commercially grown produce. The shorter time between harvest and consumption preserves these nutrients, making homegrown vegetables superior in terms of nutrition. For example, studies have shown that vitamin C levels in spinach and green beans can decrease by 50% within 24 hours of harvesting if not properly stored [45].

Additionally, many home gardeners grow heirloom varieties that are often more nutrient-dense than the hybrid varieties selected for commercial farming. Heirloom tomatoes, for example, have been shown to contain higher levels of lycopene, an antioxidant linked to reduced risks of heart disease and cancer, compared to mass-produced varieties. This nutritional superiority is a significant benefit of sustainable homegrown produce, contributing to healthier diets and overall well-being.

B. Avoidance of Chemical Residues

One of the significant health benefits of sustainable homegrown produce is the avoidance of chemical residues from synthetic pesticides and fertilizers commonly used in conventional farming. Commercially grown vegetables are often treated with pesticides and herbicides to increase yield and manage pests, and these chemicals can leave residues on produce that may pose health risks to consumers [46]. Organic and sustainable gardening practices, on the other hand, rely on natural pest control methods, such as biological controls, composting, and crop rotation, to maintain healthy plants without the use of synthetic chemicals. Homegrown produce, therefore, offers a safer alternative by eliminating exposure to these harmful residues.

Consuming organic produce has been associated with a lower risk of exposure to pesticide residues. A study demonstrated that children who consumed organic produce had significantly lower levels of pesticide metabolites in their urine compared to those who ate conventionally grown produce. Avoiding chemical residues is particularly important for vulnerable populations, such as children and pregnant women, who are more susceptible to the potential health effects of pesticide exposure [47].

C. Connection between Sustainable Gardening and Healthy Eating

Sustainable gardening encourages healthy eating habits by fostering a closer connection between individuals and their food sources. Growing vegetables at home promotes a deeper understanding of food production, leading to increased consumption of fresh fruits and vegetables. Studies have shown that individuals who engage in gardening are more likely to consume a higher quantity of vegetables, leading to improved dietary quality. Home gardeners often have access to a diverse range of vegetables, including varieties that may not be available in supermarkets, further contributing to a balanced and nutritious diet.

Additionally, sustainable gardening practices encourage the use of whole, unprocessed foods, which are associated with numerous health benefits, including reduced risks of chronic diseases such as obesity, diabetes, and cardiovascular disease [48]. By growing their own food, gardeners can control what goes into their diets, avoiding processed foods that are often high in sugar, salt, and unhealthy fats. This connection between gardening and healthy eating is a powerful motivator for individuals seeking to improve their overall health and well-being.

D. Mental and Physical Health Benefits of Gardening

Gardening offers numerous mental and physical health benefits, making it a holistic approach to wellness. The physical activity involved in gardening, such as digging, planting, weeding, and watering, provides a moderate form of exercise that can improve cardiovascular health, strength, and flexibility. Regular physical activity through gardening has been linked to lower body mass index (BMI) and a reduced risk of chronic diseases such as heart disease and type 2 diabetes.

Beyond physical health, gardening has been shown to have significant mental health benefits. Engaging with nature through gardening reduces stress, anxiety, and depression, promoting mental well-being [49]. The act of nurturing plants and watching them grow fosters a sense of accomplishment and mindfulness, which can contribute to improved emotional resilience. Gardening also encourages social interaction in community settings, which enhances feelings of connection and reduces loneliness, further contributing to mental health.

XI. Challenges in Sustainable Vegetable Gardening

A. Initial Setup Costs and Time Investment

While sustainable gardening offers numerous long-term benefits, the initial setup costs and time investment can be significant barriers for many individuals. Building raised beds, purchasing quality soil, composting materials, organic seeds, and water-efficient irrigation systems can be costly, particularly for those starting from scratch [50]. Additionally, setting up a garden requires time for planning, soil preparation, planting, and establishing pest management strategies. The time commitment required for maintaining a garden—watering, weeding, and harvesting—can also be a deterrent for individuals with busy schedules or limited gardening experience. Overcoming these challenges requires careful planning, resource allocation, and a long-term commitment to sustainable practices.

B. Pest and Disease Management in Organic Systems

Managing pests and diseases in organic gardening systems without the use of synthetic pesticides presents a significant challenge for sustainable gardeners. Organic pest control relies on preventive measures, such as crop rotation, companion planting, and biological controls, which can be less immediately effective than chemical pesticides [51]. Additionally, certain pests, such as aphids, slugs, and caterpillars, can cause substantial damage to crops if not managed effectively. Organic gardeners must be vigilant in monitoring pest populations and employing environmentally friendly control methods, such as introducing beneficial insects, using neem oil, or applying homemade repellents.

C. Lack of Knowledge and Resources

A lack of knowledge and resources can also hinder the adoption of sustainable vegetable gardening practices. Many individuals may be unfamiliar with organic gardening techniques or unsure of how to implement sustainable practices such as composting, crop rotation, or rainwater harvesting. Access to resources, such as organic seeds, composting materials, and gardening tools, may be limited, particularly in urban or low-income areas. Furthermore, educational resources on sustainable gardening may not be readily available or accessible to all, making it difficult for novice gardeners to succeed [52]. Addressing these challenges requires increased access to gardening education and resources through community programs, extension services, and online platforms.

D. Climate and Soil Constraints in Different Regions

Climate and soil conditions vary widely across regions, posing challenges for sustainable vegetable gardening. In arid or drought-prone areas, water scarcity can limit the success of gardens, requiring the use of water-efficient practices such as drip irrigation, mulching, and drought-resistant plant varieties. In contrast, regions with heavy rainfall may struggle with soil erosion, waterlogged soils, and fungal diseases. Soil quality also varies, with some regions having poor or contaminated soils that require significant amendments to support healthy plant growth [53]. Sustainable gardeners must adapt their practices to suit local climate and soil conditions, which may require additional investments in soil improvement, irrigation, and pest management.

XII. Future Trends and Innovations in Sustainable Vegetable Gardening

A. Technological Innovations for Sustainability

Technological advancements are transforming sustainable vegetable gardening by introducing new tools and techniques that improve efficiency, reduce resource use, and enhance crop productivity. One such innovation is the development of smart irrigation systems that use sensors to monitor soil moisture levels and deliver water precisely when and where it is needed. These systems can significantly reduce water waste, making them ideal for regions facing water scarcity. Similarly, advances in LED grow lights and energy-efficient greenhouse technologies allow for year-round vegetable production in controlled environments, reducing the reliance on external climate conditions.

Another promising innovation is the use of biochar, a carbon-rich material produced from organic waste, which can improve soil fertility, increase water retention, and sequester carbon [54]. Biochar has been shown to enhance plant growth and reduce the need for synthetic fertilizers, making it a valuable tool for sustainable gardening. These technological innovations are paving the way for more sustainable and efficient vegetable gardening practices.

B. Role of Automation and Smart Gardening Tools

Automation and smart gardening tools are becoming increasingly popular in sustainable gardening, offering solutions that reduce labor, optimize resource use, and improve plant care. Robotic systems for tasks such as weeding, planting, and watering are being developed to assist gardeners in maintaining their gardens more efficiently [55]. For example, robotic weeders use machine learning algorithms to identify and remove weeds without disturbing crops, reducing the need for chemical herbicides. Automated irrigation systems can be programmed to water plants at optimal times, conserving water and ensuring consistent plant growth.

Comment [u13]: More recent works are there in public domain please refer to them and come up with systematic paper reviews

Smart gardening tools, such as soil sensors and plant health monitoring devices, provide real-time data on soil conditions, nutrient levels, and plant health, allowing gardeners to make informed decisions about fertilization and pest management. These tools contribute to the sustainability of gardening by optimizing resource use and minimizing environmental impacts.

C. Expansion of Urban Farming Initiatives

Urban farming initiatives are gaining momentum as cities recognize the environmental, social, and economic benefits of growing food locally [56]. Urban agriculture can contribute to food security, reduce the carbon footprint associated with transporting food, and create green spaces that enhance biodiversity and mitigate the urban heat island effect. Vertical farming, rooftop gardens, and community gardens are among the many forms of urban farming that are being integrated into city planning to promote sustainable food systems. These initiatives often involve collaborations between local governments, non-profit organizations, and community groups to provide resources and education to urban residents, empowering them to grow their own food.

D. Sustainable Gardening in a Post-Pandemic World

The COVID-19 pandemic has spurred a resurgence in home gardening, as people sought ways to grow their own food during periods of uncertainty and supply chain disruptions. This shift has highlighted the importance of local food production and self-sufficiency in building resilient food systems [57]. In a post-pandemic world, sustainable gardening is likely to continue growing in popularity as individuals and communities recognize its value for enhancing food security, promoting environmental sustainability, and improving physical and mental health. The lessons learned during the pandemic have underscored the need for decentralized, sustainable food systems that can withstand future crises and disruptions.

Comment [u14]: Instead of various not necessary subheadings the writing can be summarized into smaller but more comprehensive paper

XIII. Conclusion

Sustainable vegetable gardening offers a multitude of benefits, from providing nutrient-rich, chemical-free produce to promoting environmental stewardship and supporting mental and physical health. While initial costs and knowledge barriers pose challenges, the adoption of organic practices, efficient resource use, and innovative technologies can make gardening more accessible and efficient. Urban farming initiatives, seed saving, and climate-resilient practices further contribute to the long-term sustainability of food systems, particularly in a post-pandemic world where self-sufficiency and local food production have gained importance. As smart tools and automation continue to evolve, the future of sustainable gardening looks promising, offering scalable solutions for both small-scale home gardeners and larger

urban communities. Overall, sustainable vegetable gardening not only enhances personal health but also fosters a more resilient and eco-friendly approach to food production.

Comment [u15]: Paper has to be rewritten and shorter paper will make more sense

IX. Reference

1. Schram-Bijkerk, D., Otte, P., Dirven, L., & Breure, A. M. (2018). Indicators to support healthy urban gardening in urban management. *Science of the Total Environment*, 621, 863-871.
2. El-Ramady, H. R., Domokos-Szabolcsy, É., Abdalla, N. A., Taha, H. S., & Fári, M. (2015). Postharvest management of fruits and vegetables storage. *Sustainable Agriculture Reviews: Volume 15*, 65-152.
3. Batkai, M. (2020). HOME GROWN IN THE DESERT.
4. Sayara, T., Basheer-Salimia, R., Hawamde, F., & Sánchez, A. (2020). Recycling of organic wastes through composting: Process performance and compost application in agriculture. *Agronomy*, 10(11), 1838.
5. El-Beltagi, H. S., Basit, A., Mohamed, H. I., Ali, I., Ullah, S., Kamel, E. A., ... & Ghazzawy, H. S. (2022). Mulching as a sustainable water and soil saving practice in agriculture: A review. *Agronomy*, 12(8), 1881.
6. Westhoek, H., Ingram, J., van Berkum, S., & Hajer, M. (2016). *Food systems and natural resources*. United Nations Environment Programme.
7. El-Beltagi, H. S., Basit, A., Mohamed, H. I., Ali, I., Ullah, S., Kamel, E. A., ... & Ghazzawy, H. S. (2022). Mulching as a sustainable water and soil saving practice in agriculture: A review. *Agronomy*, 12(8), 1881.
8. Ankit, Saha, L., Kishor, V., & Bauddh, K. (2020). Impacts of synthetic pesticides on soil health and non-targeted flora and fauna. *Ecological and practical applications for sustainable agriculture*, 65-88.
9. Thomas, M. B. (1999). Ecological approaches and the development of "truly integrated" pest management. *Proceedings of the National Academy of Sciences*, 96(11), 5944-5951.
10. Omer, A. M. (2010). Environmental and socio-economic aspects of possible development in renewable energy use. *Journal of Agricultural Extension and Rural Development*, 2(1), 001-021.
11. Altieri, M. A., Ponti, L., & Nicholls, C. I. (2012). Soil fertility, biodiversity and pest management. *Biodiversity and insect pests: key issues for sustainable management*, 72-84.
12. Walliser, J. (2013). *Attracting beneficial bugs to your garden: A natural approach to pest control*. Timber Press.
13. Guo, X. X., Liu, H. T., & Zhang, J. (2020). The role of biochar in organic waste composting and soil improvement: A review. *Waste Management*, 102, 884-899.
14. Ratnadass, A., Fernandes, P., Avelino, J., & Habib, R. (2012). Plant species diversity for sustainable management of crop pests and diseases in agroecosystems: a review. *Agronomy for sustainable development*, 32, 273-303.
15. Lal, R. (2004). Soil carbon sequestration to mitigate climate change. *Geoderma*, 123(1-2), 1-22.
16. Singh, T. B., Ali, A., Prasad, M., Yadav, A., Shrivastav, P., Goyal, D., & Dantu, P. K. (2020). Role of organic fertilizers in improving soil fertility. *Contaminants in agriculture: sources, impacts and management*, 61-77.
17. Rashmi, I., Roy, T., Kartika, K. S., Pal, R., Coumar, V., Kala, S., & Shinoji, K. C. (2020). Organic and inorganic fertilizer contaminants in agriculture: Impact on soil and water resources. *Contaminants in Agriculture: Sources, Impacts and Management*, 3-41.

18. Ngosong, C., Okolle, J. N., & Tening, A. S. (2019). Mulching: A sustainable option to improve soil health. *Soil fertility management for sustainable development*, 231-249.
19. Saha, P., Barman, A., & Bera, A. (2022). Vermicomposting: a step towards sustainability. *Sustainable Crop Production: Recent Advances*, 53.
20. Kaspar, T. C., & Singer, J. W. (2011). The use of cover crops to manage soil. *Soil management: Building a stable base for agriculture*, 321-337.
21. Evans, R. G., & Sadler, E. J. (2008). Methods and technologies to improve efficiency of water use. *Water resources research*, 44(7).
22. Sharma, R., & Malaviya, P. (2021). Management of stormwater pollution using green infrastructure: The role of rain gardens. *Wiley Interdisciplinary Reviews: Water*, 8(2), e1507.
23. Al-Ghobari, H. M., & Dewidar, A. Z. (2018). Integrating deficit irrigation into surface and subsurface drip irrigation as a strategy to save water in arid regions. *Agricultural Water Management*, 209, 55-61.
24. Diekmann, L. O., Gray, L. C., & Baker, G. A. (2017). Drought, water access, and urban agriculture: a case study from Silicon Valley. *Local Environment*, 22(11), 1394-1410.
25. Boiteau, G., & Vernon, R. S. (2001). Physical barriers for the control of insect pests. In *Physical control methods in plant protection* (pp. 224-247). Berlin, Heidelberg: Springer Berlin Heidelberg.
26. Masry, S. H., & El-Wakeil, N. (2020). Egg parasitoid production and their role in controlling insect pests. *Cottage Industry of Biocontrol Agents and Their Applications: Practical Aspects to Deal Biologically with Pests and Stresses Facing Strategic Crops*, 3-47.
27. McLaughlin, C. (2023). *The Good Garden: How to Nurture Pollinators, Soil, Native Wildlife, and Healthy Food—All in Your Own Backyard*. Island Press.
28. Ankit, Saha, L., Kishor, V., & Bauddh, K. (2020). Impacts of synthetic pesticides on soil health and non-targeted flora and fauna. *Ecological and practical applications for sustainable agriculture*, 65-88.
29. Dixon, G. R., Collier, R. H., & Bhattacharya, I. (2014). An assessment of the effects of climate change on horticulture. *Horticulture: Plants for People and Places, Volume 2: Environmental Horticulture*, 817-857.
30. Smith, J., Pearce, B. D., & Wolfe, M. S. (2013). Reconciling productivity with protection of the environment: Is temperate agroforestry the answer?. *Renewable Agriculture and Food Systems*, 28(1), 80-92.
31. Coleman, E. (2018). *The new organic grower: A master's manual of tools and techniques for the home and market gardener*. Chelsea Green Publishing.
32. Kirkpatrick, J. B., & Davison, A. (2018). Home-grown: Gardens, practices and motivations in urban domestic vegetable production. *Landscape and Urban Planning*, 170, 24-33.
33. Maurya, V. N., Ogubazghi, G., Misra, B. P., Maurya, A. K., & Arora, D. K. (2015). Scope and review of photovoltaic solar water pumping system as a sustainable solution enhancing water use efficiency in irrigation. *American Journal of Biological and Environmental Statistics*, 1(1), 1-8.
34. Bakker, D. M., Hamilton, G. J., Houlbrooke, D. J., & Spann, C. (2005). The effect of raised beds on soil structure, waterlogging, and productivity on duplex soils in Western Australia. *Soil Research*, 43(5), 575-585.

35. El-Beltagi, H. S., Basit, A., Mohamed, H. I., Ali, I., Ullah, S., Kamel, E. A., ... & Ghazzawy, H. S. (2022). Mulching as a sustainable water and soil saving practice in agriculture: A review. *Agronomy*, *12*(8), 1881.
36. Min, J., Yan, G., Abed, A. M., Elattar, S., Khadimallah, M. A., Jan, A., & Ali, H. E. (2022). The effect of carbon dioxide emissions on the building energy efficiency. *Fuel*, *326*, 124842.
37. Cameron, R. W., Blanuša, T., Taylor, J. E., Salisbury, A., Halstead, A. J., Henricot, B., & Thompson, K. (2012). The domestic garden—Its contribution to urban green infrastructure. *Urban forestry & urban greening*, *11*(2), 129-137.
38. Cocetta, G., Casciani, D., Bulgari, R., Musante, F., Kolton, A., Rossi, M., & Ferrante, A. (2017). Light use efficiency for vegetables production in protected and indoor environments. *The European Physical Journal Plus*, *132*, 1-15.
39. Dwivedi, S., Goldman, I., & Ortiz, R. (2019). Pursuing the potential of heirloom cultivars to improve adaptation, nutritional, and culinary features of food crops. *Agronomy*, *9*(8), 441.
40. Swarup, S., Cargill, E. J., Crosby, K., Flagel, L., Kniskern, J., & Glenn, K. C. (2021). Genetic diversity is indispensable for plant breeding to improve crops. *Crop Science*, *61*(2), 839-852.
41. Isbell, C., Tobin, D., Jones, K., & Reynolds, T. W. (2023). Enhancing resilience through seed system plurality and diversity: challenges and barriers to seed sourcing during (and in spite of) a global pandemic. *Agriculture and Human Values*, *40*(4), 1399-1418.
42. Bartholomew, M. (2013). *All new square foot gardening: The revolutionary way to grow more in less space* (Vol. 4). Cool Springs Press.
43. Barron, J. (2017). Community gardening: Cultivating subjectivities, space, and justice. *Local Environment*, *22*(9), 1142-1158.
44. Taib, N., & Prihatmanti, R. (2018). Optimising balcony for green spaces: Application of edible biofaçade on urban high-rise setting. *Planning Malaysia*, *16*.
45. Lee, S. K., & Kader, A. A. (2000). Preharvest and postharvest factors influencing vitamin C content of horticultural crops. *Postharvest biology and technology*, *20*(3), 207-220.
46. Sharma, S., Kumar, S., Kumar, V., & Sharma, R. (2021). Pesticides and vegetables: ecological and metabolic fate with their field and food significance. *International Journal of Environmental Science and Technology*, 1-26.
47. Pascale, A., & Laborde, A. (2020). Impact of pesticide exposure in childhood. *Reviews on environmental health*, *35*(3), 221-227.
48. Mozaffarian, D. (2016). Dietary and policy priorities for cardiovascular disease, diabetes, and obesity: a comprehensive review. *Circulation*, *133*(2), 187-225.
49. Vujcic, M., Tomicevic-Dubljevic, J., Grbic, M., Lecic-Tosevski, D., Vukovic, O., & Toskovic, O. (2017). Nature based solution for improving mental health and well-being in urban areas. *Environmental research*, *158*, 385-392.
50. Sullivan, C., Hallaran, T., Sogorka, G., & Weinkle, K. (2015). An evaluation of conventional and subirrigated planters for urban agriculture: Supporting evidence. *Renewable Agriculture and Food Systems*, *30*(1), 55-63.
51. Baker, B. P., Green, T. A., & Loker, A. J. (2020). Biological control and integrated pest management in organic and conventional systems. *Biological Control*, *140*, 104095.
52. Desmond, D., Grieshop, J., & Subramaniam, A. (2004). *Revisiting garden-based learning in basic education*. Rome: Food and Agriculture Organization of the United Nations.

53. Yu, H., Zou, W., Chen, J., Chen, H., Yu, Z., Huang, J., ... & Gao, B. (2019). Biochar amendment improves crop production in problem soils: A review. *Journal of environmental management*, 232, 8-21.
54. Tenic, E., Ghogare, R., & Dhingra, A. (2020). Biochar—a panacea for agriculture or just carbon?. *Horticulturae*, 6(3), 37.
55. Gravalos, I., Avgousti, A., Gialamas, T., Alfieris, N., & Paschalidis, G. (2019). A robotic irrigation system for urban gardening and agriculture. *Journal of agricultural engineering*, 50(4), 198-207.
56. Kaufman, J. L., & Bailkey, M. (2000). *Farming inside cities: Entrepreneurial urban agriculture in the United States* (pp. 1-124). Cambridge, MA: Lincoln Institute of Land Policy.
57. Palmioli, L., Grando, S., Di Iacovo, F., Fastelli, L., Galli, F., Prospero, P., ... & Brunori, G. (2020). Small farms' strategies between self-provision and socio-economic integration: Effects on food system capacity to provide food and nutrition security. *Local Environment*, 25(1), 43-56.

UNDER PEER REVIEW