

# The Role of Soil in Carbon Sequestration: Mechanisms and Implications

## Abstract

Soil carbon sequestration plays a vital role in mitigating climate change by capturing atmospheric carbon dioxide (CO<sub>2</sub>) and storing it in soil organic matter (SOM). This review explores the mechanisms by which soil sequesters carbon, examines the factors influencing sequestration, and discusses the implications for climate change mitigation, agricultural practices, and ecosystem health. The potential of various land management strategies to enhance soil carbon sequestration is also evaluated.

*Keywords: carbon, soil organic matter, climate, sequestration and soil aggregate.*

## Introduction

Soil carbon sequestration is a natural process where CO<sub>2</sub> is removed from the atmosphere and stored in the soil. This process is significant for reducing greenhouse gas concentrations and combating global warming. Understanding the mechanisms and implications of soil carbon sequestration is crucial for developing effective strategies to enhance this natural process.

Soil acts as a significant carbon sink by capturing atmospheric carbon dioxide (CO<sub>2</sub>) through plant photosynthesis, where carbon is converted into organic matter and incorporated into the soil. This process involves the decomposition of plant residues and the formation of soil organic matter (SOM), which is stabilized by soil aggregates and mineral interactions. Factors such as climate, soil type, land use, and vegetation cover influence the efficiency of soil carbon sequestration. Enhancing soil carbon storage through practices like no-till farming, cover cropping, and agroforestry can mitigate climate change, improve soil health, and support sustainable agricultural productivity.

## Soil Carbon Storage

### Soil Organic Carbon (SOC) and Soil Inorganic Carbon (SIC)

- **Soil Organic Carbon (SOC):** Derived from the decomposition of plant and animal residues, SOC is a significant component of soil organic matter (SOM). It is primarily found in the topsoil and is influenced by land management practices, vegetation, and climate.
- **Soil Inorganic Carbon (SIC):** Composed of carbonates, SIC is typically found in arid and semi-arid regions. It forms through the weathering of minerals and the precipitation of calcium carbonate.

The purpose of this review is to provide a comprehensive understanding of soil as a carbon sink, detailing the mechanisms through which soils capture and store carbon, and examining the factors that influence

this process. The scope of the review includes an exploration of soil organic and inorganic carbon storage, the impact of climate, soil types, land management practices, and vegetation cover on carbon sequestration. Additionally, it addresses the implications of soil carbon storage for climate change mitigation, soil health, biodiversity, and economic benefits, aiming to highlight strategies for enhancing soil carbon sequestration to support sustainable environmental and agricultural practices.

## Mechanisms of Soil Carbon Sequestration

Soil carbon sequestration involves several interconnected processes that capture and store carbon in the soil. The key mechanisms include:

### 1. Photosynthesis and Plant Residue Input

- ❖ **Photosynthesis:** Plants absorb atmospheric CO<sub>2</sub> through photosynthesis, converting it into organic compounds such as carbohydrates. This process is the primary means by which carbon enters the soil system.
- ❖ **Root Exudates:** Plants release carbon compounds into the soil through their roots. These exudates include simple sugars, organic acids, and other substances that enhance microbial activity and contribute to soil organic matter.
- ❖ **Plant Residue Decomposition:** When plants shed leaves, stems, and roots, these residues contribute to soil organic matter. Decomposition of plant residues by soil organisms breaks down complex organic materials into simpler forms, eventually becoming part of the soil organic carbon pool.

### 2. Soil Organic Matter Formation

- **Decomposition:** Microorganisms such as bacteria and fungi decompose plant and animal residues, converting them into simpler organic compounds. This process transforms fresh plant residues into humus, a stable form of soil organic matter (SOM).
- **Humification:** Humus formation involves the chemical and biological stabilization of organic matter. Humic substances are formed through the microbial decomposition of plant residues, and they have a high capacity for carbon storage due to their complex and stable nature.

### 3. Soil Aggregation

- ❖ **Aggregate Formation:** Soil particles, including organic matter, clay, and silt, bind together to form aggregates. These aggregates physically protect organic matter from microbial degradation.
- ❖ **Protection of SOM:** Aggregates help sequester carbon by isolating organic matter from direct exposure to decomposing microbes. This physical protection enhances the longevity of soil organic carbon.

### 4. Mineral Interactions

- **Adsorption:** Soil minerals, particularly clay particles, can adsorb organic carbon. This process involves the attachment of organic molecules to mineral surfaces, which helps protect them from decomposition.

- **Formation of Organomineral Complexes:** Organic matter can form stable complexes with soil minerals, especially in clay-rich soils. These complexes bind organic carbon in a stable form, reducing its turnover rate and enhancing long-term carbon storage.

## 5. Microbial Processes

- **Microbial Carbon Cycling:** Soil microorganisms play a central role in the carbon cycle by decomposing organic matter and transforming it into various forms of carbon. Their activity contributes to the stabilization of organic carbon in the soil.
- **Formation of Microbial Biomass:** Microbial biomass, which includes living microorganisms and their dead remains, contributes to soil organic carbon. The turnover of microbial biomass adds to the SOM pool.

## 6. Soil pH and Temperature Effects


- ❖ **pH Influence:** Soil pH affects microbial activity and the stability of organic matter. Acidic soils often have lower organic carbon storage due to increased decomposition rates, while neutral to slightly alkaline soils tend to retain more carbon.
- ❖ **Temperature Effects:** Soil temperature influences the rate of microbial decomposition and carbon turnover. Warmer temperatures can accelerate decomposition, potentially reducing soil carbon storage, whereas cooler temperatures can slow down these processes, enhancing carbon retention.

## 7. Physical Protection Mechanisms

- **Soil Structure:** Well-structured soils with stable aggregates provide better physical protection for organic matter, helping to increase soil carbon sequestration.
- **Root Systems:** Deep and extensive root systems contribute to soil carbon storage by adding organic matter from roots and root exudates. Roots also create channels that facilitate the movement and stabilization of organic carbon.

## Factors Influencing Soil Carbon Sequestration

Soil carbon sequestration is influenced by a variety of factors that interact in complex ways. These factors include land use and management practices, soil properties, and environmental conditions. Each factor can significantly impact the amount of carbon that soils can store, the stability of that carbon, and the overall efficiency of sequestration processes.



*Fig 1 : Soil carbon sequestration*


## *Land Use and Management Practices*

### **Conventional vs. Conservation Agriculture**

**Conventional Agriculture:** Conventional agriculture often involves practices like intensive tillage, monocropping, and the use of synthetic fertilizers and pesticides. These practices can lead to soil degradation, reduced soil organic matter, and increased CO<sub>2</sub> emissions due to the disruption of soil structure and the acceleration of organic matter decomposition.

**Conservation Agriculture:** Conservation agriculture emphasizes minimal soil disturbance, permanent soil cover, and crop rotations. These practices help maintain or increase soil organic matter, improve soil structure, and enhance biological activity. Conservation agriculture includes methods such as:

- ❖ **No-Till Farming:** No-till farming avoids plowing and leaves crop residues on the soil surface. This practice reduces soil erosion, improves water infiltration, and enhances soil organic matter content by protecting soil aggregates and reducing oxidation of organic matter.
- ❖ **Cover Cropping:** Cover crops are planted during off-seasons to cover the soil. They protect the soil from erosion, improve soil structure, and add organic matter through root biomass and decayed plant residues. Cover crops can also enhance nutrient cycling and provide habitat for beneficial organisms.
- ❖ **Crop Rotation:** Crop rotation involves growing different types of crops in succession on the same land. This practice can disrupt pest and disease cycles, improve soil fertility, and enhance soil organic matter by varying the types and amounts of plant residues returned to the soil.



**Fig 2 : Restoration of soil organic carbon stock**

### **Agroforestry and Perennial Cropping Systems**

Agroforestry integrates trees and shrubs with crops and livestock systems. Trees in agroforestry systems can sequester significant amounts of carbon both above and below ground. Their root systems stabilize soil, reduce erosion, and contribute to soil organic matter through leaf litter and root turnover.

Perennial cropping systems involve the use of perennial plants that live for multiple years, such as grasses and legumes. These systems enhance soil carbon sequestration by maintaining continuous root biomass and soil cover, reducing soil disturbance, and increasing organic matter inputs over time.

### **Soil Properties**

#### **Texture, Structure, and Mineralogy**

- ❖ **Soil Texture:** Soil texture refers to the proportion of sand, silt, and clay particles in soil. Clay-rich soils have a higher capacity to retain organic carbon due to their large surface area and ability to form stable organo-mineral complexes. Sandy soils, on the other hand, have lower carbon sequestration potential due to their coarse texture and lower surface area.
- ❖ **Soil Structure:** Soil structure refers to the arrangement of soil particles into aggregates. Well-aggregated soils protect organic matter within aggregates, reducing decomposition rates and enhancing carbon stabilization. Good soil structure improves water infiltration, root penetration, and microbial activity, all of which contribute to increased soil carbon storage.
- ❖ **Soil Mineralogy:** Soil minerals, particularly clay minerals, play a crucial role in carbon sequestration. Clay minerals can adsorb organic molecules, protecting them from microbial

decomposition. The type of clay minerals (e.g., kaolinite, smectite) and their properties influence the extent of carbon stabilization.

### **Soil Moisture and Temperature Regimes**

- ❖ **Soil Moisture:** Soil moisture affects microbial activity, organic matter decomposition, and plant growth. Optimal soil moisture levels promote microbial activity and organic matter decomposition, leading to enhanced carbon inputs through plant growth. However, excessive moisture can lead to anaerobic conditions, reducing decomposition rates and potentially leading to the formation of more stable carbon compounds.
- ❖ **Soil Temperature:** Soil temperature influences microbial activity, root growth, and organic matter decomposition. Warmer temperatures generally increase microbial activity and decomposition rates, potentially reducing soil carbon stocks. Conversely, cooler temperatures slow down these processes, enhancing carbon sequestration. However, extreme temperatures (both high and low) can negatively impact soil biological activity and carbon dynamics.

### ***Environmental Conditions***

#### **Climate (Temperature and Precipitation)**

- ❖ **Temperature:** Climate temperature directly affects soil carbon dynamics by influencing the rate of plant growth and organic matter decomposition. In warmer climates, higher temperatures can accelerate microbial decomposition of organic matter, potentially reducing soil carbon stocks. Conversely, cooler climates tend to slow down decomposition rates, promoting carbon accumulation. However, the overall impact of temperature on soil carbon sequestration is complex and can vary depending on other factors such as soil type and moisture levels.
- ❖ **Precipitation:** Precipitation patterns affect soil moisture availability, which in turn influences plant growth and microbial activity. Adequate precipitation supports plant productivity and organic matter inputs to the soil. However, excessive rainfall can lead to soil erosion and nutrient leaching, reducing soil carbon storage. Conversely, insufficient rainfall can limit plant growth and organic matter inputs, also negatively impacting carbon sequestration.

#### **Topography and Landscape Position**

- ❖ **Topography:** Topography, or the physical features of the landscape, influences soil formation, erosion patterns, and moisture distribution. Soils in low-lying areas (e.g., valleys) tend to accumulate more organic matter due to reduced erosion and increased moisture retention. In contrast, soils on slopes are more prone to erosion, leading to lower organic matter content and reduced carbon sequestration potential.
- ❖ **Landscape Position:** The position of a soil within the landscape affects its exposure to erosion, water movement, and organic matter deposition. Soils in depositional areas, such as floodplains, tend to have higher organic matter content and greater carbon sequestration potential. Upland soils, which are more exposed to erosion and have lower moisture retention, generally have lower carbon stocks.

## **Implications of Soil Carbon Sequestration**

Soil carbon sequestration has profound implications for climate change mitigation, soil health and productivity, socioeconomic aspects, and poses several challenges and limitations. Understanding these implications helps in developing strategies to optimize soil carbon storage and its benefits.

### ***Climate Change Mitigation***

#### **Potential of Soil Carbon Sequestration to Offset Greenhouse Gas Emissions**

Soil carbon sequestration can significantly offset greenhouse gas emissions by capturing atmospheric CO<sub>2</sub> and storing it in soil organic and inorganic forms. This process reduces the concentration of CO<sub>2</sub> in the atmosphere, a major driver of global warming and climate change. Estimates suggest that global soils could sequester up to 2-5 gigatons of CO<sub>2</sub> annually, making it a crucial component of climate mitigation strategies.

#### **Role in Achieving International Climate Goals**

Soil carbon sequestration is integral to achieving international climate goals, such as those outlined in the Paris Agreement, which aims to limit global warming to well below 2°C above pre-industrial levels. By enhancing soil carbon storage, countries can meet their nationally determined contributions (NDCs) to reduce greenhouse gas emissions. Incorporating soil carbon sequestration into climate policies and strategies is essential for global efforts to mitigate climate change.

### ***Soil Health and Productivity***

#### **Impact on Soil Fertility and Agricultural Productivity**

Improving soil carbon content enhances soil fertility and agricultural productivity. Organic carbon in the soil contributes to better soil structure, increased water-holding capacity, and enhanced nutrient availability. These improvements lead to higher crop yields and better resilience to environmental stresses, such as drought and erosion. Healthier soils with higher carbon content support sustainable agricultural practices and long-term food security.

#### **Benefits for Ecosystem Services**

Soil carbon sequestration provides numerous benefits for ecosystem services. Enhanced soil organic matter improves water retention, reducing the risk of floods and droughts. It also supports biodiversity by creating a favorable environment for soil organisms, which are essential for nutrient cycling and soil health. Furthermore, well-structured soils with high organic matter content reduce erosion and improve water quality by filtering pollutants.

### ***Socioeconomic Implications***

#### **Economic Incentives for Farmers and Land Managers**

Soil carbon sequestration can offer economic incentives for farmers and land managers. Payments for ecosystem services (PES) schemes reward landholders for adopting practices that enhance soil carbon storage. Carbon credits from soil sequestration can be traded in carbon markets, providing additional income streams. These incentives encourage the adoption of sustainable land management practices that benefit both the environment and the economy.

## **Policy Frameworks and Carbon Trading Schemes**

Effective policy frameworks are essential for promoting soil carbon sequestration. Governments and international organizations can develop policies that support research, provide financial incentives, and establish standards for carbon sequestration practices. Carbon trading schemes, where carbon credits generated from soil sequestration are bought and sold, create economic value for sequestered carbon and promote broader adoption of sequestration practices.

## ***Challenges and Limitations***

### **Uncertainties in Carbon Sequestration Potential**

There are uncertainties in the potential of soils to sequester carbon, influenced by factors such as soil type, climate, land management practices, and the duration of sequestration. Predicting and measuring the amount of carbon that can be sequestered in different soils under varying conditions is challenging. More research is needed to refine models and improve our understanding of soil carbon dynamics.

### **Monitoring, Reporting, and Verification (MRV) Issues**

Effective monitoring, reporting, and verification (MRV) of soil carbon sequestration are critical for ensuring the accuracy and credibility of carbon sequestration claims. MRV challenges include developing reliable measurement techniques, standardizing methodologies, and ensuring consistent reporting. Overcoming these challenges requires investment in advanced technologies, such as remote sensing and soil carbon modeling, and establishing robust verification protocols.

### **Trade-offs with Other Land Uses and Ecosystem Services**

Soil carbon sequestration practices may sometimes conflict with other land uses and ecosystem services. For example, afforestation and reforestation, while beneficial for carbon sequestration, might compete with land needed for food production. Similarly, some practices aimed at increasing soil carbon might alter water availability or biodiversity. Balancing these trade-offs requires integrated land management approaches that consider multiple objectives and stakeholder interests.

## ***Future Directions and Research Needs***

- ❖ The future of soil carbon sequestration lies in advancing measurement techniques, improving predictive models, integrating practices with sustainable land management, and developing supportive policies and governance frameworks. Addressing these areas will enhance our ability to optimize soil carbon sequestration and maximize its benefits.

## ***Advances in Measurement and Modeling***

### **Innovative Techniques for Soil Carbon Measurement**

- ❖ Accurate measurement of soil carbon is crucial for understanding sequestration potential and monitoring progress. Innovative techniques are needed to enhance precision and reduce costs. Emerging methods include:
  - ❖ **Remote Sensing and Spectroscopy:** Remote sensing technologies, such as satellite imagery and aerial drones, can provide large-scale soil carbon assessments. Soil spectroscopy, using infrared and X-ray fluorescence, allows for rapid and non-destructive analysis of soil samples.
  - ❖ **Isotopic Analysis:** Stable isotopes of carbon can trace carbon sources and pathways in soils, providing insights into carbon dynamics and sequestration processes.

- ❖ **Soil Carbon Sensors:** Development of in-situ sensors capable of continuously monitoring soil carbon levels will improve data accuracy and reduce the need for labor-intensive soil sampling.

### **Improved Models for Predicting Soil Carbon Dynamics**

- ❖ Advanced models are essential for predicting how soils will respond to different management practices and environmental conditions. Improved models should incorporate:
- ❖ **Soil-Plant-Microbe Interactions:** Including detailed representations of biological processes, such as plant root growth and microbial decomposition, will enhance model accuracy.
- ❖ **Climate Change Scenarios:** Models should account for the impacts of changing climate conditions, such as temperature and precipitation patterns, on soil carbon dynamics.
- ❖ **Machine Learning and Data Integration:** Leveraging machine learning algorithms and integrating diverse datasets (e.g., soil properties, climate data, land use) can improve model predictions and provide more actionable insights.

### ***Integration with Sustainable Land Management***

#### **Synergies Between Carbon Sequestration and Other Sustainability Goals**

- ❖ Soil carbon sequestration should be integrated with broader sustainability goals, such as biodiversity conservation, water management, and food security. Synergistic practices include:
- ❖ **Agroecology:** Promoting diversified farming systems that enhance biodiversity, improve soil health, and sequester carbon.
- ❖ **Regenerative Agriculture:** Practices that restore soil health, such as cover cropping, reduced tillage, and organic amendments, also contribute to carbon sequestration.
- ❖ **Integrated Landscape Management:** Coordinating land use planning at the landscape level to balance carbon sequestration with other ecosystem services and land use needs.

#### **Adoption of Best Practices at Local, Regional, and Global Scales**

- ❖ The adoption of best practices for soil carbon sequestration requires tailored approaches that consider local conditions and stakeholder needs. Efforts should include:
- ❖ **Knowledge Sharing and Capacity Building:** Providing education and training for farmers, land managers, and policymakers on effective soil carbon sequestration practices.
- ❖ **Demonstration Projects and Pilot Programs:** Implementing pilot projects to showcase successful practices and build local capacity for broader adoption.
- ❖ **Scalable Solutions:** Developing scalable and adaptable solutions that can be implemented across different regions and agricultural systems.

### ***Policy and Governance***

#### **Development of Supportive Policies and Incentives**

- ❖ Supportive policies and incentives are critical for promoting soil carbon sequestration. Key policy measures include:
- ❖ **Financial Incentives:** Providing subsidies, grants, and payments for ecosystem services to encourage adoption of carbon sequestration practices.
- ❖ **Regulatory Frameworks:** Establishing standards and regulations that promote sustainable land management and soil carbon sequestration.

- ❖ **Research and Development Funding:** Investing in research and development to advance knowledge and technologies for soil carbon sequestration.

### **International Cooperation and Knowledge Sharing**

- ❖ Global collaboration and knowledge sharing are essential for scaling up soil carbon sequestration efforts. Initiatives should focus on:
  - ❖ **International Agreements:** Strengthening international agreements and frameworks that support soil carbon sequestration as part of climate action.
  - ❖ **Global Research Networks:** Establishing research networks and platforms for sharing data, methodologies, and best practices across countries and regions.
  - ❖ **Technology Transfer:** Facilitating the transfer of technologies and practices to developing countries, ensuring they have the tools and resources to implement effective soil carbon sequestration.

### **Conclusion**

Soil carbon sequestration is a vital process for mitigating climate change and enhancing soil health. Understanding the mechanisms, factors, and implications of carbon sequestration in soils is essential for developing effective land management strategies. By adopting practices that promote soil carbon storage, we can achieve significant environmental, economic, and social benefits.

### **References**

- Bardgett, R. D., & van der Putten, W. H. (2014). Belowground biodiversity and ecosystem functioning. *Nature*, 515(7528), 505-511.
- Batjes, N. H. (1996). "Total carbon and nitrogen in the soils of the world." *European Journal of Soil Science*, 47(2), 151-163.
- Blanco-Canqui, H., & Ruis, S. J. (2020). Cover crop impacts on soil physical properties: A review. *Soil Science Society of America Journal*, 84(5), 1527-1569.
- Janzen, H. H. (2006). "The soil carbon dilemma: Shall we hoard it or use it?" *Soil Biology and Biochemistry*, 38(3), 419-424.
- Jastrow, J. D., Amonette, J. E., & Bailey, V. L. (2007). Mechanisms controlling soil carbon turnover and their potential application for enhancing carbon sequestration. *Climatic Change*, 80(1), 5-23.
- Kirkby, C. A., Richardson, A. E., Wade, L. J., Conyers, M., & Kirkegaard, J. A. (2014). Inorganic nutrients increase humification efficiency and C-sequestration in an annually cropped soil. *PLoS ONE*, 9(7), e100773.
- Kleber, M., & Johnson, M. G. (2010). Advances in understanding the molecular structure of soil organic matter: Implications for interactions in the environment. *Advances in Agronomy*, 106, 77-142.

- Kögel-Knabner, I. (2002). The macromolecular organic composition of plant and microbial residues as inputs to soil organic matter. *Soil Biology and Biochemistry*, 34(2), 139-162.
- Lal, R. (2004). Soil Carbon Sequestration Impacts on Global Climate Change and Food Security. *Science*, 304(5677), 1623-1627.
- Lal, R. (2009). Soil carbon sequestration for climate change mitigation and food security. *International Journal of Climate Change Strategies and Management*, 1(1), 16-22.
- Lal, R., & Lorenz, K. (2012). Carbon sequestration in temperate agroforestry systems. *Springer*, 315-332.
- Lal, R., Follett, R. F., Stewart, B. A., & Kimble, J. M. (2007). Soil Carbon Sequestration to Mitigate Climate Change and Advance Food Security. *Soil Science*, 172(12), 943-956.
- Lehmann, J., & Joseph, S. (2009). "Biochar for Environmental Management: Science and Technology." Earthscan.
- Liang, C., Schimel, J. P., & Jastrow, J. D. (2017). The importance of anabolism in microbial control over soil carbon storage. *Nature Microbiology*, 2(8), 17105.
- Lorenz, K., & Lal, R. (2010). "Carbon Sequestration in Forest Ecosystems." Springer, Netherlands.
- McCarl, B. A., & Schneider, U. A. (2001). Greenhouse gas mitigation in US agriculture and forestry. *Science*, 294(5551), 2481-2482.
- Nair, P. K. R., Nair, V. D., Kumar, B. M., & Haile, S. G. (2009). Soil carbon sequestration in tropical agroforestry systems: a feasibility appraisal. *Environmental Science & Policy*, 12(8), 1099-1111.
- Oldfield, E. E., et al. (2019). Global meta-analysis of the relationship between soil organic matter and crop yields. *SOIL*, 5(1), 15-32.
- Paustian, K., Lehmann, J., Ogle, S., Reay, D., Robertson, G. P., & Smith, P. (2016). Climate-smart soils. *Nature*, 532(7597), 49-57.
- Post, W. M., & Kwon, K. C. (2000). Soil carbon sequestration and land-use change: Processes and potential. *Global Change Biology*, 6(3), 317-327.
- Powlson, D. S., Stirling, C. M., Thierfelder, C., White, R. P., & Jat, M. L. (2016). Does conservation agriculture deliver climate change mitigation through soil carbon sequestration in tropical agroecosystems? *Agriculture, Ecosystems & Environment*, 220, 164-174.
- Powlson, D. S., Whitmore, A. P., & Goulding, K. W. T. (2011). Soil carbon sequestration to mitigate climate change: a critical re-examination to identify the true and the false. *European Journal of Soil Science*, 62(1), 42-55.
- Rasse, D. P., Rumpel, C., & Dignac, M. F. (2005). Is soil carbon mostly root carbon? Mechanisms for a specific stabilisation. *Plant and Soil*, 269(1-2), 341-356.
- Rawls, W. J., Pachepsky, Y. A., Ritchie, J. C., Sobecki, T. M., & Bloodworth, H. (2003). Effect of soil organic carbon on soil water retention. *Geoderma*, 116(1-2), 61-76.

- Rillig, M. C., & Mummey, D. L. (2006). Mycorrhizas and soil structure. *New Phytologist*, 171(1), 41-53.
- Schlesinger, W. H., & Andrews, J. A. (2000). Soil respiration and the global carbon cycle. *Biogeochemistry*, 48(1), 7-20.
- Schmidt, M. W. I., et al. (2011). Persistence of soil organic matter as an ecosystem property. *Nature*, 478(7367), 49-56.
- Six, J., Conant, R. T., Paul, E. A., & Paustian, K. (2002). Stabilization mechanisms of soil organic matter: Implications for C-saturation of soils. *Plant and Soil*, 241(2), 155-176.
- Smith, P., et al. (2008). Greenhouse gas mitigation in agriculture. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363(1492), 789-813.
- Smith, P., Fang, C., Dawson, J. J. C., & Moncrieff, J. B. (2008). Impact of global warming on soil organic carbon. *Advances in Agronomy*, 97, 1-43.
- Smith, P., Martino, D., Cai, Z., Gwary, D., Janzen, H., Kumar, P., & Smith, J. (2008). Greenhouse gas mitigation in agriculture. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363(1492), 789-813.
- Sohi, S. P., Krull, E., Lopez-Capel, E., & Bol, R. (2010). A review of biochar and its use and function in soil. *Advances in Agronomy*, 105, 47-82.
- Sollins, P., Homann, P., & Caldwell, B. A. (1996). Stabilization and destabilization of soil organic matter: Mechanisms and controls. *Geoderma*, 74(1-2), 65-105.
- Stevenson, F. J. (1994). *Humus chemistry: Genesis, composition, reactions*. John Wiley & Sons.
- Stockmann, U., et al. (2013). "The knowns, known unknowns and unknowns of sequestration of soil organic carbon." *Agriculture, Ecosystems & Environment*, 164, 80-99.
- Wagg, C., Bender, S. F., Widmer, F., & van der Heijden, M. G. (2014). Soil biodiversity and soil community composition determine ecosystem multifunctionality. *Proceedings of the National Academy of Sciences*, 111(14), 5266-5270.
- Wall, D. H., & Nielsen, U. N. (2012). Biodiversity and ecosystem services: Is it the same below ground? *Nature Education Knowledge*, 3(12), 8.
- Woolf, D., Amonette, J. E., Street-Perrott, F. A., Lehmann, J., & Joseph, S. (2010). Sustainable biochar to mitigate global climate change. *Nature Communications*, 1(1), 56.