

Protected cultivation of Horticultural crops: A comprehensive review

Abstract

Horticultural crops grown under protection are becoming more and more significant in modern agriculture, offering a number of benefits such as increased yields, better quality, and protection from pests and bad weather. This comprehensive review aims to demonstrate protected cultivation methods as they currently exist and explore their future applications in horticulture. The first part of the examination covers the many types of protected production structures, including high tunnels, shade houses, and greenhouses, along with their advantages and disadvantages. The significance of protected farming in tackling concerns associated with worldwide food security is further underscored by preserving crop productivity throughout the year and limiting dependence on seasonal variations. This review looks more closely at the effects of protected cultivation methods on the growth and development of horticultural crops. These methods include improved crop morphogenesis, precipitation control, and the optimisation of environmental parameters like temperature, humidity, and carbon dioxide levels. Furthermore, the utilisation of advanced technologies like hydroponics, aeroponics, and vertical farming in protected growing systems is examined and its capacity to optimise crop yield while minimising resource consumption is emphasised. The study also looks at the challenges and restrictions that come with implementing protected cultivation, like the necessity for artificial inputs, energy needs, and cost concerns. It discusses sustainable and ecologically friendly solutions, such as the use of renewable energy sources and the conversion to organic farming practices, to lessen these issues and maintain ecological balance. The final section of the study discusses various future trends and developments in protected cultivation, such as the use of artificial intelligence, the incorporation of precision agriculture techniques, and the adoption of smart farming technologies. These advancements, which further optimise resource utilisation, improve automation, and enhance crop monitoring and management, may result in higher yields and higher-quality horticulture crop output.

Keywords

Hydroponics, Greenhouses, Food Security, Protected Cultivation

Introduction

Protected farming is the practice of growing crops in a whole or partially enclosed area, like a high tunnel, greenhouse, or shade house [1]. The primary objective of protected farming is to optimise environmental factors while establishing a controlled microclimate that shields the crops from inclement weather, pests, and disease [2]. It involves applying structures, materials, and technologies that provide protective barriers and environmental control over

temperature, humidity, light, and other variables [3]. This method extends the growing season, enhances crop yield and quality, enables year-round or off-season farming, and reduces reliance on external factors. A variety of horticultural crops, including fruits, vegetables, flowers, and herbs, are grown through protected agriculture [4].

Abiotic and biotic stresses have a significant impact on crop quality and yield in the current dynamic environment [5]. The challenges confronted by North Indian horticulture crop production include extreme temperatures, sunshine, water availability, relative humidity, weeds, nutrient deficits, wind velocity, concentration of carbon dioxide, diseases, and insect pests [6]. Protected farming techniques have demonstrated efficacy in mitigating these constraints, especially in places with extreme weather conditions [7]. Protected farming involves cultivating superior crops outside of their usual growth seasons by using structures such as greenhouses [8]. This approach reduces transit times and increases farmer profitability by delivering fresh product, particularly in periurban areas [9]. Buildings with greenhouses are covered with transparent materials, such as polythene or glass, which act as selective radiation filters. Short-wavelength solar light can flow through, but long-wavelength solar energy is trapped inside [10]. The building thus suffers a greenhouse effect, which boosts inside temperatures by absorbing solar energy [11]. Plant photosynthetic rate, transpiration, stomatal aperture, and leaf temperature are all impacted by the rising temperature [12]. By controlling the greenhouse climate, it is possible to alter the physiological conditions of plants [13]. For instance, when the greenhouse is closed at night, plant respiration raises CO₂ levels. This extra CO₂ is used for photosynthesis early in the morning of the following day. The greenhouse's improved nutrition, increased warmth, relative humidity, and CO₂ levels all promote faster development and greater yield [14]. In order to regulate the temperature inside a greenhouse, cooling mechanisms such as fan pad systems, ventilation, and fogging can be employed [15]. These techniques optimise the potential yield of vegetable crops and enable the year-round production of targeted crops. Planting closer together and with a higher plant density can further improve yields under protected farming [16]. Different management strategies are required for sheltered and open-field agriculture. In order to meet the demand for fresh food, strawberries, flowers, and fruit tree nurseries, peri-urban areas now depend heavily on multistory crop production in greenhouses [17]. A multitude of techniques are used in protection farming systems, such as mulching, drip watering, fertigation, naturally ventilated polyhouses, and more [18]. In addition, walk-in polytunnels have recently gained popularity in the Northern Plains of India, proving to be a helpful technology for producing cucurbits, tomatoes, and cucumbers as well as for constructing nurseries in the off-season [19].

The purpose of protective cultivation

- Stores are protected against biotic variables like pests and the volume of complaints they receive, as well as from abiotic stress (physical or resulting from non-living organisms) like temperature, water scarcity or excess, hot or cold swelling, etc.
- Water consumption decreased and weed growth controlled
- Enhancing productivity in relation to area. Decreased usage of fungicides in agricultural goods.

- Supporting premium, superior horticulture produce.
- High-value crop adaptation, multiplication, and addition of crops that are reputed to flourish in specific regions.
- Products produced from year-round flower, vegetable, or fruit crops
- Produced from superior genetic transplantation without any complaints.
- Innovative methods for cultivating protected crops for decorative plants
- Adapting farming practices for indoor greenhouse flower cultivation

In India, growing vegetables in greenhouses is a relatively recent practice that is increasingly being employed to produce luxury goods for export during the off-season. A floriculture unit can only be successful if it produces ornaments efficiently and with an eye towards export is outstanding, and the craftsmanship is superb. Greenhouse producers need to adopt the newest technology available in order to maintain reasonable costs and guarantee consistency in both quantity and quality of output.

Research on standardising farming technology, such as the efficient use of inexpensive greenhouses. Growing carnations, tuberose, gerbera, and roses is always better and more productive than growing other flowers [11].

Advances in the production of protected vegetable crops

Vegetables are a significant source of nutrition and have been consumed for decades. By supporting or exploiting creative scenarios of guarded civilisation technology for the production of horticultural crops with an eye towards their wallets, many producers in the country's peri-urban areas can successfully diversify their traditional husbandry. The year-round need for high-value vegetables such as slicing tomatoes, coloured peppers, and parthenocarpic cucumbers, among others, will be satisfied, as well as the emerging demand for uncommon and unusual off-season horticultural produce.

High-quality vegetable nurseries are the other industry that needs complete diversification from the current nursery caregiving system. Low-cost or medium-sized producers have simple organisational structures since they lack money. With the use of vegetable polyhouse civilisation, biotic and abiotic restrictions can be overcome, breaking the seasonal hedge and extending crop duration compared to open field conditions. Poly houses yielded the largest quantity of fruit weights and yield when compared to open field settings. A number of protected technologies displayed reduced net return and BC on the poly home, but the lowest values were seen in an open field.

New trends in protected cultivation's seed production

Nowadays, efficient growth depends on seed cultivation, and seeds cultivated in polyhouse structures are free of pests and illnesses that are frequently present in open agriculture. Many different structures are used to produce seeds: Walk-in tunnels, low-cost poly-houses, insect-proof net homes, climate-controlled greenhouses, semi-controlled greenhouses, naturally ventilated greenhouses, and plastic low tunnels are a few of the primary structures.

1. Glasshouses with climates that are partly controlled

High-value exotic crops are grown in poly houses, also known as glasshouses, which provide semi-climate control or temperature regulation and allow for longer growing seasons and larger yields. In an open field, the growing season is shorter otherwise. High-value foods such as parthenocarpic cucumbers, sweet peppers, cherries, and sliced tomato products can be grown in these structures. When compared to seeds grown in open fields or under other structures, the initial or starting point of construction and ongoing costs of comparable glasshouses are the main obstacles to using this type of building. This is because the cost of seed is substantially higher. However, seed output and quality are always significantly higher under similar setups [21].

2. Sheds with natural ventilation

Greenhouses are an excellent place to grow a wide range of fruits and vegetables, including parthenocarpic cucumbers, summer squash, muskmelon, and tomatoes, for seed because of their natural aeration. On the other hand, compared to greenhouses with climate control or semi-climate control, less time is needed for growing and seed production [22].

3. Manufacturing for Commercial Use

Net buildings that are resistant to insects can be used to grow cucurbits, which include sweet pepper, tomato, and brinjal seeds. These structures can protect crops against viruses and other insects such as fruit borer bugs during the wet and post-rainy seasons [20]. In comparison to other greenhouse types, not only is the seed yield consistently lower, but the production expenses are also much lower [23].

4. Production of Seeds

Walk-in tunnels can be used for the production of cucurbit seeds, which include those for bottle gourds, bitter gourds, summer squash, muskmelon, and watermelon [25]. High tunnels are used to warm the soil for agricultural development and extend the growing season in temperate regions of the world [24].

The situation of protected agricultural crop cultivation now and its future prospects

The Position of Protected Cultivation Worldwide Global Adoption

Particularly in regions with severe weather or limited fertile land, protected farming techniques, such as high tunnels and greenhouses, are becoming more and more prevalent [26] (Fig 1).

TOTAL AREA OF PROTECTED CULTIVATION WORLDWIDE




Fig 1: Position of Protected Cultivation Worldwide

Variety in Crops: There are many different types of horticultural crops growing there, such as flowers, fruits, vegetables, and decorative plants [27].

Technological Advancements: Industrialised countries have invested heavily in state-of-the-art controlled environment agriculture technologies, including automated climate control, hydroponics, and vertical farming [28].

Sustainable Practices: Within protected areas, a greater focus is being made on organic and sustainable production techniques in an effort to reduce the environmental impact of agriculture [29].

Market Expansion: Due to the expanding need for services, technology, and equipment related to protected cultivation, businesses now have opportunities [30].

Indian protected agricultural status

Rapid Growth: In recent years, India's adoption of protected farming practices has steadily increased as a result of the need to meet the nation's growing demand for fresh and off-season items [31].

Good environment: Protected agriculture, which extends growing seasons and protects crops from poor weather, thrives in India because to its diverse environment, which includes strong monsoons and exceptionally high temperatures [32].

Diversity in Horticulture: India cultivates a diverse range of horticulture crops, including exotic fruits, flowers, and vegetables, using protected farming techniques [33].

Government Initiatives: The Indian government has introduced a number of programs and incentives to encourage farmers to adopt greenhouse and polyhouse technology as well as protected farming [34]. Even with the growth, challenges remain, including the high initial investment cost, small-scale farmers' lack of technical know-how, and sustainability concerns [35].

Research and Innovation: One of the main priorities of Indian agricultural institutes and research organisations is the development of region-specific technology for protected farming and boosting crop yield [36].

Export Prospects: Protected farming has helped India's horticultural exports because some crops are now sold in international markets [37].

Upcoming prospects

Protected farming seems to have a promising future. As the population increases and the amount of arable land accessible diminishes, protected agriculture offers a sustainable solution to meet the growing demand for horticultural products [38]. It enhances crop quality, allows for year-round farming, and reduces the demand for water and pesticides.

Advances in technology for protected agriculture

A few innovative technologies in protected cultivation include drones for crop monitoring, robotics for harvesting, precision agriculture techniques, and the use of Internet of Things (IoT) solutions for data collection and analysis [39, 40]. Growing role of protected agriculture in meeting global food need: Protected farming is necessary to provide enough food to meet global demand [41]. It enables the production of premium crops in regions with adverse conditions.

In addition, it increases crop output, reduces losses after harvest, and ensures a consistent supply of fresh veggies throughout the year. Opportunities and challenges for protected agriculture While there are many benefits to protected horticulture, there are also disadvantages. These include the initial setup costs, energy consumption, proper maintenance, and ensuring the optimal climatic conditions for crop growth [42]. However, with advances in technology and rising public awareness of sustainable farming practices, there is potential to overcome these challenges and expand the use of protected agriculture.

Significant pests

Vegetable crops grown in greenhouses around the world are vulnerable to a variety of diseases and pest infestations because of the favourable circumstances that exist within. Huge losses may arise from greenhouse pests. The main causes of agricultural losses are arthropod pests such as nematodes, fungi, bacteria, thrips, and aphids, as well as diseases caused by bacteria, fungi, and viruses. The percentage of losses produced by a virus can vary from 5% to 90%, depending on several factors such as the virus strain, crop variety, age of the plant at infection time, and temperature during disease development [43, 44]. Severe tomato mosaic virus (ToMV) losses have been reported in susceptible pepper varieties [45].

Numerous plant hosts are afflicted by the virus known as tomato infectious chlorosis virus (TICV). Orange County calculated in 1993 that the global tomato industry would lose \$2 million. While western flower thrips in UK glasshouses caused 90% of the crop loss, the tomato yellow leaf curl virus, which is propagated by whiteflies, boosted crop loss to 100% in Mediterranean locations [46]. Reports state that certain significant crop losses in greenhouse vegetable crops are attributable to the Pythium species. Botrytis species can cause large post-harvest losses when plant products are transported or stored [47, 48].

IPM and protected farming

Biological management has gained popularity recently due to customer demands for food free of residues and pests that are resistant to artificial pesticides used to control greenhouse pests. Because of this, integrated pest management (IPM) techniques for long-term crop protection have been developed [49, 50, 51]. IPM minimises adverse impacts on the environment, non-target animals, and human health while preventing pest damage. It involves integrating all relevant plant protection strategies to keep pests below commercially significant levels while preserving consumer health, environmental sustainability, and farmer profitability. Controlling diseases and insects is crucial to growing plants that are healthy, pest-free, and undamaged since they represent a severe threat to greenhouse production. So, a greenhouse IPM plan should include a bio-intensive strategy that includes sanitation, mechanical barriers, scouting, GAP protocols, biocontrol, and specialised pesticides as needed. These days, almost all greenhouse vegetable crops such as lettuce, tomatoes, cucumbers, sweet peppers, brinjal, and others are cultivated in many regions of the world using integrated pest management (IPM) [52, 53, 54].

Automated Systems in Protected Farming

In order to maintain some robotic duties, automation is a helpful technology. The strategy for technological protection covers a variety of machinery. Encouraging the production of valuable crops like tomatoes, sweet peppers, and cucumbers, along with a range of trimmed plants and flowers like roses, gerberas, and chrysanthemums, protected development is a high-risk, high-reward creative method.

In Western social orders, this kind of creation has encountered difficulties such as expanding creation offices, growing labour costs, increasing difficulty in locating workers with the necessary skills, health issues resulting from heavy and monotonous work, and escalating competition in the national and international business sectors. Precise farming methods, which handle plants as a single organism, are also gaining traction since they provide greater control over the type and quantity of crop yielded while making optimal use of available resources. Because of the ongoing demands on human work, this has led to a far more realistic push for computerisation and sophisticated mechanics. Mechanisation has been developed as a modern requirement for different processes, including harvesting [55, 56, 57].

Issues or Challenges with India's Protected Farming

Though it has a long history, protected vegetable farming is still relatively new in India. The enormous potential of growing protected vegetables has received very little attention.

The following limitations and issues add to the difficulty of cultivation:

1. Despite the importance of vegetables such as sweet pepper, cucumber, tomato, and cherry tomatoes, no specific breeding work has been done to create varieties or hybrids that are ideal for growing in greenhouses or other protected situations. Exotic seeds are expensive, which keeps Indian farmers from buying them.
2. Despite the fact that some of these vegetable kinds are offered for sale domestically, they don't live up to the expectations of premium or export markets.
3. Because climate-controlled greenhouses are expensive initially and require ongoing maintenance, growers in India shouldn't utilise them.
4. A more steady power supply is needed in many regions of the country to keep the greenhouses' heating and cooling systems operating.
5. Certain plants, such as sweet pepper in Delhi's winter climate, may produce less when exposed to intense sunlight during critical periods.
6. Not much has been done to standardise the designs of greenhouses and other covered structures, despite the nation's varied agro-climatic zones.
7. Potential methods for producing vegetables under various protected structures have not been investigated for the country's various agroclimatic zones.
8. It is challenging to find the resources needed to meet the prerequisites. In addition, greenhouses lack the proper instruments to control the atmosphere.
9. There are currently no dedicated studies being carried out on protecting vegetable plants.
10. It is challenging to supply markets with high-quality products due to the lack of packaging and on-farm value-added components.

Conclusion

Protected farming is the practice of cultivating crops in a regulated setting where temperature, humidity, and light levels may be changed to suit each crop's specific requirements. In this controlled environment, overall productivity is increased and healthier plants are encouraged. In addition to forced-vent greenhouses, other protected farming techniques include plastic tunnels, insect-proof net houses, naturally ventilated poly houses, raised beds, trellising, drip irrigation, and more. These methods can be used separately or in combination to create a favourable growing environment that shields plants from harsh weather, extends the growing season, or allows for the production of crops outside of the regular growing season. When raised beds and mulch films are added, drip irrigation reduces evaporation losses and offers benefits including improved soil moisture retention and weed control.

References

- [1] Trivedi, A., 2019. Reckoning of Impact of Climate Change using RRL AWBM Toolkit. *Trends in Biosciences* 12(20): 1336-1337.
- [2] Lamichhane P, Adhikari J, Poudel A. Protected cultivation of horticultural crops in Nepal: Current practices and future needs. *Archives of Agriculture and Environmental Science*. 2023;8(2):268- 273.
- [3] Jewett T, Jarvis W. Management of the greenhouse microclimate in relation to disease control: A review. *Agronomie*. 2001;21(4):351-366.
- [4] Gruda N, Tanny J. Protected crops. *Horticulture: Plants for People and Places, Production Horticulture*. 2014;1:327-405.
- [5] Tã¼zel Y, Kacira M. Recent developments in protected cultivation. In VIII SouthEastern Europe Symposium on Vegetables and Potatoes. 2021, September;1320:1- 14.
- [6] Rasheed R, Ashraf MA, Iqbal M, Hussain I, Akbar A, Farooq U, Shad MI. Major constraints for global rice production: Changing climate, abiotic and biotic stresses. Rice research for quality improvement: Genomics and genetic engineering: Breeding Techniques and abiotic Stress Tolerance. 2020;1:15-45.
- [7] Trivedi, A., Awasthi, M.K., 2020. A Review on River Revival. *International Journal of Environment and Climate Change* 10(12): 202-210.
- [8] Trivedi, A., Awasthi, M.K., 2021. Runoff Estimation by Integration of GIS and SCS-CN Method for Kanari River Watershed. *Indian Journal of Ecology* 48(6): 1635-1640.
- [9] Trivedi, A., Gautam, A.K., 2017. Hydraulic characteristics of micro-tube dripper. *LIFE SCIENCE BULLETIN* 14 (2): 213-216.
- [10] Shil S. Weather parameters and it's impact on agricultural production-A review. *Innovative Farming*. 2018;3(4):141-149.
- [11] D'antonio CARLA, Meyerson LA. Exotic plant species as problems and solutions in ecological restoration: A synthesis. *Restoration Ecology*. 2002;10(4):703-713.
- [12] Sabir N, Singh B. Protected cultivation of vegetables in global arena: A review. *Indian Journal of Agricultural Sciences*. 2013;83(2):123-135.
- [13] Van Veenhuizen R, Danso G. Profitability and sustainability of urban and periurban agriculture. *Food & Agriculture Org*. 2007; 19.
- [14] Rahman F, Abid K, Schmidt C, Pfaff G, Koenig F. Interference pigment coated solar cells for use in high radiant flux environments. *JJMIE*. 2010;4(1).
- [15] Gorjian S, Calise F, Kant K, Ahamed MS, Copertaro B, Najafi G, et al. A review on opportunities for implementation of solar energy technologies in agricultural greenhouses. *Journal of Cleaner Production*. 2021;285:124807.
- [16] Pallas Jr JE, Michel BE, Harris DG. Photosynthesis, transpiration, leaf temperature, and stomatal activity of cotton plants under varying water potentials. *Plant Physiology*. 1967;42(1):76-88.
- [17] Paradiso R, Proietti S. Light-quality manipulation to control plant growth and photomorphogenesis in greenhouse horticulture: The state of the art and the

- opportunities of modern LED systems. *Journal of Plant Growth Regulation*. 2022; 41(2):742-780.
- [18] De Gelder A, Dieleman JA, Bot GPA, Marcelis LFM. An overview of climate and crop yield in closed greenhouses. *The Journal of Horticultural Science and Biotechnology*. 2012;87(3):193-202.
- [19] Sethi VP, Sharma SK. Survey of cooling technologies for worldwide agricultural greenhouse applications. *Solar Energy*. 2007;81(12):1447-1459.
- [20] Nordey T, Basset-Mens C, De Bon H, Martin T, Déletré E, Simon S, et al. Protected cultivation of vegetable crops in sub-Saharan Africa: limits and prospects for smallholders. A review. *Agronomy for Sustainable Development*. 2017;37:1-20.
- [21] Trivedi, A., Gautam, A.K., 2019. Temporal Effects on the Performance of Emitters. *Bulletin of Environment, Pharmacology and Life Sciences* 8 (2): 37-42.
- [22] Trivedi, A., Gautam, A.K., 2022. Decadal analysis of water level fluctuation using GIS in Jabalpur district of Madhya Pradesh. *Journal of Soil and Water Conservation* 21(3): 250-259.
- [23] Trivedi, A., 2019. Reckoning of Impact of Climate Change using RRL AWBM Toolkit. *Trends in Biosciences* 12(20): 1336-1337.
- [24] Trivedi, A., Awasthi, M.K., 2020. A Review on River Revival. *International Journal of Environment and Climate Change* 10(12): 202-210.
- [25] Pancharatnam P. *Agriculture Letters*. Agriculture Letters. 4.
- [26] Aditya P, Rao V, Mohapatro S, Chandra V, Nanda C, Suman S. Future trends in protected cultivation: A Review; 2023.
- [27] Trivedi, A., Awasthi, M.K., 2021. Runoff Estimation by Integration of GIS and SCS-CN Method for Kanari River Watershed. *Indian Journal of Ecology* 48(6): 1635-1640.
- [28] Trivedi, A., Gautam, A.K., 2017. Hydraulic characteristics of micro-tube dripper. *LIFE SCIENCE BULLETIN* 14 (2): 213-216.
- [29] Trivedi, A., Gautam, A.K., 2019. Temporal Effects on the Performance of Emitters. *Bulletin of Environment, Pharmacology and Life Sciences* 8 (2): 37-42.
- [30] Trivedi, A., Gautam, A.K., 2022. Decadal analysis of water level fluctuation using GIS in Jabalpur district of Madhya Pradesh. *Journal of Soil and Water Conservation* 21(3): 250-259.
- [31] Singh AK, Sabir N. Role of protected cultivation as green technology for sustainable environment: Future, Prospect, Potential, Production, Protection, and Profit. In *Handbook of Research on Green Technologies for Sustainable Management of Agricultural Resources*. IGI Global. 2022;81-107.
- [32] Trivedi, A., Pyasi, S.K., Galkate, R.V., 2018. Estimation of Evapotranspiration using CROPWAT 8.0 Model for Shipra River Basin in Madhya Pradesh, India. *Int.J.Curr.Microbiol.App.Sci*. 7(05): 1248-1259.
- [33] Trivedi, A., Pyasi, S.K., Galkate, R.V., Gautam, V.K., 2020. A Case Study of Rainfall Runoff Modelling for Shipra River Basin. *nt.J.Curr.Microbiol.App.Sci* Special Issue-11: 3027-3043.

- [34] Trivedi, A., Singh, B.S., Nandeha, N., 2020. Flood Forecasting using the Avenue of Models. *JISET - International Journal of Innovative Science, Engineering & Technology* 7(12): 299-311.
- [35] Baylis A. Advances in precision farming technologies for crop protection. *Outlooks on Pest Management*. 2017;28(4):158- 161.
- [36] Alansari Z, Anuar NB, Kamsin A, Soomro S, Belgaum MR, Miraz MH, et al. Challenges of internet of things and big data integration. In *Emerging Technologies in Computing: First International Conference, iCETiC 2018, London, UK, August 23–24, 2018, Proceedings 1*. Springer International Publishing. 2018;47- 55.
- [37] Shiferaw B, Smale M, Braun HJ, Duveiller E, Reynolds M, Muricho G. Crops that feed the world 10. Past successes and future challenges to the role played by wheat in global food security. *Food Security*. 2013;5:291-317.
- [38] Subin MC, Chowdhury S, Karthikeyan R. A review of upgradation of energy-efficient sustainable commercial greenhouses in Middle East climatic conditions. *Open Agriculture*. 2021;6(1):308-328.
- [39] Trivedi, A., Verma, N.S., Nandeha, N., Yadav, D., Rao, K.V.R., Rajwade, Y., 2022. Spatial Data Modelling: Remote Sensing Sensors and Platforms. *Climate resilient smart agriculture: approaches & techniques*: 226-240.
- [40] NirjharneeNandeha, Ayushi Trivedi, M L Kewat, S.K Chavda, Debesh Singh, Deepak Chouhan, Ajay Singh, Akshay Kumar Kurdekar and Anand Dinesh Jejal. 2024. Optimizing bio-organic preparations and Sharbati wheat varieties for higher organic wheat productivity and profitability. *AMA* 55(1): 16739- 16760.
- [41] Ashwini Kumar, Ayushi Trivedi, NirjharneeNandeha, Girish Patidar, Rishika Choudhary and Debesh Singh. 2024. A Comprehensive Analysis of Technology in Aeroponics: Presenting the Adoption and Integration of Technology in Sustainable Agriculture Practices. *International Journal of Environment and Climate Change* 14(2): 872-882.
- [42] Smita Agrawal, Amit Kumar, Yash Gupta and Ayushi Trivedi. 2024. Potato Biofortification: A Systematic Literature Review on Biotechnological Innovations of Potato for Enhanced Nutrition. *Horticulturae* 2024, 10, 292. <https://doi.org/10.3390/horticulturae10030292>. 1-17.
- [43] NirjharneeNandeha, Ayushi Trivedi, Neelendra Singh Verma, Neha Kushwaha and Satish Kumar Singh. 2023. Benefits and Challenges of Indian Organic Farming: A Comprehensive Review. *International Journal of Environment and Climate Change* 13(9): 2142-2151.
- [44] Deepika Yadav, Yogesh Rajwade, K.V. Ramana Rao, Ayushi Trivedi and Neelendra Singh Verma. 2023. Adoption of Plastic Mulching Techniques for Enhancing African Marigold (L.) Production. *Indian Journal of Ecology* 50(3): 685-689.
- [45] Vinay Kumar Gautam , Ayushi Trivedi and M.K. Awasthi. 2023. Optimal water resources allocation and crop planning for Mandla district of Madhya Pradesh. *Indian Journal of Soil Conservation* 51(1): 68-75.
- [46] Ayushi Trivedi, M. K. Awasthi, Vinay Kumar Gautam, Chaitanya B. Pande and Norashidah Md Din. 2023. Evaluating the groundwater recharge requirement and

- restoration in the Kanari river, India, using SWAT model. *Environment, Development and Sustainability*. Doi: <https://doi.org/10.1007/s10668-023-03235-8>
- [47] Deepika Yadav, K V Ramana Rao, Ayushi Trivedi, Yogesh Rajwade and Neelendra Verma. 2023. Reflective mulch films a boon for enhancing crop production: A review. *Environment Conservation Journal* 24 (1):281-287.
- [48] Ayushi Trivedi, NirjharneeNandeha, Smita Agrawal, Amit Kumar and R.S. Dangi. 2023. *Geo-Spatial Techniques for Planning and Interventions for Environmental Sustainability. "Land and Water Management Engineering"*. ISBN: 978-93-58998-90-0. 69-85. Elite Publishing House.
- [49] Bhatnagar PR. Strategies for protected cultivation for small and marginal farmers in India. In *Agriculture: Towards a new paradigm of sustainability*. Excellent publishing house, New Delhi, India, 2014.
- [50] Jadhav HT, Rosentrater KA. Economic and environmental analysis of greenhouse crop production with special reference to lowcost greenhouses: A Review. *An ASABE Meeting Presentation*. 2017; 1701178:1-6.
- [51] Kumar P, Chauhan RS, Rohila AK, Grover RK. Poly house technology in vegetable production for nutritional security in Haryana: status, production and constraints. *Agricultural Economics Research Review*. 2016;29:207
- [52] Ghanghas BS, Malik JS, Yadav VPS. Sustainable vegetables and flowers production technology (Poly House): Problems & Prospects in Haryana. *Indian Research Journal of Extension Education*. 2018;18(2):12-16
- [53] Nair R, Barche S. Protected cultivation of vegetables – present status and future prospects in India. *Indian Journal of Applied Research*. 2014;2249-555: (4-6).
- [54] Ghosal MK, Das RK. A study on the cultivation of capsicum in a greenhouse during offseason in warm and humid climate of India. *International Journal of Agricultural Science*. 2012;8(1):220-223.
- [55] Roop Singh Dangi, Ekta Joshi, Neelam Singh, Smita Agrawal, Amit Kumar, Ayushi Trivedi and Reema Lautre. 2023. *Production Technology of Major Millets*. *Frontiers of Agronomy*. ISBN: 978-93-58995-10-7. 117-138. Elite Publishing House.
- [56] Roop Singh Dangi, Ekta Joshi, Neelam Singh, Smita Agrawal, Amit Kumar, Ayushi Trivedi and Reema Lautre. 2023. *Classification of Crops*. *Frontiers of Agronomy*. ISBN: 978-93-58995-10-7. 1-11. Elite Publishing House.
- [57] Roop Singh Dangi, Ekta Joshi, Neelam Singh, Smita Agrawal, Amit Kumar, Ayushi Trivedi and Reema Lautre. 2023. *Production Technology of Minor Millets*. *Frontiers of Agronomy*. ISBN: 978-93-58995-10-7. 139-158. Elite Publishing House.