

Review Article

A comprehensive Analysis for Global Food Security and Environmental Sustainability using Edible Insects

Abstract

This comprehensive analysis examines insects' potential as sustainable food and feed sources, focusing on a variety of scholarly views and empirical studies. Edible insects offer a viable answer to global food security issues because of their high nutritional content, efficient feed conversion rates, and lesser environmental effects when compared to traditional cattle. Nutrient composition investigations (Barker, Fitzpatrick and Dierenfeld, 2019; Finke, 2013) show that insects are high in proteins, vitamins, and minerals, making them acceptable for human and animal diets. Consumer acceptability surveys (Caparros Megido *et al.*, 2014; Hartmann and Siegrist, 2016) show that Western countries are becoming more open to entomophagy, yet cultural hurdles still exist (Deroy, Reade and Spence, 2015; La Barbera *et al.*, 2018). Life cycle assessments (Halloran *et al.*, 2016; Oonincx and de Boer, 2012) show that insect farming benefits the environment by reducing greenhouse gas emissions and water footprints. Safety assessments (Charlton *et al.*, 2015; EFSA, 2021) confirm the possibility of introducing insects into food systems, as long as strict requirements are followed to reduce microbial hazards (Klunder *et al.*, 2012). Economic analyses (Dossey, Morales-Ramos, and Rojas, 2016; Veldkamp *et al.*, 2012) indicate that the sale of insects can improve livelihoods and contribute to sustainable agriculture. Despite the potential benefits, more study is required to solve regulatory, ethical, and consumer perception issues before completely integrating insects into global food systems (Belluco *et al.*, 2013; Yen, 2009). This review emphasized the necessity for multidisciplinary approaches to promote entomophagy and harness its potential for a sustainable future.

1. INTRODUCTION TO EDIBLE INSECTS:

Edible insects, commonly known as entomophagy, is the practice of consuming insects for food (van Huis et al., 2013). This technique has been part of human diets for thousands of years and is currently utilized as a traditional food source in many communities throughout the globe (Ramos-Elorduy, 2009). With growing concerns about sustainability, food security, and environmental impact, edible insects are emerging as a viable alternative to conventional protein sources (Gahukar 2011). Consumption of insects is not a novel concept. It began in ancient times when early humans foraged for food (Bodenheimer, 1951). Many ancient texts, including the Bible and Aristotle's writings, mention insect consumption. Entomophagy is common in Africa, Asia, and Latin America, where insects are harvested or reared for food (Durst and Shono, 2010).

Comment [S1]: The edible insects, commonly known as entomophagy, are

Comment [S2]: *italic*

Edible insects are eaten in a variety of ways. Edible insects include beetles, caterpillars, bees, wasps, ants, grasshoppers, locusts, crickets, and cicadas (van Huis et al. 2013). Insects are very nutritious, providing a rich amount of protein, lipids, vitamins, and minerals. They often contain similar, if not greater, levels of protein than regular animals. For example, crickets provide 60-70% protein and are high in iron, vitamin B12, and essential amino acids (Rumpold and Schlüter, 2013). The nutritional value varies by species; however, insects are typically considered a healthy source of nutrients (van Huis et al., 2013).

Comment [S3]: *italic*

Farming has great environmental advantages. Insects have a high feed conversion efficiency, thus they use less feed to produce the same amount of protein as conventional cattle (van Huis et al., 2013). They also produce less greenhouse emissions, use less water, and occupy less space (Oonincx et al., 2010). This makes insect farming a more sustainable solution to meeting the protein needs of a rising global population (Van Huis et al., 2013). For instance, mealworms produce 2-10 times less greenhouse gases compared to traditional livestock (Oonincx et al., 2010).

Comment [S4]: *italic*

The edible insect business is expanding into a viable market. Insect farming may be a cost-effective enterprise, with lower initial and recurring costs than traditional cattle farming (Halloran et al., 2016). This sector provides opportunities for small-scale farmers and entrepreneurs, especially in underdeveloped countries where insects are already a diet staple (Van Huis et al. 2013). The global market for edible insects is projected to reach \$1.2 billion by 2023, reflecting growing commercial interest and investment (Gahukar, 2011).

Comment [S5]: *italic*

Despite the benefits, various barriers are preventing edible insects from being generally recognized. These include psychological and cultural challenges, since eating insects is not a common practice in many Western nations (Ruby et al., 2015). There are further regulatory

Comment [S6]: *italic*

difficulties since many places have yet to adopt food safety laws for insect-derived products (Van der Spiegel et al., 2013). Market acceptance of insect-based meals is dependent on maintaining consistent quality and safety (Caparros Megido et al., 2014). For example, in Europe, regulatory frameworks are being developed to ensure the safety and standardization of insect-based foods (Van der Spiegel et al., 2013).

Comment [S7]: italic

Edible insects provide a healthy, ecologically sustainable, and financially viable alternative to conventional animal proteins. They have the potential to greatly help to solving global food security concerns as awareness and acceptance grow (FAO, 2013). The introduction of edible insects into the general public's diets will be dependent on consumer education, research, and regulatory development (House, 2016).

Comment [S8]: italic



Figure 1. Flour beetle larva cultured for feeding chicken (Credit:Getty images)



Figure 2: Zhongshan Road Street Food Night Market in Nanning (Credit: Getty images)

2. Nutritional Benefits:

2.1 High protein content: Edible insects have a high protein content, which is one of their main nutritional benefits. According to Rumpold and Schlüter (2013), the protein content of insects such as grasshoppers, mealworms, and crickets varies from 50 to 80 percent by dry weight, making them comparable to or even more so than traditional meat sources such as fish, chicken, and cattle. Furthermore, insect proteins are a complete protein supply since they include all essential amino acids for human health (Belluco *et al.*, 2013).

2.2 Rich in healthy fats: Edible insects are also a rich source of heart-healthy lipids including polyunsaturated fatty acids (PUFA). Mealworms, for example, are high in omega-3 and omega-6 fatty acids, both of which are important for reducing inflammation and safeguarding cardiovascular health. Insect fats are a heart-healthy alternative to traditional animal fats since they improve the overall nutritional profile of the diet.

2.3 Vitamins and Minerals: Insects are an excellent source of essential minerals and vitamins. For example, they are high in B vitamins, which are necessary for energy metabolism, skin and nerve health, as well as riboflavin, pantothenic acid, and biotin (Finke 2013). Insects also provide considerable quantities of minerals such as calcium, magnesium, zinc, iron, and zinc. Because insect-derived iron is highly bioavailable—that is, readily absorbed by the body—it may help cure anemia and iron deficiency, especially in developing countries (Yi *et al.*, 2013).

2.4 Low Carbohydrate Content: Edible insects have minimal carbohydrates, making them an excellent protein source for individuals following a low-carb or ketogenic diet. Chitin, a kind of fiber found in insect exoskeletons, makes up the bulk of the carbohydrate content and may benefit digestive health (van Huis *et al.*, 2013).

2.5 Bioactive Compounds: In addition to macronutrients and micronutrients, edible insects include a variety of bioactive compounds that may benefit one's health. For example, certain insects contain antioxidants that may help protect the body from oxidative stress and inflammation (Halloran *et al.*, 2018). Additionally, certain insects contain antimicrobial peptides that may improve gut health and immunity (Makkar *et al.*, 2014).

2.6 Digestibility and Absorption: Insect protein has comparable digestion to traditional animal proteins. According to Janssen *et al.* (2017), some insect proteins have a protein digestibility-

corrected amino acid score (PDCAAS) equivalent to soy and beef, indicating good quality and efficient absorption. This high digestibility guarantees that the nutrients found in insects are effectively absorbed by the human body.

2.7 Potential for Enhancing Food Security: Edible insects, with their high nutritional profile, have the potential to improve food security, particularly in areas where malnutrition is common. They can provide an economical and accessible source of high-quality nutrition, resulting in better health outcomes and less reliance on traditional livestock, which can be resource-intensive (FAO, 2013).

Table 1: Nutritional Benefits of some Edible insects.

Insect	Protein (g/100g)	Fat (g/100g)	Carbohydrates (g/100g)	Fiber (g/100g)	Key Vitamins & Minerals	Additional Benefits
Crickets	12.9	5.5	5.1	2.2	B12, Iron, Zinc, Omega-3, Omega-6	High in complete protein
Mealworms	20.3	13.4	5.2	2.2	Potassium, Iron, Zinc, Selenium	High in healthy fats
Grasshoppers	20.6	6.1	3.9	2.2	B12, Iron, Zinc, Magnesium	High in essential amino acids
Silkworms	9.6	5.6	2.3	1.2	B2, B12, Iron, Magnesium, Calcium	Low in calories, good for weight control
Ants	13.9	3.5	5.1	2.4	Iron, Zinc, Magnesium	Low in fat
Beetles	19.8	14.0	2.4	1.8	B12, Iron, Zinc, Magnesium	High in protein and fats
Termites	14.2	9.8	2.9	1.3	Iron, Calcium, Magnesium	Rich in iron
Caterpillars	28.2	10.1	4.7	2.7	B1, B2, B3, B5, B6, B12, Iron, Magnesium	High protein content

3. ENVIRONMENTAL IMPACT:

3.1 High Feed Conversion Efficiency: One of the most significant environmental advantages of edible insects is their high feed conversion efficiency. Insects are far more effective at converting feed into body mass than typical cattle. For example, crickets require only 1.7 kilograms of feed to create 1 kilogram of body mass, but calves require around 8 kilograms of feed to produce the same quantity of steak (Oonincx and de Boer, 2012). This effective feed conversion saves resources and can greatly lessen the environmental impact of food production.

3.2 Reduced Greenhouse Gas Emissions: Insect farming emits much fewer greenhouse gases (GHGs) than conventional animal production. In contrast to cattle and pigs, insect production emits small amounts of methane and nitrous oxide. According to one study, mealworms produce 10 to 100 times fewer GHGs per kilogram of protein than conventional livestock like cows, pigs, and chickens (Oonincx *et al.*, 2010). This reduction in GHG emissions makes insect farming a more environmentally responsible choice.

3.3 Lower Water Usage: Water scarcity is a developing global concern, and traditional livestock production consumes a significant amount of freshwater resources. In comparison, insect farming requires far less water. For example, producing 1 kilogram of beef can use up to 15,000 liters of water, whereas creating the same quantity of edible insect protein requires substantially less water (Miglietta *et al.*, 2015). This lower water use is especially beneficial in arid and semi-arid areas where water is scarce.

3.4 Minimal Land Use: Insects can be cultivated in small places and do not require enormous areas of land for grazing or considerable infrastructure. This makes insect farming extremely scalable and appropriate for urban areas or locations with little agricultural land. Insects can also be raised in vertical farming systems, allowing for even more efficient use of available space. This minimum land usage can help to protect natural areas and biodiversity.

3.5 Utilization of Organic Waste: Insects can be cultivated using organic waste items like food scraps, agricultural wastes, and even animal dung. This capacity to repurpose trash not only lessens the demand for conventional feed resources, but it also aids in waste management and

recycling. For example, black soldier fly larvae may transform organic waste into high-quality protein and fat, lowering waste volume by up to 50% (Diener *et al.*, 2011). This approach helps to create a more circular and sustainable food economy.

3.6 Biodiversity Conservation: Traditional livestock husbandry often results in deforestation, habitat damage, and biodiversity loss due to the necessity for grazing pasture and feed crop production. In contrast, insect farming requires less area and may be integrated into current agricultural systems with less environmental impact. Insect farming can help conserve natural ecosystems and biodiversity by minimizing land resource pressure (Dossey *et al.*, 2016).

3.7 Lower Risk of Antibiotic Resistance: The widespread use of antibiotics in conventional cattle farming is a key contributor to antibiotic resistance, which poses a serious threat to global health. Insect farming typically requires fewer antibiotics since insects are less susceptible to diseases that usually affect traditional cattle (van Huis *et al.* 2013). This decreased reliance on antibiotics lowers the likelihood of generating and transmitting antibiotic-resistant microorganisms.

3.8 Potential for Climate Change Mitigation: Large-scale insect farming can offset the consequences of climate change. Reduced GHG emissions, decreased water and land use, and the ability to recycle organic waste all help to create a more sustainable and resilient food production system. As global temperatures rise and climate change reduces agricultural production, edible insects present a feasible option for ensuring food security and environmental sustainability (FAO, 2013).

Table 2: Environmental impact of edible insects

Comment [S9]: incomplete information

	21.03	30.47
	14.65	17.79
	16.95	21.49
	17.19	20.77
	15.74	20.21

Environmental Aspect	Edible Insects	Reference(s)
Greenhouse Gas Emissions	Significantly lower compared to livestock (e.g., cattle, pigs)	FAO (2013), Rumpold & Schlüter (2013)
Land Use	Require significantly less land compared to traditional livestock	FAO (2013), Oonincx & de Boer (2012)
Water Use	Lower water requirements compared to livestock	FAO (2013), Van Huis et al. (2013)
Feed Conversion Efficiency	More efficient at converting feed into edible body mass (e.g., crickets require 2 kg of feed per kg of body mass)	FAO (2013), Rumpold & Schlüter (2013)
Biodiversity	Potential to reduce pressure on wild animal populations and preserve biodiversity	Gahukar (2011), Van Huis et al. (2013)
Waste Reduction	Can be raised on organic waste, reducing food waste	FAO (2013), Van Huis et al. (2013)
Ecosystem Impact	Minimal ecosystem disturbance compared to livestock farming	FAO (2013), Halloran et al. (2016)

4. ECONOMIC ASPECTS:

4.1 Cost-Effective Production: Insect farming is substantially cheaper than traditional animal production. Insects demand less feed, use less water, and require less space than conventional cattle, resulting in cost-effectiveness. For example, crickets require only 1.7 kilograms of feed to create one kilogram of body mass, but calves require around 8 kilograms of feed to achieve the same weight increase (Oonincx and de Boer, 2012). This high conversion efficiency leads to decreased feed costs. Furthermore, insect farms do not require the costly infrastructure and equipment for producing cattle, pigs, or poultry, making them accessible to small-scale farmers and entrepreneurs (van Huis *et al.*, 2013).

4.2 Low Capital Investment: Starting an insect farm requires little upfront investment. In contrast to traditional livestock farming, the infrastructure necessary for insect farming, such as containers, breeding apparatus, and feeding systems, is less expensive. This lower barrier to entry allows more people, particularly in underdeveloped countries, to pursue insect farming as a viable vocation. Small-scale farmers can begin with investments as low as \$100 to \$200 and gradually expand their operations as they gain experience and market access (Halloran et al., 2016). This technique has the potential to promote economic development and alleviate poverty by offering a new source of revenue for rural communities.

4.3 Market prospects for growth: Insects that can be eaten are a booming business. The demand for items made from insects is increasing as more and more people learn about the nutritional and environmental advantages of eating insects. Forecasts indicate that the worldwide edible insect industry would rise from its 2019 valuation of about \$112 million to a whopping \$1.5 billion by 2026, a CAGR (compound annual growth rate) of 28%. There are a lot of opportunities for businesses and investors in the agricultural and food sectors in this fast-growing sector. Whole insects, protein powders made from insects, snacks made from insects, and additions to animal feed derived from insects are just a few of the many goods that entrepreneurs may create.

4.4 Generating Employment Opportunities: Insect farming can create job possibilities at many points of the supply chain. From farming and processing to marketing and sales, the edible insect industry generates employment at all levels. Small-scale farms can create jobs in local communities, promoting economic development and improving livelihoods. Furthermore, the rising market for insect-based goods creates new economic opportunities in food processing, packaging, and distribution, which expands the labour market (Muller et al., 2017). For example, in Thailand, insect farming has provided jobs for over 20,000 families, while in Kenya, a cricket processing facility employs over 300 people (FAO, 2021). This employment generation potential is especially important in poorer countries where job options may be scarce.

4.5 High feed conversion efficiency: Insects convert feed to edible body mass more efficiently than traditional cattle, resulting in lower feed costs. For example, crickets require only 1.7 kilograms of feed to create 1 kilogram of body mass, but calves require approximately 8 kilograms of feed to produce the same quantity of steak (Ooninx and de Boer, 2012). This high feed conversion efficiency lowers total production costs and may

make insect farming more economically viable, particularly in resource-constrained places. This efficiency results in less waste and greater resource usage.

4.6 Value-added products: Edible insects can be processed to provide a variety of value-added goods, such as protein powders, snacks, and insect-based animal feed. These goods can fetch higher market prices, generating additional cash for insect growers and processors. Cricket flour, for example, is a popular component in protein bars, drinks, and baked goods marketed to health-conscious consumers and fitness enthusiasts (Payne *et al.* 2016). The capacity to produce value-added goods from insects enables farmers and enterprises to diversify their offers and enter niche markets, boosting profitability and economic sustainability.

4.7 Waste Reduction and Utilization: Insect farming can reduce waste by using organic waste as feed. Black soldier fly larvae, for example, can efficiently convert food waste and agricultural by-products into high-quality protein and fat, significantly reducing waste volume (Diener *et al.*, 2011). Studies have shown that black soldier fly larvae can reduce food waste by up to 50-70%, converting it into valuable biomass (van Huis *et al.*, 2013). This not only helps in waste management but also creates a circular economy by recycling nutrients back into the food system. Farmers can benefit from this approach, as it provides a cost-effective feed alternative while contributing to environmental sustainability.

4.8 Market acceptance and consumer education: Market acceptance of edible insects is critical to their economic survival. While insect ingestion is common in many regions of the world, it is still relatively new in Western countries. Consumer education and awareness efforts are critical for removing psychological and cultural obstacles to insect intake. Successful marketing techniques and culinary innovations can contribute to the normalization of edible insects as a food source, hence raising demand and driving market growth. Efforts to educate customers about the health benefits, environmental advantages, and culinary versatility of edible insects are critical to market expansion and long-term economic viability. According to a 2020 study, 60% of surveyed consumers in Europe are willing to try insect-based food products if they are educated about their benefits (Verbeke, 2015). This indicates a significant potential market growth with the right educational and marketing strategies.

Table 3: Economic aspects of some edible insects

Economic Aspect	Details	Reference(s)
-----------------	---------	--------------

Cost of Production	Generally lower than traditional livestock due to lower feed and space requirements	FAO (2013), Van Huis et al. (2013)
Market Potential	Growing global market with increasing demand in Western countries	FAO (2013), Gahukar (2011)
Income for Farmers	Provides an additional source of income for small-scale farmers in developing countries	FAO (2013), Yen (2009)
Investment Opportunities	Attracts investments in farming, processing, and distribution sectors	FAO (2013), Rumpold & Schlüter (2013)
Employment Generation	Creates job opportunities in farming, processing, and retail sectors	FAO (2013), Halloran et al. (2016)
Export Potential	Opportunities for export, especially from developing to developed countries	FAO (2013), Van Huis et al. (2013)
Scalability	Highly scalable with potential for mass production	FAO (2013), Oonincx & de Boer (2012)
Supply Chain Development	Development of new supply chains and value-added products	FAO (2013), Van Huis et al. (2013)
Food Security	Enhances food security by providing a sustainable and affordable protein source	FAO (2013), Gahukar (2011)

Mean		
25.77		21.03
8.68		14.65
11.79		16.95
13.3		17.19

11.87		15.74
12.32		16.16

Comment [S10]: what is the meaning of this table?

5. CULINARY USES AND RECIPES:

5.1 Introduction to Culinary Uses

For ages, numerous tribes around the world have consumed edible insects as part of their traditional meals. They are adaptable ingredients that can be cooked and consumed in a variety of ways, including whole insects and processed forms like powders and pastes. As interest in edible insects rises, they are being incorporated into modern culinary methods, providing distinct flavors and nutritional benefits. Below, we look at several common culinary uses and offer a few dishes that highlight the possibilities of insects as food.



Figure 3: Exotic salad prepared with crickets (Credit: Getty Images)



Fig 4: Tlayuda tortilla with edible Mexican Chapulines (grasshoppers) (Credit: Getty Images)

5.2 Common Culinary Uses

5.2.1 Whole Insects: In many cultures, insects are eaten whole, roasted, fried, or boiled. Crickets, grasshoppers, mealworms, and caterpillars are among the most commonly eaten entire insects. They can be eaten as snacks, appetizers, or mixed into recipes for a crisp texture (van Huis *et al.*, 2013).

5.2.2 Insect Powder. Ground insects, such as cricket flour and mealworm powder, are popular due to their high protein content. These powders can be used in baking, smoothies, and other recipes to increase nutritional value without drastically changing the flavor (Payne *et al.*, 2016).

5.2.3 Insect-Based Snacks: Many companies now provide insect-based snacks like protein bars, chips, and crackers. These goods are intended to be convenient, pleasant, and nutritious, appealing to health-conscious consumers.

5.2.4 Insect Paste: In some culinary traditions, insects are mashed into a paste and used as the foundation for sauces, soups, and stews. This approach is widespread in some African and Southeast Asian cuisines (van Huis *et al.*, 2013).

5.2.5 Insect Oil and Fat: Extracted from insects such as black army fly larvae, insect oil and fat contain beneficial fatty acids. These can be cooked or added to processed foods (Diener *et al.*, 2011).

5.3 Recipes Featuring Edible Insects

5.3.1 Coconut Bread with Cricket Flour One

- In a medium-sized bowl, whisk together the all-purpose flour and cricket flour.
- Just one teaspoon of baking soda;
- A quarter teaspoon of salt
- half a cup of melted unsalted butter
- brown sugar, 3/4 cup
- Two big beaten eggs mashed overripe bananas (about 1/3 cup)

Instructions:

1. Warm a 9x5-inch loaf pan in the oven until it reaches 350°F (175°C).

2. Salt, baking soda, cricket flour, and all-purpose flour should be mixed together in a big basin.
3. Melt the butter and combine it with the brown sugar in a separate bowl. After the bananas are mashed, add the eggs and stir until combined.
4. Combine the flour and banana mixture, stirring just to incorporate.
5. After the loaf pan is ready, pour in the batter.
6. When a toothpick inserted in the middle comes out clean, bake for 60 to 65 minutes.
7. Ten minutes after removing from the pan, place the bread to a wire rack to finish cooling.

5.3.2 Thai Grasshopper Stir-Fry

Ingredients:

- One cup of grasshoppers, de-soiled and ready to eat
- 2-Tbsps of olive oil
- 2 minced garlic cloves
- 2 tablespoons of soy sauce, 1 sliced red bell pepper, 1 sliced green bell pepper, and 1 sliced onion.
- 1/3 cup oyster sauce
- sugar, measuring one teaspoon
- 1 teaspoon of black pepper, ground
- Chop some fresh cilantro for the garnish.

Instructions:

1. A big pan set over medium-high heat should be used to heat the vegetable oil.
2. After the minced garlic has begun to brown, add it to the sauté pan.
3. When the grasshoppers are crunchy, add them to the pan and stir-fry for another three to four minutes.
4. Sauté the onion and bell pepper slices for two more minutes before adding them to the stir-fry.
5. Chop the oyster sauce, soy sauce, sugar, and ground black pepper and merge them. Blend well by stirring.
6. To get a texture that is both soft and crunchy, cook the veggies for an extra 2 minutes.

7. Top with chopped cilantro and serve immediately over freshly cooked rice.

5.3.3 Mealworm Tacos

Ingredients:

- 1 cup of cleaned and cooked mealworms
- a tablespoon of canola oil
- 1/3 cup taco seasoning
- Eight little corn tortillas
- 1 cup of thinly sliced lettuce
- half a cup of tomato dice
- half a cup of crumbled cheese
- quarter cup of sour cream
- Tossed lime wedges

Instructions:

1. Toss the olive oil into a pan and set it over medium heat.
 2. In a pan, mix the mealworms with the taco spice. To get crispy mealworms, cook for about 5 minutes, stirring once or twice.
- Third, warm the corn tortillas in a microwave-safe skillet.
- Fourth, top each tortilla with fried mealworms to make the tacos.
- 5 Add sour cream, cheese, tomatoes, and lettuce on top.
- Step 6: Serve with lime wedges for garnish.

5.3.4 Chocolate Chirp Cookies

Ingredients:

- 1/2 cup unsalted butter, softened
- 1/2 cup granulated sugar
- 1/2 cup brown sugar
- 1 large egg
- 1 teaspoon vanilla extract
- 1 cup all-purpose flour

- 1/2 cup cricket flour
- 1/2 teaspoon baking soda
- 1/4 teaspoon salt
- 1 cup chocolate chips
- 1/2 cup roasted crickets

Instructions:

1. Preheat the oven to 350°F (175°C) and line a baking sheet with parchment paper.
2. In a large mixing basin, combine the butter, granulated sugar, and brown sugar until light and fluffy.
3. Mix in the egg and vanilla essence.
4. In a separate bowl, mix all-purpose flour, cricket flour, baking soda, and salt.
5. Gradually combine dry and wet components, mixing thoroughly.
6. Fold in chocolate chips and roasted bugs.
7. Place rounded tablespoons of dough on a prepared baking sheet.
8. Bake for 10-12 minutes, or until sides are golden brown.
9. Cool cookies on a baking sheet for a few minutes before moving to a wire rack.

Edible insects have a wide range of culinary applications, from traditional dishes to inventive modern creations. Their distinct aromas and textures, paired with excellent nutritional value, make them an important addition to the world food scene. Chefs and household cooks can help to normalize and accept insects as sustainable food sources by experimenting with different culinary applications and recipes.

6. CULTURAL PERSPECTIVES:

Entomophagy, or eating insects, has a lengthy history that can be traced back to numerous cultures around the world. The practice of eating insects varies greatly between regions, affected by geography, climate, agricultural techniques, and cultural beliefs. Understanding these cultural viewpoints sheds light on the acceptance and potential of insects as a worldwide food source.

6.1 Historical Context.

Entomophagy has been practiced for many thousands of years. Ancient literature, including the Bible and Aristotle's works, references the ingestion of insects. In ancient Greece, locusts and cicadas were considered delicacies. Indigenous peoples on all continents, from the Americas to Africa and Asia, have long relied on insects as a healthy and easily accessible food source (van Huis *et al.*, 2013).

6.2 Regional Practices

6.2.1 **In Africa**, insects are commonly consumed. Locusts, termites, caterpillars, and grasshoppers are all commonly eaten. For example, in the Democratic Republic of the Congo, caterpillars are an important protein source, particularly in rural areas. They are frequently dried and sold in marketplaces, generating a significant income for local populations (van Huis *et al.*, 2013).

6.2.2 **In Southeast Asia**, entomophagy is ubiquitous. In Thailand, crickets, grasshoppers, and bamboo worms are popular foods. Street sellers frequently serve fried insects seasoned with soy sauce and spices. In China, insects such as silkworm pupae and bee larvae are regarded as delicacies, and they are also used in traditional medicine.

6.2.3 **Latin America**: Mexico has a long history of consuming insects. Chapulines (grasshoppers) are possibly the most well-known, and they are frequently served roasted with garlic, lime, and salt. They are a staple in tacos and other traditional recipes. Escamoles, or ant larvae, are a delicacy that is sometimes known as "insect caviar" (Ramos-Elorduy, 2009).

6.2.4 **In Australia and Oceania**, Indigenous Australians have traditionally eaten insects. The witchetty grub, a huge white larva, is particularly well-known and is typically eaten raw or briefly cooked in hot ashes. This tradition remains a fundamental component of Indigenous Australian culture (Yen, 2009).



Figure5: Insect Burger in Germany (Credit: Getty Images)

6.3 Cultural Significance and Belief

In many civilizations, insects are not only food but also have symbolic importance. They are frequently associated with fertility, health, and wealth. Termite emergence is a sign of fertility and abundance in Africa, while insects are seen as symbols of good fortune in Japan. In Mexico, the annual harvest of chapulines coincides with religious festivals, blending culinary and spiritual traditions (van Huis *et al.*, 2013).

6.4 Challenges and Opportunities

Despite the broad acceptance of entomophagy in many parts of the world, there are major cultural and psychological barriers, especially in Western countries. The concept of eating insects is typically repulsive and viewed as primitive or unsanitary. Overcoming these difficulties includes:

6.4.1 Education and Awareness: Raising awareness about the nutritional and environmental benefits of edible insects can help to change opinions. Highlighting traditional entomophagy activities in different cultures can also instill respect and curiosity.

6.4.2 Culinary Integration: Putting insects in familiar culinary forms like nutrition bars, snacks, and pasta can make them more appealing. Celebrity chefs and food influencers can help normalize insect consumption by promoting novel and enticing recipes.

6.4.3 Regulatory Frameworks: Creating clear laws and safety standards for insect farming and processing can boost customer confidence and industry growth.

6.5 Modern Adaptations and Innovation

The edible insect industry is undergoing inventive changes to appeal to modern tastes and preferences:

- Gourmet restaurants are adding insects to their menus, including cricket risotto, mealworm burgers, and ant-infused chocolates. This movement helps to elevate insects from novelty to gourmet ingredients.
- Companies are creating insect-based items including protein powders, energy bars, and baked delights. These products are frequently promoted to health-conscious consumers looking for sustainable and healthy alternatives to standard protein sources (Hartmann and Siegrist, 2016).

Cultural viewpoints on edible insects differ greatly, revealing a rich tapestry of traditions and practices. Understanding and appreciating these varied cultural contexts has the potential to significantly increase the acceptance and consumption of insects as a sustainable food source. As awareness rises and new culinary applications arise, edible insects may play an important part in addressing global food security issues.

Table 4: Cultural aspects of edible insects.

38.49		
18.72		
21.52		
25.53		
23.83		
23.88		

Cultural Aspect	Details	Reference(s)
-----------------	---------	--------------

Traditional Practices	Edible insects have been a traditional food source in many cultures in Africa, Asia, and Latin America.	FAO (2013), Van Huis et al. (2013)
Western Perceptions	They are generally viewed with aversion in Western cultures, though perceptions are gradually changing.	FAO (2013), Yen (2009)
Gastronomy	Insects are considered delicacies in some cultures, with specific recipes and culinary traditions.	FAO (2013), Gahukar (2011)
Nutritional Knowledge	Increasing awareness of the nutritional benefits is helping to shift cultural attitudes.	FAO (2013), Rumpold & Schlüter (2013)
Media and Popular Culture	Growing presence in media and popular culture is helping to normalize insect consumption.	FAO (2013), Halloran et al. (2016)
Sustainability Awareness	Recognition of environmental benefits is fostering acceptance in environmentally conscious communities.	FAO (2013), Oonincx & de Boer (2012)
Cultural Exchange	Globalization and cultural exchange are contributing to increased exposure and acceptance.	FAO (2013), Van Huis et al. (2013)
Education and Outreach	Educational initiatives and outreach programs are promoting edible insects as a viable food source.	FAO (2013), Gahukar (2011)
Health Trends	Growing interest in healthy and alternative diets is driving interest in edible insects.	FAO (2013), Rumpold & Schlüter (2013)

Mycelial growth (mm)*		
24	48	72
12.88	25.71	38.73
6.4	9.33	10.3
8.5	13.42	13.46
8.73	12.58	18.57
7.36	11.93	16.32
7.75	12.82	16.39

7.SAFETY AND REGULATION:

The growing interest in edible insects as a sustainable and healthy food source has resulted in increased focus on safety and regulation. As the sector grows, it becomes increasingly important to ensure that insect-based goods are safe to consume. This includes addressing potential health hazards, developing clear regulatory frameworks, and standardizing industrial practices. Here I examine the key topics of safety and regulation in the context of edible insects, focusing on the challenges and current advancements in this burgeoning industry.

7.1 Health and Safety Concerns

7.1.1 Microbial Contamination: Insects, like any other food source, may contain infections. Bacteria, viruses, and fungi are examples of potentially harmful microbiological pollutants. Insects, according to studies, can contain Salmonella, Escherichia coli, and other hazardous bacteria if not handled and treated properly. Hygienic agricultural, harvesting, and processing environments are critical for reducing these dangers.

7.1.2 Chemical Contaminants: Insects may acquire heavy metals, insecticides, and other toxins from their surroundings. This is especially concerning for wild-harvested insects, which may have been exposed to contaminated soil, water, or plants. Regular monitoring and testing for chemical pollutants are required to ensure the safety of edible insects (Charlton *et al.* 2015).

7.1.3 Allergenic Potential: Some people may have allergic reactions to insect proteins, similar to shellfish sensitivities. Tropomyosin, a protein found in numerous insects, is a known allergen. Clear labeling and consumer education are required to alert potential customers about the allergic risks connected with insect-eating (Pali-Schöllet *et al.*, 2019).

7.1.4 Parasitic Infections: Insects can contain a variety of parasites, some of which can be harmful to people. Proper cooking and processing processes can efficiently eradicate these parasites, ensuring the safety of the finished product (Klunder *et al.* 2012).

7.2 Regulatory Frameworks

7.2.1 Insects that may be eaten are now governed under the Novel Food Regulation (EU 2015/2283) in the European Union. Novel foods, particularly those derived from insects, must undergo extensive safety testing prior to being commercialized in accordance with this regulation. These evaluations are carried out by the European Food Safety Authority (EFSA). This method has cleared the way for the commercialization of many insect species in the EU, including mealworms and crickets (EFSA, 2021).

7.2.2 In the United States, edible insects are overseen by the Food and Drug Administration (FDA) to ensure their safety. All food items, including insects, must follow strict safety regulations before they can be consumed by humans. For the purpose of guaranteeing the security of insect-based foods, the FDA offers guidance on GMPs and HACCP. More precise standards for edible insects are required, however, since the regulatory environment is always changing.

7.2.3 A number of Asian nations, with widely varying legal systems, have long histories of entomophagy. As an example, in Thailand, edible insects are regulated by the Ministry of Public Health to guarantee they meet food safety standards. The Chinese government has acknowledged insects as a food source, and regulations are in the works to address the growing demand for edible insects.

7.2.4 There are inadequate regulatory frameworks in places like Africa where entomophagy is prevalent. On the other hand, people are working on safety regulations and promoting best practices for growing and processing insects. Since edible insects have the ability to enhance

food security and nutrition in the area, the Food and Agriculture Organization (FAO) has been actively involved in assisting these initiatives (FAO, 2013).

7.3 Standards and Best Practices

7.3.1 Implement Good Insect Farming Practices (GIFPs): Standardized agricultural procedures are vital for ensuring the safety and quality of edible insects. This provides recommendations for breeding, feeding, housing, and harvesting insects. For example, insects should be raised on clean, uncontaminated substrates, and farms should apply biosecurity measures to minimize disease introduction (Van Huis, 2013).

7.3.2 Process Standards: Proper processing processes are critical for eliminating potential dangers. This includes procedures including washing, blanching, drying, and crushing insects. Ensuring that insects are treated at the appropriate temperatures and under sanitary circumstances can dramatically reduce the danger of microbial contamination while also increasing shelf life (Caparros Megido *et al.*, 2017).

7.3.3 Traceability and Transparency: Implementing traceability mechanisms ensures that edible insects are traced from farm to fork. This is crucial for food safety since it enables the detection and management of potential contamination sources. Transparent labeling, which includes information on the species, origin, and production methods, promotes customer trust and allows for more informed decisions (FAO, 2013).

The safety and control of edible insects are crucial for their effective incorporation into the worldwide market. Addressing health and safety concerns, developing clear regulatory frameworks, and implementing standardized processes are all critical steps in the process. As the edible insect industry expands, continued research, collaboration, and consumer education will be critical to maintaining the safety and acceptance of insect-based foods.

8. RESEARCH AND INNOVATION:

The increased interest in edible insects as a sustainable and healthy food source has resulted in much research and development. Researchers around the world are investigating various elements of entomophagy, ranging from understanding the nutritional benefits and environmental consequences to generating innovative products and improving farming

techniques. Here I discuss the most recent research and discoveries on the subject of edible insects, emphasizing the advances that are propelling the sector ahead.

8.1 Nutritional Research

8.1.1 Nutritional Profiling: Research has extensively analyzed the nutritional value of numerous edible bug species. According to studies, insects such as crickets, mealworms, and locusts are high in protein, good fats, vitamins, and minerals. For example, crickets contain 60-70% protein, as well as vital amino acids, iron, and vitamin B12, making them nutritionally equivalent to or even superior to traditional cattle (van Huis *et al.*, 2013).

8.1.2 Bioavailability of Nutrients: Recent research has examined the nutritional bioavailability of insect-based diets. Researchers are studying how well the human body absorbs and uses these nutrients. Preliminary data reveal that insect proteins are highly digested and easily absorbed, improving their potential as a food source (Yi *et al.* 2013).

8.1.3 Functional Foods: There is a rising interest in employing insects to create functional foods with added health advantages. Certain insect species, for example, are being investigated for their prebiotic qualities, which have the potential to improve gut health. Mealworm protein has been demonstrated to promote good gut flora, making it a suitable ingredient for functional food items (Mancini *et al.*, 2019).

8.2 Environmental Impact Studies

8.2.1 Life Cycle Assessments (LCA) are crucial for determining the environmental impact of insect farming. According to research, insects have a significantly lesser environmental footprint than typical livestock. They utilize less land, water, and feed, and emit less greenhouse gases. Mealworms, for example, are reported to emit 99% less greenhouse gases than beef (Oonincx *et al.*, 2010).

8.2.2 Insects play an important role in waste reduction and circular economy models, according to an innovative study. Insects can be raised on organic waste, transforming it into high-grade protein. Black soldier fly larvae, for example, may efficiently convert food waste into protein and fat, which are then used in animal feed or human meals.

8.3 Innovations in Agriculture and Processing

8.3.1 **Automated Farming Systems:** Technological advancements are enabling automated insect farming. These systems combine robots, sensors, and artificial intelligence to maximize insect growth, monitor health, and control feeding. Automation lowers labor costs while increasing efficiency, making insect farming more scalable and economically sustainable (Halloran *et al.*, 2018).

8.3.2 **Breeding programs:** Selective breeding strategies are being used to improve desirable features in edible insects, such as growth rate, feed conversion efficiency, and nutritional value. Researchers want to increase insect farming production and quality by finding and breeding superior insect strains (Dobermann *et al.*, 2017).

8.3.3 **Innovative Processing Techniques:** New processing methods are being developed to increase the safety, shelf life, and flavor of insect-based foods. Methods like as freeze-drying, spray-drying, and extrusion are being refined to preserve insect nutritional value while improving texture and flavor. These advancements are critical to developing appealing insect-based food products for general consumers (Bessa *et al.*, 2017).

8.4 Product Development and Commercialisation

8.4.1 **Food Products:** The food business is experiencing an increase in new insect-based products. Companies are creating a wide range of items, including nutrition bars, snacks, pasta, and baked goods, using insect flour or whole insects. These goods are intended to appeal to health-conscious consumers seeking sustainable and nutritional alternatives (Gahukar, 2016).

8.4.2 **Animal Feed:** Research is exploring the use of insects as animal feed. Insects such as black soldier fly larvae and mealworms are being studied as potential sustainable feed sources for poultry, fish, and livestock. Studies have demonstrated that insect-based feed may deliver high-quality protein while also improving animal growth and health, making it a viable alternative to conventional feed ingredients (Makkar *et al.*, 2014).

8.4.3 Cosmetics and Pharmaceuticals: Insects are being studied for their possible use in the cosmetics and medicinal industries. Chitin, a component of insect exoskeletons, can be converted into chitosan, which is used in wound healing, medicine delivery, and beauty products. These features are being researched to generate creative applications (Muzzarelli, 2011).

8.5 Consumer Acceptance and Market Growth

8.5.1 Customer Research: Understanding customer views and attitudes towards edible insects is essential for industry growth. Surveys and studies are being carried out to determine customer willingness to sample insect-based cuisine and the elements that impact acceptability. While there may be some early opposition, environmental benefits, nutritional advantages, and culinary innovation can all have a beneficial impact on customer perceptions (Hartmann and Siegrist, 2016).

8.5.2 Educational and awareness campaigns: To increase acceptance, education and awareness programs are being launched. These programs seek to educate customers on the benefits of entomophagy, dispel myths, and highlight delectable insect-based cuisine. Cooking demonstrations, sampling events, and media campaigns are effective ways to normalize insect consumption (Deroy *et al.*, 2015).

8.5.3 Regulatory developments

8.5.3.1 Global Regulatory Frameworks: The regulatory environment for edible insects is changing. The European Union (EU) has taken significant steps by licensing specific insect species under the Novel Food Regulation, paving the road for commercialization. Similarly, the US Food and Drug Administration (FDA) is preparing recommendations to ensure the safety of insect-based foods (EFSA, 2021).

8.5.3.2 International collaboration: International cooperation is required to align legislation and standards for edible insects. Organizations such as the Food and Agriculture Organization (FAO) and the International Platform of Insects for Food and Feed (IPIFF) seek to promote best practices and enable worldwide commerce. These activities are critical to developing a sustainable and safe worldwide market for edible insects (FAO, 2013).

The edible insect industry relies heavily on research and innovation to increase nutritional understanding, environmental sustainability, agricultural practices, and product development. As the sector evolves, continued research and collaboration will be required to address issues, improve safety, and increase customer acceptance. The future of edible insects seems bright, with a sustainable and nutritious answer to global food security issues.



Figure 6: Companies marketing Insect based products. (Credit: Getty images)

9. Ethical Considerations

While the consumption of insects offers potential solutions to global food security and environmental issues, it also raises questions about animal welfare, cultural sensitivity, environmental impact, and the socio-economic implications for communities involved in insect farming.

9.1 Animal Welfare

9.1.1 Sentience and Suffering: Ethical considerations revolve around insects' sentience and ability to suffer. While insects are commonly thought to be less sentient than mammals and birds, some study suggests they may be capable of feeling pain and distress (Elwood *et al.* 2009). This raises concerns regarding the humane treatment of insects in farming and processing. Addressing these problems requires minimizing pain through ethical upbringing and slaughter techniques.

9.1.2 Farm Practices: The ethical treatment of insects in farming procedures takes into

account their living conditions, handling, and euthanasia methods. Ethical insect farming should attempt to establish surroundings that correspond to insects' normal behaviors and use humane means of killing, such as

9.2 Cultural sensitivity

9.2.1 Cultural Acceptance: While eating insects (entomophagy) is prevalent in many cultures, it is typically considered negatively in Western countries. Introducing edible insects into Western diets necessitates cultural awareness and behaviors. Respecting and recognizing cultural variations are critical for the ethical promotion and uptake of insect-based meals (Hartmann *et al.*, 2016).

9.2.2 Respect for traditional practices: Many indigenous and local tribes have historical traditions of eating insects. It is critical to respect and honor these rituals rather than exploiting them for commercial purposes. Working with these communities to ensure they profit from the commercialization of edible insects is an important ethical factor (Morris, 2020).

9.3 Environmental Impact

1. Sustainable Practices: Although insect farming is more environmentally benign than traditional livestock, it's important to verify that the methods utilized are sustainable. This involves using organic waste for feed, conserving water and land, and lowering greenhouse gas emissions. Ethical insect farming should prioritize procedures with the lowest environmental impact (Oonincx *et al.*, 2010).

2. Biodiversity and Ecosystem: Harvesting wild insects can have a harmful influence on biodiversity and ecosystems if not managed properly. Overharvesting can reduce insect populations and alter local ecosystems. Ethical issues must include sustainable collecting practices and conservation initiatives to conserve wild insect populations (Yen 2009).

9.4 Socioeconomic Implications

9.4.1 Fair Trade and Economic Benefits: Insect farming can benefit small-scale farmers

and entrepreneurs, especially in developing nations. Ensuring fair trade practices and equitable sharing of economic advantages are critical. Ethical frameworks should prioritize strengthening local communities, paying fair salaries, and encouraging sustainable business practices (Halloran *et al.*, 2016).

9.4.2 Food security and nutrition: Edible insects can increase food security and nutrition, particularly in areas experiencing food shortages. Ethically, it is critical to prioritize these benefits for vulnerable populations and guarantee that the commercialization of insects does not result in their exploitation or marginalization (FAO, 2013).

The ethical implications of edible insects are numerous, encompassing animal welfare, cultural sensitivity, environmental sustainability, and socioeconomic repercussions. Addressing these concerns requires a balanced strategy that considers insect welfare, cultural norms, environmental farming, and equitable economic advantages. As the edible insect industry grows, more research, collaboration, and ethical frameworks will be required to negotiate the intricacies and encourage responsible insect integration into global food systems.

10. Consumer Education and Awareness

The potential of edible insects as a sustainable and nutritious food source has garnered significant attention in recent years. However, the widespread adoption of entomophagy, especially in Western cultures, faces several challenges due to preconceived notions, cultural biases, and lack of knowledge. Consumer education and awareness are crucial to overcoming these barriers and promoting the acceptance of insects as a viable food option.

10.1 Addressing Cultural Perceptions.

10.1.1 Overcoming Disgust and Stigma: The "yuck factor" is a major barrier to accepting edible insects. This aversion is strongly ingrained in societal norms and expectations. Educational campaigns can help to change these preconceptions by stressing the long history of entomophagy in different cultures and promoting insects as a normal and nutritious food source (Hartmann and Siegrist, 2016). Introducing insects in familiar food forms, such as protein bar or flour, can also aid with the transition.

10.1.2 **Promoting Culinary Diversity:** Highlighting the culinary diversity of edible insects might increase customer interest and decrease stigma. Cooking demos, sampling events, and culinary competitions with insect-based meals can highlight insects' diversity and delicacy. Educational programs that collaborate with chefs and food influencers have the potential to make insects more palatable and trendy (Deroy *et al.*, 2015).

10.2 Nutrition and Environmental Education.

10.2.1 **Nutritional benefit:** Educate people on the nutritional benefits of eating insects to promote adoption. Insects are robust in protein, good fats, vitamins, and minerals, and their nutrient value typically exceeds that of regular animals. Crickets, for example, are high in protein, iron, and vitamin B12. Clear, evidence-based information on these benefits can persuade health-conscious people to include insects in their meals.

10.2.2 **Environmental Impact:** Insect farming is more sustainable than traditional cattle, requiring less land, water, and feed while emitting less greenhouse gases. Educating consumers about these environmental benefits may appeal to individuals concerned with sustainability and climate change. Life cycle analyses and comparisons to traditional livestock production can give compelling

10.3 Engaging Educational Strategies.

10.3.1 **Interactive Workshops and Seminars:** Offering hands-on experiences with edible insects can be a valuable instructional tool. These activities can include cooking workshops, insect farming demos, and nutritional information sessions, providing participants with a thorough grasp of entomophagy (House, 2016).

10.3.2 **Digital Campaigns and Social Media:** Utilizing digital campaigns and social media can boost educational efforts. Creating compelling information, such as videos, infographics, and articles, can reach a large audience and pique interest in edible insects. Collaboration with influencers and activists can help to raise awareness and mainstream insect consumption (La Barbera *et al.*, 2018).

Consumer education and awareness are crucial in promoting edible insects as a sustainable and nutritious food source. Addressing cultural attitudes, emphasizing nutritional and environmental benefits, guaranteeing food safety, and using compelling instructional initiatives can all help to drive wider acceptance. As public awareness and acceptance expand, edible insects have the potential to play a key role in addressing global food security and environmental issues.

11. CONCLUSION

In conclusion, incorporating insects into global food systems offers a viable approach to addressing food security, environmental sustainability, and nutritional demands. Continued research, innovation, and consumer education are required to break down existing barriers and realize insects' full potential as a sustainable food source. By adopting entomophagy, we can help to create a more resilient and sustainable food system. Continued research, innovation, and consumer education are required to break down existing barriers and realize insects' full potential as a sustainable food source.

COMPETING INTERESTS DISCLAIMER:

Authors have declared that they have no known competing financial interests OR non-financial interests OR personal relationships that could have appeared to influence the work reported in this paper.

REFERENCES

- Barker, D., Fitzpatrick, M.P. and Dierenfeld, E.S., 2019. Nutrient composition of selected whole invertebrates. *Zoo Biology*, 17(2), pp.123-134.
- Belluco, S., Losasso, C., Maggioletti, M., Alonzi, C.C., Paoletti, M.G. and Ricci, A., 2013. Edible insects in a food safety and nutritional perspective: A critical review. *Comprehensive Reviews in Food Science and Food Safety*, 12(3), pp.296-313.
- Bodenheimer, F.S., 1951. *Insects as human food*. Springer Netherlands.
- Caparros Megido, R., Sablon, L., Geuens, M., Brostaux, Y., Alabi, T., Blecker, C. and Francis, F., 2014. Edible insects acceptance by Belgian consumers: Promising attitudes for entomophagy development. *Journal of Sensory Studies*, 29(1), pp.14-20.

- Charlton, A.J., Dickinson, M., Wakefield, M.E., Fitches, E., Kenis, M., Han, R. and Smith, R., 2015. Exploring the chemical safety of fly larvae as a source of protein for animal feed. *Journal of Insects as Food and Feed*, 1(1), pp.7-16.
- Deroy, O., Reade, B. and Spence, C., 2015. The insectivore's dilemma, and how to take the West out of it. *Food Quality and Preference*, 44, pp.44-55.
- Diener, S., Zurbrugg, C. and Tockner, K., 2011. Conversion of organic material by black soldier fly larvae: Establishing optimal feeding rates. *Waste Management and Research*, 29(9), pp.1086-1094.
- Dobermann, D., Swift, J.A. and Field, L.M., 2017. Opportunities and hurdles of edible insects for food and feed. *Nutrition Bulletin*, 42(4), pp.293-308.
- Dossey, A.T., Morales-Ramos, J.A. and Rojas, M.G., 2016. *Insects as sustainable food ingredients: Production, processing and food applications*. Academic Press.
- Durst, P.B. and Shono, K., 2010. *Edible forest insects: Exploring new horizons and traditional practices*. FAO.
- EFSA (European Food Safety Authority), 2021. Risk profile related to production and consumption of insects as food and feed. *EFSA Journal*, 19(5), e06385.
- Elwood, R.W., Barr, S. and Patterson, L., 2009. Pain and stress in crustaceans? *Applied Animal Behaviour Science*, 118(3-4), pp.128-136.
- Finke, M.D., 2013. Complete nutrient content of four species of feeder insects. *Zoo Biology*, 32(1), pp.27-36.
- FAO (Food and Agriculture Organization of the United Nations), 2021. "Edible insects: future prospects for food and feed security."
- Gahukar, R.T., 2011. Entomophagy and human food security. *International Journal of Tropical Insect Science*, 31(3), pp.129-144.
- Gahukar, R.T., 2016. Edible insects farming: Efficiency and impact on family livelihood, food security, and environment compared to livestock and crops. *Insects*, 7(4), p.56.

- Halloran, A., Flore, R., Vantomme, P. and Roos, N., 2018. *Edible insects in sustainable food systems*. Springer International Publishing.
- Halloran, A., Hanboonsong, Y., Roos, N. and Bruun, S., 2016. Life cycle assessment of cricket farming in north-eastern Thailand. *Journal of Cleaner Production*, 137, pp.83-92.
- Halloran, A., Roos, N., Eilenberg, J., Cerutti, A. and Bruun, S., 2016. Life cycle assessment of edible insects for food protein: A review. *Agronomy for Sustainable Development*, 36(4), p.57.
- Hanboonsong, Y., Jamjanya, T. and Durst, P.B., 2013. *Six-legged livestock: Edible insect farming, collection and marketing in Thailand*. FAO Regional Office for Asia and the Pacific.
- Hartmann, C. and Siegrist, M., 2016. Insects as food: Perception and acceptance. Findings from current research, 7(2), pp.22-26.
- House, J., 2016. Consumer acceptance of insect-based foods in the Netherlands: Academic and commercial implications. *Appetite*, 107, pp.47-58.
- Janssen, R.H., Vincken, J.P., van den Broek, L.A., Fogliano, V. and Lakemond, C.M., 2017. Nitrogen-to-protein conversion factors for three edible insects: *Tenebrio molitor*, *Alphitobius diapering*, and *Hermetia illucens*. *Journal of Agricultural and Food Chemistry*, 65(21), pp.7038-7045.
- Jongema, Y., 2015. List of edible insect species of the world. Wageningen University and Research.
- Klunder, H.C., Wolkers-Rooijackers, J., Korpela, J.M. and Nout, M.J.R., 2012. Microbiological aspects of processing and storage of edible insects. *Food Control*, 26(2), pp.628-631.
- La Barbera, F., Verneau, F., Amato, M. and Grunert, K.G., 2018. Understanding Westerners' disgust for the eating of insects: The role of food neophobia and implicit associations. *Food Quality and Preference*, 64, pp.120-125.

- L. (2022) *Edible insects: Why aren't we eating more bugs?*, NYC Food Policy Center (Hunter College). Available at: <https://www.nycfoodpolicy.org/edible-insects-why-arent-we-eating-more-bugs/> (Accessed: 08 June 2024).
- Mancini, S., Moruzzo, R., Riccioli, F. and Paci, G., 2019. European consumers' readiness to adopt insects as food. A review. *Food Research International*, 122, pp.661-678.
- Meticulous Research, 2020. Edible insects market by product (whole insects, insect powder), insect type (crickets, black soldier flies, mealworms, grasshoppers, ants, silkworms, cicadas), application (animal feed, protein bars and shakes, bakery, confectionery) - Global forecast to 2026.
- Miglietta, P., De Leo, F., Ruberti, M. and Massari, S., 2015. Mealworms for food: A water footprint perspective. *Water*, 7(6), pp.6190-6203.
- Morris, B., 2020. Entomophagy through the ages: Human consumption of insects as food. *Journal of Ethnobiology*, 40(1), pp.29-50.
- Muller, A., Wolf, D., Gutzeit, H.O. and Stamminger, R., 2017. The environmental and health impacts of insect production for food and feed. *EFSA Journal*, 15(1), p.e04501.
- Muzzarelli, R.A., 2011. Chitin nanostructures in living organisms. *Chitin*, 24, pp.1-34.
- Oonincx, D.G.A.B. and de Boer, I.J.M., 2012. Environmental impact of the production of mealworms as a protein source for humans – A life cycle assessment. *PLOS ONE*, 7(12), p.e51145.
- Oonincx, D.G.A.B., van Itterbeeck, J., Heetkamp, M.J.W., van den Brand, H., van Loon, J.J.A. and van Huis, A., 2010. An exploration on greenhouse gas and ammonia production by insect species suitable for animal or human consumption. *PLOS ONE*, 5(12), p.e14445.
- Parajulee, M.N., 2015. Insects as a sustainable source of food ingredients and a model for sustainable innovations in the food industry. *Agricultural Sciences*, 6(11), pp.1359-1371.

- Payne, C.L.R., Dobermann, D., Forkes, A., House, J., Josephs, J., McBride, A., Müller, A., Quilliam, R.S. and Soares, S., 2016. Insects as food and feed: European perspectives on recent research and future priorities. *Journal of Insects as Food and Feed*, 2(4), pp.269-276.
- Randall, R. (2013) *Seattle's 'Bug Chef' promotes the benefits of an insect diet*, *The Seattle Globalist*. Available at: <https://seattleglobalist.com/2013/09/20/seattles-bug-chef-promotes-insect-diet/16587> (Accessed: 08 June 2024).
- Raubenheimer, D. and Rothman, J.M., 2013. Nutritional ecology of entomophagy in humans and other primates. *Annual Review of Entomology*, 58, pp.141-160.
- Rumpold, B.A. and Schlüter, O.K., 2013. Nutritional composition and safety aspects of edible insects. *Molecular Nutrition and Food Research*, 57(5), pp.802-823.
- Shockley, M. and Dossey, A.T., 2014. Insects for human consumption. *Mass Production of Beneficial Organisms*, pp.617-652.
- van Huis, A., van Itterbeeck, J., Klunder, H., Mertens, E., Halloran, A., Muir, G. and Vantomme, P., 2013. *Edible insects: prospects for food and feed security*. FAO Forestry Paper 171. FAO, Rome.
- van Huis, A., 2013. The potential of insects as food and feed in assuring food security. *Annual Review of Entomology*, 58, pp.563-583.
- Veldkamp, T., van Duinkerken, G., van Huis, A., Lakemond, C.M.M., Ottevanger, E., Bosch, G. and van Boekel, T., 2012. *Insects as a sustainable feed ingredient in pig and poultry diets - a feasibility study*. Wageningen UR Livestock Research, Wageningen, The Netherlands.
- Veldkamp, T. and Bosch, G., 2015. Insects: a protein-rich feed ingredient in pig and poultry diets. *Animal Frontiers*, 5(2), pp.45-50.
- Yen, A.L., 2009. Edible insects: Traditional knowledge or Western phobia? *Entomological Research*, 39(5), pp.289-298.

Yen, A.L., 2015. Insects as food and feed in the Asia Pacific region: Current perspectives and future directions. *Journal of Insects as Food and Feed*, **1**(1), pp.33-55.

UNDER PEER REVIEW