

# **ECONOMIC EVALUATION OF CROP TRANSITION PATTERNS IN ANANTHAPUR DISTRICT, ANDHRA PRADESH**

## **ABSTRACT**

The study aims to examine the crop shifts in Anantapur district of Andhra Pradesh. The results revealed that the groundnut which is an important crop in the district recorded a negative and non-significant growth rate of 0.69 per cent in area, but the productivity and production were significant. The result of Markov chain analysis shown that groundnut was the most stable crop with high retention probability compared with other crops in the district. The crops from which groundnut gained were bengalgram, redgram, jowar, chillies and sunflower but with varying transfer probabilities. The area under paddy was significantly influenced by rainfall. The area of ragi, cotton and bengalgram were influenced by their own lagged prices.

## **INTRODUCTION**

Cropping pattern indicates the area under different crops grown in various seasons. It may differ for each holding in the same area and also from year to year on the same holding. The changes in cropping pattern in terms of absolute increase or decrease in area under specific crop over a period of time constitute crop shift. There will be a time lag between improvement in technology and adjustment of cropping pattern. In general, there is a shift from traditionally grown less remunerative crops to more remunerative crops. The crop shift can be a result of one or more of several reasons like government policies, thrust on some crops over a given time, market infrastructure development and certain other price related supports. The development took place in the country over the past five decades indicate that policy makers and planners are increasingly showing their concern towards agricultural diversification to promote agricultural growth and improve productivity through appropriate policies and fiscal support. Crop substitution and shift are also taking place according to availability of irrigation facilities and distinct soil problems like salinity, sodicity etc. In recent years many technological innovations like development of high yielding varieties, use of chemical fertilizers, drought and disease tolerant varieties took place. Farmers are increasingly showing their interest to adopt these inventions for increasing their income and better standard of living. In this process many changes in the cropping pattern occurred. In this context an understanding of farmer's cropping pattern shifts assume importance in the contextual of planning for crop diversification or crop concentration.

The district lies between 13°40' and 15°15' North latitude and 76°51' and 78°30' East longitude. It shares common boundaries with Bellary, Kurnool districts on the East and North respectively, Kadapa and Kolar district of Karnataka on South and West respectively. The geographical location of the district is in such a way that it gets less rain creating agricultural conditions more unpredictable. The geographical area is 19,130 sq kms. Its Northern central portions are a high plateau, generally undulating with large granite rocks or low hill ranges. In

the Southern portion of the district, the surface is hillier, the plateau there rising to 2600' above the sea level. Generally, drought prone district, it receives an average annual rainfall of just 580 mm. It is known to be the second driest area in the country after Jaisalmer district of Rajasthan. Groundnut was the major crop of the district. The major foodgrain crops were paddy, jowar, maize, ragi, redgram and bengalgram. In addition to above, oilseed crops like sunflower and groundnut, commercial crops like cotton and chillies were cultivated. Agriculture is the main stay of the district's economy. The net area sown constitutes 54.66 per cent of district's geographical area. Around 72 per cent of total cropped area is under groundnut cultivation, making it highest producer in the state. Around 87 per cent of the cropped area in the district is rainfed.

## METHODOLOGY

Data used for the study was collected from various published and unpublished sources. Time series secondary data on area, production and productivity of different crops, rainfall, wage rates, fertilizer prices, land utilization particulars, and other agricultural statistics were obtained from various "Statistical Abstracts" published by Directorate of Economics and Statistics, Government of Andhra Pradesh and from the Chief planning office of the district. The data covered a period of 30 years i.e., from 1992-93 to 2021-22.

The methods of analysis employed in the present study are

1. Growth Model
2. Markov Chain Analysis
3. Multiple Regression Analysis

### 1. Growth Model

The growth in area, production, productivity of all the crops selected in all the four districts of Rayalaseema region and were analysed using the exponential growth function of the following form.  $Y = ab^t e$  .....

Where, Y = Dependent variable [Area ('000 ha.) / Production ('000 tonnes) / Productivity (q/ha)]

a = Intercept b = Regression coefficient t = Time variable e = Error term

The compound growth rates were obtained from the logarithmic form of the equation as below:

$$\ln Y = \ln a + t \ln b + e \dots(1)$$

The per cent compound growth rate (CGR) was derived using the relationship.  $CGR = (\text{Anti log } b - 1) \times 100$

### 2. Markov Chain Analysis

Markov chain analysis is a dynamic programming application used to solve stochastic decision processes, described by a finite number of states. This method was employed to study shifts in cropping patterns in Ananthapur district over the period 1992–93 to 2021–22, providing insights into the dynamics of these changes.

### Markov Probability Model

A stochastic process represents any sequence of trials (or experiments) subjected to probabilistic analysis. In such a process, transitions between states (outcomes) are governed by a probabilistic mechanism. A finite Markov process, a specific stochastic process, assumes that the outcome at trial  $t$  (where  $t=1,2,\dots,T$ ) depends only on the outcome of the preceding trial ( $t-1$ ), and this dependence remains constant throughout the sequence (Lee et al., 1965).

The components of a Markov process are defined as:

- $S_i$ : The  $i^{\text{th}}$  state or possible outcome ( $i=1,2,\dots,r$ ).
- $W_{it}$ : The probability that state  $S_i$  occurs in trial  $t$ , represented as  $\Pr(S_{it})$ .
- $P_{ij}$ : The transitional probability denoting the likelihood of transitioning from state  $S_i$  at time  $t$  to state  $S_j$  at  $t+1$ , represented as  $\Pr(S_{j,t+1}|S_{i,t}) = P_{ij}$ .

The transition probability matrix  $P=[P_{ij}]$ , describing all possible transitions, adheres to the following properties:

1.  $0 < P_{ij} < 1$
2.  $\sum_j P_{ij} = 1$  for  $i=1,2,\dots,r$

The probability of transitioning from state  $S_i$  at trial  $t$  to state  $S_j$  at trial  $t+1$  is:

$$\Pr(S_{it}, S_{j,t+1}) = \Pr(S_{it}) \cdot \Pr(S_{j,t+1} | S_{it}) = W_{it} \cdot P_{ij}$$

The probability of being in state  $j$  at  $t+1$  is expressed as:

$$\Pr(S_{j,t+1}) = \sum_i W_{it} \cdot P_{ij}$$

### Data Characteristics

The analysis utilized data on the proportion of land allocated to different crops. These proportions vary annually due to factors like weather, technology, market prices, and institutional changes. These variations are assumed to approximate a stochastic process. Crop shifts depend on the specific crop type, allowing changes to be represented using a first-order transition probability matrix  $P$ .

In the matrix  $P_{ij}$  each element indicates the probability of transitioning from crop state  $i$  in one period to crop state  $j$  in the next. Diagonal elements  $P_{ii}$  measure the likelihood of retaining a specific crop's area share.

### Estimation of the Transition Probability Matrix

The statistical model for estimating transition probabilities incorporates errors to account for deviations between actual and estimated proportions. The model can be expressed as:

$$W_{j,t+1} = \sum_i W_{i,t} P_{ij} + U_{j,t},$$

or in matrix form:

$$Y_j = X_j P_j + U_j$$

where:

- $Y_j$ : A  $T \times 1$  vector of cropping pattern observations for crop  $j$  at time  $t$ .
- $X_j$ : A  $T \times r$  matrix of cropping pattern proportions for  $I$  at  $t-1$ .
- $P_j$ : An  $r \times 1$  vector of transition parameters to estimate.
- $U_j$ : A vector of random disturbances.

### Minimum Absolute Deviations (MAD) Estimator

To estimate parameters under equality or inequality constraints, the Minimum Absolute Deviations (MAD) method is applied. This approach minimizes deviations while ensuring non-negativity constraints for the transition probabilities.

### Projection of Crop Shares

After estimating the transition probability matrix  $PPP$ , the future proportion of land allocated to different crops can be predicted using the equation:

$$Y'(t) = Y'(0) \cdot P^t$$

where:

- $Y(t)$ : A  $r \times 1$  vector of crop proportions in year  $t$ .
- $Y(0)$ : A  $r \times 1$  vector of crop proportions in the base year.
- $P^t$ : The transition probability matrix raised to the power  $t$ .

This model provides a quantitative basis for understanding and forecasting the dynamics of cropping pattern changes in Ananthapur district.

### 3. Multiple Regression Analysis

To identify the factors influencing crop shifts in anantapur district of Rayalaseema region, multiple regression analysis was applied to the time series data for the period 1992-93 to 2021-22. The functional form used was of the following type.

$$Y = b_0 + b_1X_1 + b_2X_2 + \dots + u \dots\dots\dots$$

where, Y = Area under the crop and X1, X2 ..... Xn are the explanatory variables.

b0 = Intercept; b1, b2,..... bn = Regression coefficients.

u = Error term

## RESULTS AND DISCUSSION

### 1.GROWTH RATES OF AREA, PRODUCTION AND PRODUCTIVITY OF DIFFERENT CROPS

#### Ananthapur District

The growth rates of area, production and productivity of different crops grown in the district viz., paddy, jowar, maize, ragi, redgram, bengalgram, cotton, chillies, groundnut and sunflower are presented in Table 1 and in figures 1, 2 and 3 respectively.

#### Foodgrain Crops

**Paddy:** Paddy productivity increased at an annual rate of 1.73 per cent, which was statistically significant 10 per cent level. The growth rates of area and production are significant and non-significant negative growth i.e -1.93 per cent and -0.24 per cent respectively.

**Jowar:** All the three parameters viz., area, production and productivity registered negative significant growth rates of -3.60 per cent, -7.56 per cent and -4.10 per cent per annum respectively. The negative growth rate of area and productivity resulted in decline of production growth rate at -7.56 per cent.

**Table 1. Compound growth rates of area, production and productivity of different crops in Ananthapur district (1992-93 to 2021-22)** (per cent)

S.No.	Crops	Area	Production	productivity
<b>I.Foodgrain Crops</b>				
1.	Rice	-1.937	-0.248	1.738
2.	Jowar	-3.601	-7.562	-4.107
3.	Maize	14.2259	16.8446	2.2933
4.	Ragi	-7.639	-8.401	-1.862
5.	Redgram	3.541	1.3891	-2.078
6.	Bengalgram	7.8311	7.9588	0.1183
<b>II.Non-Foodgrain Crops</b>				
1.	Cotton	3.6237	1.7016	-1.855
2.	Chillies	-1.075	1.7601	2.8656
3.	Groundnut	-0.693	-4.606	-3.941
4.	Sunflower	-6.919	-7.906	-0.723

**Note:** \*\* denotes significance at 1% level.

\* denotes significance at 5% level.

\*\*\* denotes significance at 10% level.

**Maize:** Maize exhibited significant positive growth in area (14.22% per annum), production (16.84% per annum), and productivity (2.29% per annum). The combined impact of expanded cultivation and increased yield resulted in a substantial production growth rate of 16.84% annually.

**Ragi:** Ragi experienced a notable decline across all parameters, with negative growth rates in area (-7.63% per annum), productivity (-8.40% per annum), and production (-1.86% per annum). This consistent decrease highlights the crop's diminishing performance in the district.

**Redgram:** Redgram recorded positive growth in area (3.54% per annum) and production (1.38% per annum), though the production growth was statistically non-significant. A significant increase in area offset the negative growth rate in productivity, which declined at -2.07% per annum.

**Bengalgram:** Bengalgram production showed a significant positive growth rate of 7.95% per annum, driven primarily by a significant annual growth in area (7.83%). Productivity growth, although positive, was non-significant at 0.11% per annum.

### **Non-Foodgrain Crops**

**Cotton:** Cotton demonstrated significant positive growth in area (3.62% per annum) and production (1.70% per annum). However, its productivity showed a declining trend, with a negative growth rate of -1.85% per annum.


**Chillies:** Chillies showed significant positive growth in production (1.76% per annum) and productivity (2.86% per annum), despite a negative growth rate in area (-1.07% per annum).

**Groundnut:** Groundnut exhibited declining growth rates across all parameters, including area (-0.69% per annum, non-significant), production (-4.60% per annum, significant), and productivity (-3.94% per annum, significant).

**Sunflower:** Sunflower registered declining growth rates in area (-6.91% per annum) and production (-7.90% per annum). Productivity also declined at -0.72% per annum, but this trend was statistically non-significant.


The analysis highlights diverse growth trends among key crops in Ananthapur district. While crops like maize and bengalgram have shown positive and significant growth, others, such as ragi, groundnut, and sunflower, have experienced declines across most parameters.

**Fig 1. Compound growth rates (%) of area under different crops in Ananthapur district (1992-93 to 2021-2022)**




**Fig 2. Compound growth rates (%) of production under different crops in Ananthapur district (1992-93 to 2021-2022)**

UNDER P...



**Fig 3. Compound growth rates (%) of productivity under different crops in Ananthapur district (1992-93 to 2021-2022)**



## 2.DIRECTION OF CROPPING PATTERN CHANGES

### Transition Probability Matrix for Crops in Ananthapur District

The transition probability matrix in Table 2 illustrates the changes in the cultivation areas of various crops in the Ananthapur district. Among the crops analyzed, groundnut exhibited

the highest retention probability, at 0.8737. This stability was further bolstered by gains from sorghum (0.9546), redgram (0.2195), bengalgram (0.5373), chillies (0.8186), and sunflower (0.8753). However, groundnut lost some area to paddy, sorghum, redgram, bengalgram, and sunflower, with transition probabilities of 0.0268, 0.0268, 0.0004, 0.0401, and 0.0319, respectively.

Cotton retained its cultivation area with a probability of 0.7737 but lost shares to redgram (0.0175), chillies (0.0340), and other crops (0.1747). Conversely, cotton gained shares from maize (0.1101) and redgram (0.0324).

Maize had a retention probability of 0.6708 and gained minor shares from redgram (0.0551) and bengalgram (0.0148). However, it lost a significant portion of its area to bengalgram (0.2189) and a smaller share to cotton (0.1101).

Ragi retained its area with a probability of 0.6379, losing only to sorghum (0.3620). It gained small shares from paddy (0.0296) and sorghum (0.0071).

Paddy displayed a retention probability of 0.5898, gaining a small share from groundnut (0.0268) but losing to ragi (0.0296), redgram (0.1034), chillies (0.0537), and sunflower (0.2232).

Redgram retained its area with a probability of 0.5316 but lost shares to maize (0.0551), bengalgram (0.0394), chillies (0.0018), cotton (0.0324), groundnut (0.2195), and other crops (0.1199). It gained area from paddy (0.1034), sorghum (0.0382), bengalgram (0.0556), chillies (0.1814), cotton (0.0175), groundnut (0.0004), and other crops (0.7885).

Bengalgram retained its area with a probability of 0.3727 and transferred shares to maize (0.0148), redgram (0.0556), groundnut (0.5373), and other crops (0.0195). It gained area from maize (0.2189), redgram (0.0394), groundnut (0.0401), and other crops (0.0662).

Other crops had a low retention probability of 0.1452, gaining shares from redgram (0.1199), bengalgram (0.0195), and cotton (0.1747), but losing significantly to redgram (0.7885) and bengalgram (0.0662).

Sunflower retained its area with a probability of 0.1246, losing a substantial share to groundnut (0.8753). It gained shares from paddy (0.2232) and groundnut (0.0319).

Chillies and sorghum were highly unstable, with no area retention. Chillies transferred most of their area to groundnut (0.8186) but gained shares from paddy (0.0573), redgram (0.0018), and cotton (0.0340). Sorghum similarly transferred most of its area to groundnut (0.9546) while gaining shares from ragi (0.3620) and groundnut (0.0268).

**Table 2. Transition probability matrix for shifts in cropping pattern in Ananthapur district(1992-93 to 2021-22)**

Crops	Paddy	Jowar	Maize	Ragi	Redgram	Bengal gram	Chillies	Cotton	Groundnut	Sunflower	Other
Paddy	0.5898	0.0000	0.0000	0.0297	0.1035	0.0000	0.0537	0.0000	0.0000	0.2233	0.0000
Jowar	0.0000	0.0000	0.0000	0.0071	0.0382	0.0000	0.0000	0.0000	0.9546	0.0000	0.0000
Maize	0.0000	0.0000	0.6709	0.0000	0.0000	0.2190	0.0000	0.1101	0.0000	0.0000	0.0000
Ragi	0.0000	0.3620	0.0000	0.6380	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Redgram	0.0000	0.0000	0.0551	0.0000	0.5316	0.0395	0.0018	0.0324	0.2196	0.0000	0.1200
Bengalgram	0.0000	0.0000	0.0148	0.0000	0.0556	0.3728	0.0000	0.0000	0.5373	0.0000	0.0195
Chillies	0.0000	0.0000	0.0000	0.0000	0.1814	0.0000	0.0000	0.0000	0.8186	0.0000	0.0000
Cotton	0.0000	0.0000	0.0000	0.0000	0.0175	0.0000	0.0340	0.7738	0.0000	0.0000	0.1747
Groundnut	0.0269	0.0268	0.0000	0.0000	0.0005	0.0401	0.0000	0.0000	0.8737	0.0320	0.0000
Sunflower	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.8754	0.1246	0.0000
Other	0.0000	0.0000	0.0000	0.0000	0.7885	0.0662	0.0000	0.0000	0.0000	0.0000	0.1452

## Projection of Cropping Pattern

As seen from Table 3, the projected share of paddy in Anantapuram district would range from 4.01 to 4.61 per cent from 2022 to 2026 against the actual share of 3.68 per cent in 2021. The actual share of jowar was 3.38 per cent in 2021 and it would be predicted that 1.92 per cent in 2022 and 2.07 per cent in 2026. The actual share of maize in 2021 was 1.95 per cent and the projected share was decreased to 1.84 per cent in 2022 to 1.39 per cent in 2026. The actual share of ragi in 2021 was 0.25 per cent and the projected shares were almost similar with slight increase i.e. 0.29 per cent in 2022 to 0.38 per cent in 2026. In 2021, actual share of redgram was 7.70 per cent and the predicted share was decreased from 7.36 per cent in 2021 to 5.12 per cent in 2026. Bengalgram had an actual share of 7.46 per cent in 2021 and the projected share was 6.44 per cent in 2022 and 5.69 per cent in 2026. The actual share of chillies was 0.54 per cent in 2021 and predicted shares were 0.33 per cent in both 2022 and 2026. The actual share of cotton was 3.48 per cent in 2021 and the predicted share was decreased to 2.21 per cent in 2026 from 3.16 per cent in 2022. The actual share of groundnut in 2021 was 68.37 per cent and it was predicted as 69.48 and 72.99 per cent in 2022 and 2026. Actual share of sunflower was 0.42 per cent in 2021 and it would be predicted as 3.06 per cent in 2022 and 3.78 per cent in 2026. In 2022, the actual share of other crops was 2.73 per cent and the projected share was decreased to 1.41 per cent in 2026 from 2.07 per cent in 2021. From the above analysis it was projected that groundnut will be occupying nearly 72 per cent of the gross cropped area in the district by 2026. All the remaining crops are going to retain more or less

the same per cent share. the projected share of area of most of the crops in ananthapur district would be more or less the same.

The projected share of paddy would range from 4.00 per cent in 2021-22 to 4.60 per cent in 2026-27. Similarly, the projected share of jowar ranged from 1.92 per cent to 2.07 per cent for the corresponding periods. The projected share of groundnut increased from 69.48 per cent in 2022-23 to 72.99 per cent in 2026-27. The shares of maize and other crops are reduced with minimum fluctuations. The shares of ragi and sunflower are slightly increased. The projected share of chillies is constant from 2022-23 to 2025-26 i.e. 0.33 per cent. The projected share of bengalgram is 5.69 per cent in 2025-26 against 6.44 per cent in 2022-23. The share of redgram would decline from 7.36 per cent in 2022-23 to 5.12 per cent in 2025-26. In respect of cotton the projected share for 2022-23 would be 3.16 per cent and would reduced to 2.21 per cent in 2026-2027.

**Table 3. ACTUAL AND PREDICTED PROPORTIONS OF AREA UNDER MAJOR FOOD AND NON-FOOD CROPS IN ANANTAPURAM DISTRICT (1992-93 to 2026-27)**

YEAR	PADDY		JOWAR		MAIZE		RAGI		GCA
	ACTUAL	PREDICTED	ACTUAL	PREDICTED	ACTUAL	PREDICTED	ACTUAL	PREDICTED	
1992	46693	47484.37	43120	24012.223	1263	2391.3163	11323	8916.746	924520
	(5.05)	(5.14)	(4.66)	(2.60)	(0.14)	(0.26)	(1.22)	(0.96)	
1993	49244	48676.399	49112	24013.908	1133	2291.6742	12190	9588.3393	931854
	(5.28)	(5.22)	(5.27)	(2.58)	(0.12)	(0.25)	(1.31)	(1.03)	
1994	36043	39699.516	38968	21720.041	1197	2597.7218	9137	7176.5938	888295
	(4.06)	(4.47)	(4.39)	(2.45)	(0.13)	(0.29)	(1.03)	(0.81)	
1995	41487	44461.442	31832	23205.939	2505	3441.3358	8964	7176.702	931708
	(4.45)	(4.77)	(3.42)	(2.49)	(0.27)	(0.37)	(0.96)	(0.77)	
1996	67411	60152.219	36477	23909.619	2976	3576.6932	9805	8515.2576	975579
	(6.91)	(6.17)	(3.74)	(2.45)	(0.31)	(0.37)	(1.01)	(0.87)	
1997	53607	49637.281	28905	20628.453	3385	3869.0439	7286	6444.6877	896030
	(5.98)	(5.54)	(3.23)	(2.30)	(0.38)	(0.43)	(0.81)	(0.72)	
1998	64989	59307.897	18478	23737.132	3592	4306.3851	7717	6982.738	989693
	(6.57)	(5.99)	(1.87)	(2.40)	(0.36)	(0.44)	(0.78)	(0.71)	
1999	58249	53599.764	32618	21729.079	3813	4235.1618	6949	6393.8738	942758
	(6.18)	(5.69)	(3.46)	(2.30)	(0.40)	(0.45)	(0.74)	(0.68)	
2000	62004	58444.786	20313	24562.75	3874	4794.5623	7522	6782.911	1025693
	(6.05)	(5.70)	(1.98)	(2.39)	(0.38)	(0.47)	(0.73)	(0.66)	
2001	70997	62752.133	19070	22896.018	3114	4338.9615	5668	5857.9018	1022938
	(6.94)	(6.13)	(1.86)	(2.24)	(0.30)	(0.42)	(0.55)	(0.57)	
2002	40026	43741.003	15582	22119.831	4829	5887.1855	5574	4854.5113	983165
	(4.07)	(4.45)	(1.58)	(2.25)	(0.49)	(0.60)	(0.57)	(0.49)	
2003	28341	35135.806	33878	19827.704	7458	8035.3461	3967	3613.405	942169
	(3.01)	(3.73)	(3.60)	(2.10)	(0.79)	(0.85)	(0.42)	(0.38)	
2004	33575	43225.991	16171	24676.929	7067	7170.0191	3563	3384.4016	1084245
	(3.10)	(3.99)	(1.49)	(2.28)	(0.65)	(0.66)	(0.33)	(0.31)	
2005	48150	52540.1	16690	25107.819	7393	7616.9535	2775	3317.6216	1120010
	(4.30)	(4.69)	(1.49)	(2.24)	(0.66)	(0.68)	(0.25)	(0.30)	
2006	33195	37357.583	42987	18627.705	7997	8048.0731	2421	2836.0903	929417
	(3.57)	(4.02)	(4.63)	(2.00)	(0.86)	(0.87)	(0.26)	(0.31)	
2007	44492	50323.162	15648	24930.58	13488	12173.376	2449	2993.7085	1141447
	(3.90)	(4.41)	(1.37)	(2.18)	(1.18)	(1.07)	(0.21)	(0.26)	
2008	48722	52110.13	14283	23987.205	9699	9466.2219	1796	2692.7991	1104803
	(4.41)	(4.72)	(1.29)	(2.17)	(0.88)	(0.86)	(0.16)	(0.24)	
2009	51654	44708.394	59130	15501.818	13467	11544.906	3542	4214.0235	837299
	(6.169)	(5.340)	(7.062)	(1.851)	(1.608)	(1.379)	(0.423)	(0.503)	
2010	59801	57667.963	15880	23241.93	15476	15416.806	2432	3438.5378	1119279
	(5.34)	(5.15)	(1.42)	(2.08)	(1.38)	(1.38)	(0.22)	(0.31)	
2011	48668	48946.989	15097	21393.847	31655	25103.196	3269	3636.7728	1020621

	(4.77)	(4.80)	(1.48)	(2.10)	(3.10)	(2.46)	(0.32)	(0.36)	
2012	29054	36729.721	13394	20436.382	29109	23975.632	2412	2496.159	1001625
	(2.90)	(3.67)	(1.34)	(2.04)	(2.91)	(2.39)	(0.24)	(0.25)	
2013	40397	43386.766	21091	20571.284	34864	27411.849	2877	3184.2024	1033208
	(3.91)	(4.20)	(2.04)	(1.99)	(3.37)	(2.65)	(0.28)	(0.31)	
2014	29211	32420.368	18452	15844.814	21313	16708.06	1870	2191.1528	802845
	(3.64)	(4.04)	(2.30)	(1.97)	(2.65)	(2.08)	(0.23)	(0.27)	
2015	22887	26070.499	7090	13217.057	18306	15526.141	1837	1901.391	723456
	(3.16)	(3.60)	(0.98)	(1.83)	(2.53)	(2.15)	(0.25)	(0.26)	
2016	33575	43225.991	16171	24676.929	7067	7170.0191	3563	3384.4016	1084245
	(3.10)	(3.99)	(1.49)	(2.28)	(0.65)	(0.66)	(0.33)	(0.31)	
2017	48150	52540.1	16690	25107.819	7393	7616.9535	2775	3317.6216	1120010
	(4.30)	(4.69)	(1.49)	(2.24)	(0.66)	(0.68)	(0.25)	(0.30)	
2018	33195	37357.583	42987	18627.705	7997	8048.0731	2421	2836.0903	929417
	(3.57)	(4.02)	(4.63)	(2.00)	(0.86)	(0.87)	(0.26)	(0.31)	
2019	44492	50323.162	15648	24930.58	13488	12173.376	2449	2993.7085	1141447
	(3.90)	(4.41)	(1.37)	(2.18)	(1.18)	(1.07)	(0.21)	(0.26)	
2020	48722	52110.13	14283	23987.205	9699	9466.2219	1796	2692.7991	1104803
	(4.41)	(4.72)	(1.29)	(2.17)	(0.88)	(0.86)	(0.16)	(0.24)	
2021	33623	36579.543	30837	17564.006	17843	16852.114	2325	2700.75	912257
	(3.69)	(4.01)	(3.38)	(1.93)	(1.96)	(1.85)	(0.25)	(0.30)	
2022		36579.543		17564.006		16852.114		2700.75	912257
		(4.01)		(1.93)		(1.85)		(0.30)	
2023		38596.046		17972.245		15879.983		2933.3494	912257
		(4.23)		(1.97)		(1.74)		(0.32)	
2024		40053.368		18323.96		14759.684		3144.4651	912257
		(4.39)		(2.01)		(1.62)		(0.34)	
2025		41153.358		18640.432		13679.697		3324.8869	912257
		(4.51)		(2.04)		(1.50)		(0.36)	
2026		41994.855		18898.139		12710.08		3474.8773	912257
		(4.60)		(2.07)		(1.39)		(0.38)	

YEAR	REDGRAM		BENGALGRAM		CHILLIES		COTTON		GCA
	ACTUAL	PREDICTED	ACTUAL	PREDICTED	ACTUAL	PREDICTED	ACTUAL	PREDICTED	
1992	26392	24189.386	6001	33550.03	3725	3038.409	14139	11935.51	924520
	(2.85)	(2.62)	(0.65)	(3.63)	(0.40)	(0.33)	(1.53)	(1.29)	
1993	24297	25579.667	12968	35699.82	4459	3038.533	10222	8822.394	931854
	(2.61)	(2.75)	(1.39)	(3.83)	(0.48)	(0.33)	(1.10)	(0.95)	
1994	23412	24079.786	34048	41749.38	2765	2262.712	8319	7328.257	888295
	(2.64)	(2.71)	(3.83)	(4.70)	(0.31)	(0.25)	(0.94)	(0.82)	
1995	26165	25314.863	21498	39804.09	1975	2698.254	12376	10700.79	931708
	(2.81)	(2.72)	(2.31)	(4.27)	(0.21)	(0.29)	(1.33)	(1.15)	
1996	25235	27980.985	12756	37246.01	4001	4051.238	11239	9842.729	975579
	(2.59)	(2.87)	(1.31)	(3.82)	(0.41)	(0.42)	(1.15)	(1.01)	
1997	21456	24875.535	28052	39333.61	3772	3168.512	7300	6717.324	896030
	(2.39)	(2.78)	(3.13)	(4.39)	(0.42)	(0.35)	(0.81)	(0.75)	
1998	27368	30475.219	26193	43470.59	4154	4018.477	13990	12108.4	989693
	(2.77)	(3.08)	(2.65)	(4.39)	(0.42)	(0.41)	(1.41)	(1.22)	
1999	23215	27447.382	26835	40938.22	5199	3494.407	9453	8487.442	942758
	(2.46)	(2.91)	(2.85)	(4.34)	(0.55)	(0.37)	(1.00)	(0.90)	
2000	30728	31676.579	33879	47813.69	3826	3797.367	12025	10728	1025693
	(3.00)	(3.09)	(3.30)	(4.66)	(0.37)	(0.37)	(1.17)	(1.05)	
2001	27947	32119.078	47910	51304.31	3873	4157.572	8552	7866.792	1022938
	(2.73)	(3.14)	(4.68)	(5.02)	(0.38)	(0.41)	(0.84)	(0.77)	
2002	33454	33532.561	54264	53296.31	2820	2471.948	7638	7527.099	983165
	(3.40)	(3.41)	(5.52)	(5.42)	(0.29)	(0.25)	(0.78)	(0.77)	
2003	41178	36345.586	51461	50522.58	3011	1741.53	4212	5416.289	942169
	(4.37)	(3.86)	(5.46)	(5.36)	(0.32)	(0.18)	(0.45)	(0.57)	
2004	32752	30878.281	42106	54047.61	3557	2167.972	8933	8752.847	1084245
	(3.02)	(2.85)	(3.88)	(4.98)	(0.33)	(0.20)	(0.82)	(0.81)	
2005	35013	33878.415	49105	57907.01	2236	2763.784	3295	4499.601	1120010
	(3.13)	(3.02)	(4.38)	(5.17)	(0.20)	(0.25)	(0.29)	(0.40)	
2006	26244	29782.155	83533	60965.73	1764	1883.188	1506	2897.402	929417
	(2.82)	(3.20)	(8.99)	(6.56)	(0.19)	(0.20)	(0.16)	(0.31)	

2007	36580	35201.239	74854	68769.49	2194	2576.699	3491	5373.391	1141447
	(3.20)	(3.08)	(6.56)	(6.02)	(0.19)	(0.23)	(0.31)	(0.47)	
2008	34067	34220.823	73055	66130.41	1574	2735.552	1611	3419.873	1104803
	(3.08)	(3.10)	(6.61)	(5.99)	(0.14)	(0.25)	(0.15)	(0.31)	
2009	20585	29539.52	92936	60139.37	1604	2883.917	2063	3747.281	837299
	(2.459)	(3.528)	(11.099)	(7.183)	(0.192)	(0.344)	(0.246)	(0.448)	
2010	66013	53866.25	94240	75107.04	1968	3480.317	4289	7164.585	1119279
	(5.90)	(4.81)	(8.42)	(6.71)	(0.18)	(0.31)	(0.38)	(0.64)	
2011	51745	47387.002	68483	65524.8	4165	3355.951	18997	19864.25	1020621
	(5.07)	(4.64)	(6.71)	(6.42)	(0.41)	(0.33)	(1.86)	(1.95)	
2012	56586	48339.616	89676	72038.75	2806	2604.521	27643	26430.86	1001625
	(5.65)	(4.83)	(8.95)	(7.19)	(0.28)	(0.26)	(2.76)	(2.64)	
2013	49932	49945.645	85768	71843.76	2674	3544.72	37723	34648.43	1033208
	(4.83)	(4.83)	(8.30)	(6.95)	(0.26)	(0.34)	(3.65)	(3.35)	
2014	37562	42700.86	22874	38703.31	2923	4175.244	74618	61302.77	802845
	(4.68)	(5.32)	(2.85)	(4.82)	(0.36)	(0.52)	(9.29)	(7.64)	
2015	38511	45807.75	75799	53967.13	3793	3366.876	60787	50300.4	723456
	(5.32)	(6.33)	(10.48)	(7.46)	(0.52)	(0.47)	(8.40)	(6.95)	
2016	32752	30878.281	42106	54047.61	3557	2167.972	8933	8752.847	1084245
	(3.02)	(2.85)	(3.88)	(4.98)	(0.33)	(0.20)	(0.82)	(0.81)	
2017	35013	33878.415	49105	57907.01	2236	2763.784	3295	4499.601	1120010
	(3.13)	(3.02)	(4.38)	(5.17)	(0.20)	(0.25)	(0.29)	(0.40)	
2018	26244	29782.155	83533	60965.73	1764	1883.188	1506	2897.402	929417
	(2.82)	(3.20)	(8.99)	(6.56)	(0.19)	(0.20)	(0.16)	(0.31)	
2019	36580	35201.239	74854	68769.49	2194	2576.699	3491	5373.391	1141447
	(3.20)	(3.08)	(6.56)	(6.02)	(0.19)	(0.23)	(0.31)	(0.47)	
2020	34067	34220.823	73055	66130.41	1574	2735.552	1611	3419.873	1104803
	(3.08)	(3.10)	(6.61)	(5.99)	(0.14)	(0.25)	(0.15)	(0.31)	
2021	70261	67192.267	68092	58754.63	4966	3016.319	31799	28849.4	912257
	(7.70)	(7.37)	(7.46)	(6.44)	(0.54)	(0.33)	(3.49)	(3.16)	
2022		67192.267		58754.63		3016.319		28849.4	912257
		(7.37)		(6.44)		(0.33)		(3.16)	
2023		59724.047		54947.48		3069.352		26358.42	912257
		(6.55)		(6.02)		(0.34)		(2.89)	
2024		54212.028		53293.22		3079.428		24081.65	912257
		(5.94)		(5.84)		(0.34)		(2.64)	
2025		49990.499		52461.51		3070.3		22017.77	912257
		(5.48)		(5.75)		(0.34)		(2.41)	
2026		46737.887		51948		3051.558		20164.91	912257
		(5.12)		(5.69)		(0.33)		(2.21)	

YEAR	GROUNDNUT		SUNFLOWER		OTHER CROPS		GCA
	ACTUAL	PREDICTED	ACTUAL	PREDICTED	ACTUAL	PREDICTED	
1992	742749	725392	26488	37474.79	2627	6135.225	924520
	(80.34)	(78.46)	(2.87)	(4.05)	(0.28)	(0.66)	
1993	731105	730096.7	32513	38423.07	4611	5623.462	931854
	(78.46)	(78.35)	(3.49)	(4.12)	(0.49)	(0.60)	
1994	686769	700719	43136	35382.06	4501	5579.91	888295
	(77.31)	(78.88)	(4.86)	(3.98)	(0.51)	(0.63)	
1995	744528	730984.9	35593	37504.12	4785	6415.546	931708
	(79.91)	(78.46)	(3.82)	(4.03)	(0.51)	(0.69)	
1996	759419	749856.4	40927	44433.46	5333	6014.403	975579
	(77.84)	(76.86)	(4.20)	(4.55)	(0.55)	(0.62)	
1997	671047	694549.6	65985	41649.09	5235	5156.858	896030
	(74.89)	(77.51)	(7.36)	(4.65)	(0.58)	(0.58)	
1998	781179	754173.4	34842	43829.94	7191	7282.831	989693
	(78.93)	(76.20)	(3.52)	(4.43)	(0.73)	(0.74)	
1999	716650	727975.1	53573	42596.55	6204	5861.052	942758
	(76.02)	(77.22)	(5.68)	(4.52)	(0.66)	(0.62)	
2000	814607	786023.7	30606	43704.23	6309	7364.404	1025693
	(79.42)	(76.63)	(2.98)	(4.26)	(0.62)	(0.72)	
2001	777473	777744.5	51610	47142.95	6724	6757.837	1022938

	(76.00)	(76.03)	(5.05)	(4.61)	(0.66)	(0.66)	
2002	749791	761612.4	60319	40428.09	8868	7694.071	983165
	(76.26)	(77.47)	(6.14)	(4.11)	(0.90)	(0.78)	
2003	685995	736118.6	74525	37549.99	8143	7862.161	942169
	(72.81)	(78.13)	(7.91)	(3.99)	(0.86)	(0.83)	
2004	872323	860089.1	56819	42469.09	7379	7382.792	1084245
	(80.45)	(79.33)	(5.24)	(3.92)	(0.68)	(0.68)	
2005	899035	879972.6	48677	45562.65	7641	6843.476	1120010
	(80.27)	(78.57)	(4.35)	(4.07)	(0.68)	(0.61)	
2006	662111	724821.9	60751	36153.35	6908	6043.839	929417
	(71.24)	(77.99)	(6.54)	(3.89)	(0.74)	(0.65)	
2007	896826	887485.6	44442	44147.39	6983	7472.317	1141447
	(78.57)	(77.75)	(3.89)	(3.87)	(0.61)	(0.65)	
2008	870456	859213	42268	43977.79	7272	6849.23	1104803
	(78.79)	(77.77)	(3.83)	(3.98)	(0.66)	(0.62)	
2009	530381	624029.4	55286	35382.04	6651	5608.307	837299
	(63.344)	(74.529)	(6.603)	(4.226)	(0.794)	(0.670)	
2010	834070	826084.9	17615	42215.38	7495	11595.24	1119279
	(74.52)	(73.81)	(1.57)	(3.77)	(0.67)	(1.04)	
2011	753836	736262.2	13277	36623.59	11429	12522.36	1020621
	(73.86)	(72.14)	(1.30)	(3.59)	(1.12)	(1.23)	
2012	729695	722520.4	10580	31136.11	10670	14916.91	1001625
	(72.85)	(72.13)	(1.06)	(3.11)	(1.07)	(1.49)	
2013	728448	728121.1	14020	34057.71	15414	16492.56	1033208
	(70.50)	(70.47)	(1.36)	(3.30)	(1.49)	(1.60)	
2014	565751	542266	8452	25664.24	19819	20868.2	802845
	(70.47)	(67.54)	(1.05)	(3.20)	(2.47)	(2.60)	
2015	468183	472795.9	5331	20743.7	20932	19759.17	723456
	(64.71)	(65.35)	(0.74)	(2.87)	(2.89)	(2.73)	
2016	872323	860089.1	56819	42469.09	7379	7382.792	1084245
	(80.45)	(79.33)	(5.24)	(3.92)	(0.68)	(0.68)	
2017	899035	879972.6	48677	45562.65	7641	6843.476	1120010
	(80.27)	(78.57)	(4.35)	(4.07)	(0.68)	(0.61)	
2018	662111	724821.9	60751	36153.35	6908	6043.839	929417
	(71.24)	(77.99)	(6.54)	(3.89)	(0.74)	(0.65)	
2019	896826	887485.6	44442	44147.39	6983	7472.317	1141447
	(78.57)	(77.75)	(3.89)	(3.87)	(0.61)	(0.65)	
2020	870456	859213	42268	43977.79	7272	6849.23	1104803
	(78.79)	(77.77)	(3.83)	(3.98)	(0.66)	(0.62)	
2021	623732	633885.4	3868	27931.79	24911	18930.76	912257
	(68.37)	(69.49)	(0.42)	(3.06)	(2.73)	(2.08)	
2022		633885.4		27931.79		18930.76	912257
		(69.49)		(3.06)		(2.08)	
2023		643863.4		31915.95		16996.7	912257
		(70.58)		(3.50)		(1.86)	
2024		652817		33181.82		15310.4	912257
		(71.56)		(3.64)		(1.68)	
2025		659993.1		33951.26		13974.17	912257
		(72.35)		(3.72)		(1.53)	
2026		665857.6		34522.21		12896.83	912257
		(72.99)		(3.78)		(1.41)	

### 3.Factors Influencing Cropping Pattern Changes in Ananthapur District

The influence of causal factors on acreage changes of important crops was analyzed and the results presented in Table 4.

#### Foodgrain Crops

**Paddy:** Total rainfall and gross irrigated influenced the area under paddy positively and significantly, while composite fertilizer price influenced it negatively and was significant. Labour wage rate was negative and non-significant, while own lagged price and lagged price

of the competing crop turned out to be positive and non-significant.  $R^2$  was estimated at 0.590.

**Ragi:** Gross irrigated area was found to have significant and positive influence, while own lagged price and lagged price of the competing crop had significantly negative influence on the area of Ragi. All the remaining variables viz., total rainfall, labour wage rate and composite fertilizer price were found to be positive but non-significant.  $R^2$  was 0.822.

**Redgram:** With respect to redgram there was only one significant factor i.e., labour wage rate with a positive sign. All the other variables were non-significant. Among the non-significant variables lagged price of the competing crop, gross irrigated area and composite fertilizer price had negative signs, while own lagged price and total rainfall exhibited positive signs.  $R^2$  was 0.592.

**Bengalgram:** The variable which exhibited significant influence positively on bengalgram area was its own lagged price. All other remaining variables were negative and non-significant.  $R^2$  was 0.711.

### **Non-Foodgrain Crops**

**Groundnut:** Total rainfall was the only factor that influenced the area of groundnut significantly. The influence of own lagged price was positive but non-significant. Lagged price of the competing crop did not show any significant influence on the area of Groundnut. Remaining variables are negative and non-significant.  $R^2$  was 0.364.

**Cotton:** The variables that were positively significant for cotton area were composite fertilizer price and gross irrigated area. Lagged price of the competing crop was negative and non-significant. Rainfall, own lagged price and labour wage rate were positive and non-significant.  $R^2$  was 0.515.

The above findings revealed that area under ragi and bengalgram were influenced by their own lagged prices. Lagged prices of the competing crops were found influencing the area under ragi negatively. Cotton was found to be competing crop for paddy. Bengalgram was competing crop for ragi and ragi was competing crop for bengalgram. Sunflower was the competing crop for both redgram and cotton while, redgram was competing crop for groundnut. There was a significant positive effect of rainfall on paddy and groundnut areas. Increase in gross irrigated area had a significant positive influence on the areas under paddy, ragi and groundnut. The area under redgram was positively influenced by the labour wage rate. Price of composite fertilizers had negative significant influence on the area under paddy and positive significant influence on the area under cotton.

**Table 4. Factors influencing area changes in major crops in Ananthapur district**

S. No.	Crop	Intercept	regression coefficients						R <sup>2</sup>
			price of the crop lagged by one year (x <sub>1</sub> )	price of the competing crop lagged by one year (x <sub>2</sub> )	total rainfall (x <sub>3</sub> )	gross cropped area (x <sub>4</sub> )	labour wage rate (x <sub>5</sub> )	composite fertilizer price (x <sub>6</sub> )	
I. Foodgrain crops									
1.	Paddy	0.982	0.089	0.089	0.557	1.300	-0.129	-0.301	0.5909
2.	Sorghum	12.521	-0.061	0.099	-0.505	0.549	-0.237	-0.387	0.3545
3.	Ragi	7.378	-0.882	-0.628	0.187	1.651	0.379	0.090	0.8229
4.	Redgram	10.950	0.105	-0.316	0.053	-0.302	0.522	-0.045	0.5924
5.	Bengalgram	10.037	1.963	-0.249	-0.225	-1.595	-0.197	-0.573	0.7118
II. Non-Foodgrain crops									
1.	Groundnut	13.407	0.275	-0.144	0.108	-0.144	-0.132	-0.081	0.3649
2.	Cotton	-22.598	0.456	-0.748	0.444	4.516	0.341	1.787	0.5156

### Summary and Conclusion:

The area growth rate was highest for maize followed by bengalgram, cotton and redgram. Productivity growth rate was highest for chillies (2.86 per cent) followed by maize (2.29 per cent) and paddy (1.73 per cent). All the three variables viz., area, production and productivity exhibited negative and non-significant growth rate in jowar and positive significant growth rate in maize. Negative non-significant growth of productivity was observed in sunflower whereas, positive non-significant growth in productivity was observed in bengalgram.

### Retention and Transition Probabilities

Groundnut had highest retention probability at 0.8737; gained area primarily from sorghum, sunflower, chillies, Bengalgram, and redgram. Cotton had Retention probability of 0.7737; lost area to chillies and redgram but gained from maize and redgram. Maize had retention at 0.6708; gained marginally from redgram and Bengalgram but lost to Bengalgram (0.2189) and cotton (0.1101). Ragi had retention probability of 0.6379; major loss to sorghum (0.3620), small gains from paddy (0.0296) and sorghum (0.0071). Paddy had retention at 0.5898; minor gain from groundnut (0.0268), losses to sunflower (0.2232), redgram, chillies, and ragi. Redgram had

retention at 0.5316; significant gains from other crops, chillies, paddy, Bengalgram, and sorghum. Other Crops retained 0.1452; lost shares mainly to redgram and Bengalgram. Sunflower had retention at 0.1246; lost significantly to groundnut but gained from paddy and groundnut. Chillies and Sorghum are highly unstable with major transitions to groundnut.

#### Crop Share Projections (2021 to 2026)

Paddy increase from 3.68% to 4.61% . Sorghum declined from 3.38% to 2.07%. Maize drop from 1.95% to 1.39% Ragi shown slight growth from 0.25% to 0.38% . Redgram declined from 7.70% to 5.12%. Bengalgram reduced from 7.46% to 5.69% .Chillies relatively stable around 0.33%–0.54%.Cotton declined from 3.48% to 2.21% .Groundnut has growth from 68.37% (2016) to 72.99% . Sunflower has significant rise from 0.42% to 3.78% .Other Crops decline from 2.73% to 1.41% .

#### Factors Influencing Cropping Patterns

Lagged Prices positively influenced ragi, Bengalgram, and cotton; negatively (but insignificantly) impacted other crops. Rainfall had significant positive influence on paddy. Irrigation Expansion benefited ragi. Lagged Production positively affected paddy and cotton. Fertilizer costs negatively impacted most crops except ragi. Competing Crops like groundnut, sorghum, and redgram showed competition with multiple crops.

#### Key Observations and Recommendations

1. Decision-Driven Patterns: Changes in cropping patterns reflect farmers' choices influenced by socio-economic and climatic factors.
2. Commercialization: A shift toward non-foodgrain crops in dryland agriculture emphasizes the need for higher productivity and management efficiency.
3. Irrigation Influence: The Pattiseema Project is likely to promote high-value crops, potentially reducing coarse grains and millets.
4. Location-Specific Research: Given agro-climatic diversity, tailored agricultural technologies should be prioritized over uniform solutions.

This analysis highlights the need for integrating scientific research with farmers' practical challenges to enhance agricultural sustainability and efficiency.

#### References:

Acharya, S.P., BasavaRaja, H., Kunnal, L.B., Mahajanashetti, S.B and Bhat, A.R.S. 2011. Crop Diversification in Karnataka: an economic analysis. *Agricultural Economics Research Review*. 24(conference number): 351- 357

Kammar and Basavaraja, H. 2012. Structural changes in cropping pattern in northern transitional zone of Karnataka. *International Research Journal of Agricultural Economics and Statistics*. 3(2): 197-201.

Mahendra, S. 2010. Structural changes in cropping pattern and production constraints in rice-wheat system: Evidences from Eastern Uttar Pradesh. *Journal of Agricultural Development and Policy*. 20(2): 73- 84.

Paramasivam, R., Umanath, M., Kavitha, V., Khuzandhaivel Pillai, A and Vasanthi, R. 2017. Dynamics of land use pattern and cropping pattern in Cuddalore district of Tamilnadu. Asian Journal of Agricultural extension, economics and sociology. 19(3): 1-10.

Pattanaik and Mohanty, S. 2017. Changes in cropping pattern in Orissa agriculture in neo-liberal period. Journal of Rural Development. 36(1):121-154.

Mohan, G. 2017. Determinants of cropping pattern changes in Andhra Pradesh, India. Asian Journal of Agricultural Extension, Economics and Sociology. 20(3): 1-15.

UNDER PEER REVIEW