

Editor's Comment:

It's very interesting review, but I have some comments on the form of this article :

- Debridement is the clearance of dead, and is not carcinogenic or teratogenic ^[32]. **All this paragraph is from one source, reference, try to add more**
- The development of a drug delivery system that can lead to loss of protein structure and activity ^[6] **the same remark, all this paragraph is from one source, reference, try to add more**
- The first step consists of obtaining a immiscible solutions of different concentrations^[61]. **the same remark, all this paragraph is from one source, reference, try to add more**
- Spray drying (SD) is performed from the production of particles on a large scale ^[93]. **the same remark, all this paragraph is from one source, reference, try to add more**
- A physicochemical method of double aggregation and coalescence of particles ^[94]. **the same remark, all this paragraph is from one source, reference, try to add more**
- The green chemistry method can provide by the electrochemical potential of a metal ion ^[100]. **the same remark, all this paragraph is from one source, reference, try to add more**
- The first step is mixing an aqueous solution metallic nanoparticles that will determine the final shape (Figure 4) ^[103]. **the same remark, all this paragraph is from one source, reference, try to add more**
- are not toxic and **and** are easily eliminated from the body. **Remove and**
- which can **induc** structural changes in the hydrogel. **??????**
- **remove** Adapted from **add to references and mentioned in figures**
- stability during storage by eliminating water] thus, SD is also

References

- Botelho SM. Novas estratégias de administração de proteínas e peptídeos. **Master thesis, University of Coimbra**. 2014. <http://hdl.handle.net/10316/80572>.
- Storer AC, Ménard R. Papain. In **Rawlings ND and Salvesen G(eds)**. Handbook of Proteolytic Enzymes. **Elsevier Edition**, 2013; 2: 1858-61. DOI: 10.1016/B978-0-12-382219-2.00418-X
- Nasciutti PR. Desenvolvimento de novos fármacos. Goiás. 2012. **Seminar, Goias federal university** https://files.cercomp.ufg.br/weby/up/67/o/1%C2%B0_Semin%C3%A1rio_PRISCILLA_NASCIUTTI.pdf?1350665635. **Visited on 04.11.2021**.
- Silva-López, RE. Debridement applications of bromelain: a complex of cysteine proteases from pineapple. *Adv Biotechnol Microbiol*. 2017; 3(5): 124-6. **Remove ISSN: 2474-7637**.
- Melo CS, Cunha Jr AS, Fialho SL. Formas farmacêuticas poliméricas para a administração de peptídeos e proteínas terapêuticos. *Rev Ciênc Farm Básica Apl*. 2012; 33(4):469-77. **Remove ISSN 1808-4532**.
- Bizerra A, Silva V. Sistemas de liberação controlada: Mecanismos e aplicações. *Revista Saúde e Meio Ambiente*. 2016; 3(2):1-12. **Remove ISSN: 2447-8822**.
- Réus M, Carmignan F, Lemos Senna E, Machado de Campos A. Nanopartículas poliméricas na administração tópica ocular de fármacos. *Lat. Am J Pharm*. 2009; 28(1):125-32. **Remove ISSN 0326-2383**.
- Mishra DK, Ashish KJ, Prateek KJ. Review on Various Techniques of Microencapsulation. *Int J Pharma Chem Sci*. 2013; 2(2):962-77. **Remove ISSN 2277-5005**.
- Sena AEC, Ramos AL, Vianna-Faria FSED. Avaliação da síntese de nanopartículas de prata sob diferentes concentrações do extrato de *Copaiba multijuga* (Heine). *Scientia Naturalis*. 2019; 1(1):10-16. **Remove ISSN 2596-1640**.
- Albernaz VL. Síntese verde de nanopartículas de prata com extrato aquoso de folhas de *Brosimum gaudichaudii*, caracterização físicoquímica, morfológica e suas aplicações no desenvolvimento de um

nanobiossensor eletroquímico. Master thesis in Nanoscience and Nanobiotechnology, university of Brasília, 2014. 121p. <https://repositorio.unb.br/handle/10482/16467>.

Editor's Details:

Dr. Ghalem Bachir Raho
Mascara University, Algeria