

# MELATONIN AND PERIODONTITIS – A SYSTEMATIC REVIEW AND META ANALYSIS

## ABSTRACT

**Aim:** The aim of the study is to systematically review the association between melatonin and periodontitis.

**Methods:** A comprehensive literature search of the following databases were done which included studies of The Cochrane database of systematic reviews, PubMed, pubmed central, Google scholar, research gate , The studies were selected by titles and abstracts based on the search strategy described previously. Then, the full texts of the potentially eligible studies were read and selected based on the inclusion criteria (PICOS criteria).

**Results:** The meta analysis showed that the mean difference between the salivary melatonin levels in healthy and periodontitis groups was statistically significant with  $P < .001$  Heterogeneity between the studies is 49%.

**Conclusion:** This systematic review and meta analysis concludes that salivary melatonin level in participants with periodontitis is significantly lesser when compared to the healthy individuals. Supplementation of melatonin improves the periodontal condition.

**Keywords:** Melatonin, Periodontitis, Systematic review, Meta analysis

## INTRODUCTION

Periodontal disease is one of the most common oral infectious conditions among humans, gingivitis and periodontitis being the two major forms of this pathology. It implies the destruction of the tissues supporting the teeth (gingiva, periodontal ligament, radicular cement and alveolar bone) due to the accumulation and maturation of oral bacteria as well as the subsequent immune response displayed by the host.<sup>1</sup> According to Chapple, periodontitis is defined as a “complex heterogenic biological phenomenon, derived from the interaction between genetic and epigenetic factors together with environmental determinants that lead to a dysbalance of oral microbiome homeostasis and an inadequate imunitary response”<sup>2</sup>. Once established, this condition evolves with reduction of collagen fibers, loss of the attachment to the radicular surface and resorption of alveolar bone, eventually causing teeth loss<sup>3</sup>. This condition could be reversed by a hormone called melatonin. The actions of

melatonin as an anti-inflammatory and antioxidative agent could be beneficial, particularly when placed directly in the mouth, to abate the severity of inflammation of the gingiva and periodontium.<sup>4</sup>

Melatonin (MEL), (N-acetyl-5-methoxytryptamine) was discovered in extracts of the bovine pineal gland and synthesis in this organ was determined in 1958<sup>5</sup>. It is a natural hormone though produced in different organs such as retina, gastrointestinal tract, bone marrow, leukocytes, lymphocytes and skin, the main production comes from the pineal gland, where is synthesized in a circadian manner, showing the highest levels of secretion at night, in most species.<sup>6</sup> Ubiquitous MEL is also present in oral cavity. MEL level in saliva is one-fourth to one-third of the level in blood circulation and ranges from 1 to 5 pg/ml during daytime to 50 pg/ml after midnight peak <sup>7</sup>.

Melatonin has multiple, diverse physiological functions. Some of these actions are mediated by specific receptors in the membranes of most, if not all, cells. Melatonin also has receptor-independent free radical scavenging actions. Finally, melatonin has indirect protective functions against reactive oxygen (ROS) and reactive nitrogen species via its ability to stimulate antioxidative enzymes. The combination of the direct and indirect antioxidative actions of melatonin assists this molecule in potently resisting oxidative damage throughout the body, including in the oral cavity.<sup>4</sup> Melatonin, as well as several of its metabolites that are formed when melatonin neutralizes toxic free radicals, are highly effective in reducing oxidative damage to tissues via receptor-independent actions<sup>8</sup>. Because of these combined reactions, which have come to be known as melatonin's antioxidant cascade, melatonin is highly efficient at detoxifying a number of reactive species and thereby reducing the cellular and molecular damage meted out by partially reduced oxygen species <sup>9</sup>. This has many implications for tissues of the oral cavity where oxidative stress is common.

The lamina propria of the gingiva and periodontium often contains numerous immunocompetent cells. Melatonin, a well-known promoter of the immune system, as well as its metabolites N1 -acetyl-N2 -formyl5-methoxykynuramine and N1 -acetyl5-methoxykynuramine, have significant anti-inflammatory actions. Immunocompetent cells also produce their own melatonin. Considering that inflammation is a major determinant of oral health, orally available melatonin could have a role in

reducing gingival inflammation.<sup>4</sup> The presence of melatonin and its receptors in the oral cavity supports the hypothesis that this hormone could play a role in homeostasis of periodontal tissues suggestive of the presence of association between melatonin and periodontal tissues. Numerous studies have been published showing the possible association between the both. Hence the aim of the study is to systematically review the association between melatonin level and periodontitis and quantitatively show the results through meta analysis .

### **AIM AND OBJECTIVES:**

To do systematic review and meta analysis on association between melatonin and periodontitis.

### **METHODS:**

This is a secondary research done with an aim to find the association between periodontitis and melatonin. The search process was performed by the single author under the guidance of the guide.

The Search was undertaken with the following keywords. Melatonin, periodontitis, pyorrhea, night hormone, N-acetyl-5-methoxytryptamine.

The Search of the studies is till 2020. No filters or Limits were applied in the searches on language or year of publication.

### **CRITERIA FOR CONSIDERING STUDIES FOR THIS REVIEW:**

#### **Inclusion criteria outlines**

#### **Types of studies**

All observational and experimental studies are included for this systematic review under the following PICO criteria.

#### **For observational studies**

Population- periodontitis subjects

Intervention- nil

Comparison- healthy controls

Outcome- salivary/plasma/gcf melatonin levels.

### **For experimental studies (Randomised controlled trial)**

Population- periodontitis

Intervention- melatonin

Comparison- controls

Outcome- Periodontal parameters.

### **Exclusion criteria**

Editorial letters, reviews, in vitro studies, animal studies, descriptive studies, case reports, case series were excluded.

### **Search methods for identification of studies**

A comprehensive literature search of the following databases were done which included studies of The Cochrane database of systematic reviews, PubMed, pubmed central, Google scholar, research gate (Until 2020) .

### **Selection of studies**

The studies were selected by titles and abstracts based on the search strategy described previously. Then, the full texts of the potentially eligible studies were read and selected based on the inclusion criteria (PICOS criteria). Papers appearing in more than one database search were considered only once.

### **Assessment of risk of bias in included studies:**

Each selected study was evaluated for inner methodological risk of bias.

### **JBI Critical Appraisal Checklist :**

- 1. Were the criteria for inclusion in the sample clearly defined?**
- 2. Were the study subjects and the setting described in detail?**
- 3. Was the exposure measured in a valid and reliable way?**
- 4. Were objective, standard criteria used for measurement of the condition?**
- 5. Were confounding factors identified?**

6. Were strategies to deal with confounding factors stated?
7. Were the outcomes measured in a valid and reliable way?
8. Was appropriate statistical analysis used?

**Table 1: Assessment of risk of bias in included studies**

	1	2	3	4	5	6	7	8
Gomez et al	●	✘	●	●	★	★	●	●
Leila Golpasand Hagh et al	●	○	✘	●	★	★	●	●
Cutando et al	○	●	●	●	★	★	●	●
Rashmi Srinath et al	●	●	○	●	★	★	●	●
Ghallab et al	●	●	●	●	★	★	●	●
Almugrabi et al	●	○	✘	●	★	★	●	●
Thodur Malapusi Balaji et al	●	●	✘	●	★	★	●	●
Karuna Lodhi et al	○	●	✘	✘	★	★	●	●

● - yes ○ - no ✘ - not clear ★ - not applicable

## RESULTS:

This systematic review is based on the association between the melatonin levels and periodontics. In this review observational and randomized controlled trial were included.

A comprehensive literature search from various databases, Pubmed, pubmed central, Cochrane, google scholar, research gate was performed. The eligible studies were selected based on PICO criteria.

In this review 14 studies were included for systematic review (8 observational studies, Table 1. 6 Randomised controlled trial Table 2).

Based on Joanna Briggs Institute critical appraisal checklist four studies which have low risk of bias are included in this meta analysis.

The meta analysis showed that the mean difference between the salivary melatonin levels in healthy and periodontitis groups was statistically significant with  $P < .001$ . Heterogeneity between the studies is 49%.

## SYSTEMATIC REVIEW

**Table 2 Literature review**

AUTHOR	AGE IN YEARS	YEAR	TYPE AND POPULATION	OUTCOME MEASURED	INFERENCE
G. Gomez moreno	47.2+/- 9.1	2007	Observational  Periodontitis group- 46 Control group – 26	Salivary melatonin, Plasma melatonin , CPI index	<b>Lower salivary and plasma melatonin than controls .</b>  Melatonin level was decreased through CPI from 1-2 and increased through CPI from 2-4
Leila Golpasand Hagh	40.44+/- 6.38	2014	Observational  Healthy group- 10 Gingivitis group- 10 Localised moderate periodontitis – 10 Generalised moderate periodontitis- 10 Generalised severe periodontitis- 10	Salivary melatonin	<b>Lower salivary melatonin in generalised severe periodontitis.</b>  Negative correlation exists in salivary melatonin and severity of periodontal disease
Cutando	55.1 +/- 0.46	2006	Observational  37 patients with different degrees of periodontal	Saliva / Plasma melatonin ratio	<b>Significant negative correlation in saliva/plasma melatonin</b>


			disease		ratio with CPI index
Rashmi Srinath	20 - 45	2010	Observational  Healthy- 15 Gingivitis- 15 Periodontitis- 15	Salivary melatonin, Gcf melatonin	<b>Lower salivary and Gcf melatonin in periodontitis group.</b>  Inverse relationship exists between gingival, Russel Indices and melatonin level
Ghallab	Healthy – 26+/-2.67 Chronic periodontitis- 42.2+/-2.55 Generalised Aggressive periodontitis- 26.43+/-3.62	2016	Observational  Healthy – 15 Chronic periodontitis- 25 Generalised Aggressive periodontitis- 25	Gcf melatonin, PI, GI, PD, CAL	<b>Lower gcf melatonin in generalised periodontitis group .</b>  Significant negative correlation seen between chronic periodontitis and Gcf melatonin
Almughrabi	20-55	2013	Observational  Healthy- 10 Gingivitis- 20 Chronic periodontitis- 20 Aggressive periodontitis – 20	Salivary melatonin, Gcf melatonin	<b>Lower salivary and gcf melatonin in aggressive periodontitis group</b>
Thodur Malapuri Balaji	29.6+/-5.8 – Healthy individuals 41.18+/- 7.06 – Chronic periodontitis	2015	Observational pilot study  Healthy – 5 Chronic periodontitis- 15	Saliva melatonin, plasma melatonin, Gcf melatonin	<b>Lower Gcf melatonin in periodontitis group and is significant</b>  <b>Lower Salivary melatonin in periodontitis group but not significant</b>  Higher plasma melatonin in periodontitis

					group but not significant
Karuna Lodhi	18-65	2016	Observational pilot study  Healthy- 10 Gingivitis- 10 Periodontitis- 10	Salivary melatonin	Increased Salivary melatonin in periodontitis group.  Significant positive correlation exists between melatonin level and gingival index, probing depth

**Table 3 Conceptual review**

<b>AUTHOR</b>	<b>YEAR</b>	<b>TYPE AND POPULATION</b>	<b>INTERVENTION</b>	<b>OUTCOME MEASURED</b>	<b>INFERENCE</b>
Marwar	2014	<b>Randomised controlled trial</b>  <b>Total- 160</b> <b>Test- 80</b> <b>Control- 80</b>	<b>Test group- SRP and Melatonin tablet</b>  <b>Control group – SRP and Placebo</b>	<b>Gingival index, Periodontal disease index, community periodontal index.</b>	Significant difference is seen in all the indices in favour of test group
Mohammedta ghi Chitsazi	2017	<b>Randomised controlled trial</b>  <b>Total- 60</b> <b>Group A,B,C</b>	<b>Group A- SRP</b> <b>Group B- SRP and melatonin</b> <b>Group C – SRP and melatonin + vitamin C</b>	<b>Gingival index, PD, CAL</b>	Significant improvement seen in gingival index in melatonin group after 3 and 6 months.  Significant improvement in PD and CAL at 6 month in melatonin + vitamin C group  No significant difference is seen in melatonin group and control group
Hesham El-Sharkawy	2018	<b>Randomised controlled trial</b>  <b>Total- 74</b>	<b>Test group- SRP and melatonin</b>  <b>Control- SRP and</b>	<b>Gingival index, Plaque index, BOP, PD, CAL.</b>	Significant difference is seen in favour of test group

		Test- 38 Control- 38	placebo		
Manvel Tinto	2019	Randomised controlled trial  Total- 20 Test- 10 Control- 10	Test group- SRP and melatonin  Control- SRP and placebo	PD	Statistical difference is seen in PD between baseline and 6 months
Anagha Marwar	2019	Randomised controlled trial  Total- 240 Group A,B,C	Group A- SRP Group B- SRP + vitamin E Group C – SRP+ melatonin	Malondialdehyde, Superoxide dismutase, Glutathione peroxidase	Melatonin acts as an antioxidant in periodontitis and confer a new facet to the management of periodontitis
Mohammed Roshdy Abdel Rasoul	2019	Clinical trial – 7	Group 1 – melatonin granules Group 2 – hydroxyapatite alloplast Group 3- melatonin + hydroxyapatite	PI, GI, PD, CAL ( data not available )	Statistically significant increase in alveolar bone height and radiographic bone density within the group but not between the groups.



**Fig 1 :Meta analysis showing the Salivary melatonin level in healthy and Periodontitis group.**

## **DISCUSSION:**

Periodontal disease is wide spread and it is a major public health problem. According to the national oral health survey 2002-03 the prevalence of periodontal disease was 55.4 per cent in 12 years old while the prevalence peaked at 89.1 per cent in the 35-44 year age group and 79.3 per cent in 65-74 years age group.<sup>10</sup> Periodontitis results in progressive destruction of tooth supporting tissues (cementum, periodontal ligament, and alveolar bone) and subsequently loss of teeth. In spite of various surgical and nonsurgical therapeutic options, the global prevalence of periodontitis is still remarkably high.<sup>11</sup>

Melatonin has multiple, diverse physiological functions. Some of these actions are mediated by specific receptors in the membranes of most, if not all, cells. Melatonin also has receptor-independent free radical scavenging actions and has indirect protective functions against reactive oxygen (ROS) and reactive nitrogen species via its ability to stimulate antioxidative enzymes. The combination of the direct and indirect antioxidative actions of melatonin assists this molecule in potently resisting oxidative damage throughout the body, including in the oral cavity. The levels of melatonin in the saliva are roughly one-fourth to one-third those in the general circulation (ranging from 1 to 5 pg/mL in the day and up to 50 pg/mL at night). Melatonin in the saliva is believed to be from the unbound melatonin component in the systemic circulation that passively enters the mucous/serous cells of the major salivary glands (parotid, submaxillary and sublingual glands). It is discharged from the individual acinar cells of the salivary glands due to the contraction of the myoepithelial elements of the acini.<sup>7</sup> Many studies have been published on showing the association between salivary melatonin and periodontitis. This is the first systematic review and meta analysis on showing the association between the both.

In this review, Randomised controlled trial and observational analytical studies were included. Editorial letters, reviews, in vitro studies, animal studies, descriptive studies, case reports, case series were excluded

A comprehensive literature search of the following databases were done which included studies of The Cochrane database of systematic reviews, PubMed, pubmed central, Google scholar, research gate (Until 2020). The eligible studies were based on PICO criteria.

In this systematic review 14 studies were included (8 observational analytical studies, 6 Randomised controlled trial). Only the observational studies were taken for meta analysis after assessing the quality of the study. The quality assessment of studies was done using the Joanna Briggs Institute Critical Appraisal tools. (JBI Critical Appraisal Checklist for Analytical Cross Sectional Studies).

The Joanna Briggs Institute (JBI) is an international, membership based research and development organization within the Faculty of Health Sciences at the University of Adelaide. The Institute specializes in promoting and supporting evidence-based healthcare by providing access to resources for professionals in nursing, midwifery, medicine, and allied health. With over 80 collaborating centres and entities, servicing over 90 countries, the Institute is a recognized global leader in evidence-based healthcare.<sup>12</sup>

In the studies done by Gomez Moreno et al<sup>13</sup> and Thodur Malapuri Balaji et al<sup>14</sup> salivary and plasma melatonin was observed in the healthy and periodontitis participants in the former, salivary, GCF and plasma melatonin was observed in the latter study. It was concluded that the salivary melatonin was lower in periodontitis group in both the studies and in the latter study plasma melatonin was higher in periodontitis group, however it is not significant.

Salivary melatonin was lower in periodontitis group than the controls in studies like LeilaGolpasand Hagh et al<sup>15</sup>, Rashmi Srinath et al<sup>16</sup>, Almugrabhi et al<sup>17</sup>. In the study cutando et al<sup>18</sup>. Saliva/plasma melatonin ratio was observed in different degrees of periodontal disease. Significant negative correlation exists in saliva/plasma melatonin ratio with CPI index.

In the study done by Ghallab et al<sup>19</sup> GCF melatonin was observed with the periodontal status, significant negative correlation existed between chronic periodontitis and GCF melatonin.

Increased salivary melatonin in periodontitis and significant positive correlation exists between melatonin level and periodontal parameters only in the study done by Karuna Lodhi et al <sup>20</sup>. However it was a pilot study.

Among the experimental studies, 5 Randomised controlled trial and one clinical trial was observed. In the studies Marwar et al <sup>21</sup>, Mohammedtaghi Chitsazi <sup>22</sup>, Hesham El- shawkawy et al <sup>23</sup>, Manuel Tinto <sup>24</sup>, Anagha Marwar <sup>25</sup> when melatonin was given as an intervention. Significant improvement in periodontal parameter were observed. In the study done by Mohammed Roshdy Abdy Rasoul et al <sup>26</sup>, melatonin was intervened in the form of granule and significant increase in alveolar bone height was observed.

The limitation of the study is that only 5 databases were searched.

## **CONCLUSION:**

This systematic review and meta analysis concludes that salivary melatonin level in participants with periodontitis is significantly lesser when compared to the healthy individuals. Supplementation of melatonin improves the periodontal condition.

## **REFERENCES:**

1. C. Franco, H.R. Patricia, S. Timo, B. Claudia, H. Marcela. Matrix Metalloproteinases as Regulators of Periodontal Inflammation. *Int. J. Mol. Sci.* (2017) 18(2).
2. J. Meyle, I. Chapple, Molecular aspects of the pathogenesis of periodontitis. *Periodontol.* 2000. 69 (2015) 7-17.
3. H. Kanzaki, S. Wada, T. Narimiya, Y. Yamaguchi, Y. Katsumata, K. Itohiya et al. Pathways that Regulate ROS Scavenging Enzymes, and Their Role in Defense Against Tissue Destruction in Periodontitis. *Front. Physiol.* 2017;8:351.
4. M.L. Laakso, T. Parkka-Heiskanen, A. Alila, D. Stenberg, G. Johannsson, Correlation between salivary and serum melatonin: dependence on serum melatonin levels. *J. Pineal Res.* 9 (1990) 39-50.

5. Sanchez-Hidalgo M, de la Lastra CA, Carrascosa-Salmoral MP et al. Age-related changes in melatonin synthesis in rat extrapineal tissues. *Exp Gerontol* 2009;44:328–334.
6. D. Acuña-Castroviejo, G. Escames, C. Venegas, ME. Díaz-Casado, E. Lima-Cabello, LC. López, S. Rosales-Corral, DX. Tan, RJ. Reiter, Extrapineal MEL: sources, regulation, and potential functions, *Cell Mol Life Sci.* 71 (2014) 2997-3025.
7. Reiter RJ, Rosales- Corral SA, Liu XY, Acuna- Castroviejo D, Escames G, Tan DX. Melatonin in the oral cavity: physiological and pathological implications. *Journal of periodontal research.* 2015 Feb;50(1):9-17.
8. Galano A, Tan DX, Reiter RJ. On the free radical scavenging activities of melatonin's metabolites, AFMK and AMK. *J Pineal Res* 2013;54:245–257.
9. Tan DX, Manchester LC, Reiter RJ, Qi W, Karbownik M, Calvo JR. Significance of melatonin in antioxidative defense system: reactions and products. *Biol Signals Recept* 2000;9:137–159.
10. National oral health survey and fluoride mapping 2002-2003.
11. Najeeb S, Khurshid Z, Zohaib S, Zafar MS. Therapeutic potential of melatonin in oral medicine and periodontology. *The Kaohsiung journal of medical sciences.* 2016 Aug 1;32(8):391-6.
12. [https://jbi.global/sites/default/files/2019-05/JBI\\_Critical\\_Appraisal-Checklist\\_for\\_Analytical\\_Cross\\_Sectional\\_Studies2017\\_0.pdf](https://jbi.global/sites/default/files/2019-05/JBI_Critical_Appraisal-Checklist_for_Analytical_Cross_Sectional_Studies2017_0.pdf). Accessed 18/4/2021.
13. Gómez- Moreno G, Cutando- Soriano A, Arana C, Galindo P, Bolaños J, Acuña- Castroviejo D, Wang HL. Melatonin expression in periodontal disease. *Journal of Periodontal Research.* 2007 Dec;42(6):536-40.
14. Balaji TM, Vasanthi HR, Rao SR. Gingival, plasma and salivary levels of melatonin in periodontally healthy individuals and chronic periodontitis patients: a pilot study. *Journal of clinical and diagnostic research: JCDR.* 2015 Mar;9(3):ZC23.

15. Golpasand-Hagh L, Zakavi F, Daraeighadikolaei A, Ahangarpour A, Hajati S, Daraeighadikolaei A. Salivary Melatonin and the Severity of Attachment Loss: A Case-Control Study. *Journal of Oral Diseases*. 2014 Jun 9;2014.
16. Srinath R, Acharya AB, Thakur SL. Salivary and gingival crevicular fluid melatonin in periodontal health and disease. *Journal of periodontology*. 2010 Feb;81(2):277-83.
17. Almughrabi OM, Marzouk KM, Hasanato RM, Shafik SS. Melatonin levels in periodontal health and disease. *Journal of periodontal research*. 2013 Jun;48(3):315-21.
18. Cutando A, Galindo P, Gómez- Moreno G, Arana C, Bolanos J, Acuña- Castroviejo D, Wang HL. Relationship between salivary melatonin and severity of periodontal disease. *Journal of periodontology*. 2006 Sep;77(9):1533-8.
19. Ghallab NA, Hamdy E, Shaker OG. Malondialdehyde, superoxide dismutase and melatonin levels in gingival crevicular fluid of aggressive and chronic periodontitis patients. *Australian dental journal*. 2016 Mar;61(1):53-61.
20. Lodhi K, Saimbi CS, Khan MA, Nath C, Shukla R. Evaluation of melatonin levels in saliva in gingivitis and periodontitis cases: A pilot study. *Contemporary clinical dentistry*. 2016 Oct;7(4):519.
21. Marawar AP, Marawar PP , Nandal DH , Tilak AV , Bhalsinge RB , Barde AA. Therapeutic Potential of Melatonin in Periodontitis: A Randomised, Placebo Controlled, Double Blind Study. *Research Journal of Pharmaceutical, Biological and Chemical Sciences* 2014 July 5(4): 31.
22. Chitsazi M, Faramarzie M, Sadighi M, Shirmohammadi A, Hashemzadeh A. Effects of adjunctive use of melatonin and vitamin C in the treatment of chronic periodontitis: A randomized clinical trial. *Journal of dental research, dental clinics, dental prospects*. 2017;11(4):236.
23. El- Sharkawy H, Elmeadawy S, Elshinnawi U, Anees M. Is dietary melatonin supplementation a viable adjunctive therapy for chronic periodontitis?—A randomized controlled clinical trial. *Journal of periodontal research*. 2019 Apr;54(2):190-7.

24. Tinto M, Sartori M, Pizzi I, Verga A, Longoni S. Melatonin as host modulating agent supporting nonsurgical periodontal therapy in patients affected by untreated severe periodontitis: A preliminary randomized, triple- blind, placebo- controlled study. *Journal of periodontal research*. 2020 Jan;55(1):61-7.
25. Marawar AP, Marawar PP, Nandal DH, Kukulol RR. Evaluation of antioxidant potential of melatonin in periodontitis with a focus on vitamin C. *International Journal of Basic & Clinical Pharmacology*. 2020 Mar;9(3):1.
26. Mohamed Roshdy Abdel-Rasoul; Shahira Aly El-Domiaty and Gehan Sherif Kotry The effect of local application of 5-methoxy-nacetyltryptamine (melatonin) in the management of periodontal intrabony defects, *Egyptian dental journal* , July 2019 : 58 (4).

UNDER PEER REVIEW