

Transitivity Action of the Cartesian Product of the Alternating Group Acting on a Cartesian Product of Ordered Sets of Triples

Abstract

In this paper, we investigate some transitivity action properties of the cartesian product of the alternating group $A_n (n \geq 5)$ acting on a cartesian product of ordered sets of triples through the determination of the number of orbits. When $n \geq 5$, the cartesian product of the alternating group acts transitively on $P^{[3]} \times S^{[3]} \times V^{[3]}$.

Keywords: Orbits, Stabilizer, Transitivity Action, Ordered Sets of Triples, Cartesian Product, Fixed Point.

1. Preliminaries

1.1 Notation and Terminology

In this paper, we shall represent the following notations as: \sum - sum over i ; A_n -an alternating group of degree n and order $\frac{n!}{2}$; $|G|$ – the order of a group G ; $|G:H|$ -Index of H in G ; $P^{[3]}$ – the set of an ordered triple from set $P = \{1,2,3, \dots, n\}$; $S^{[3]}$ – the set of an ordered triple from set $S = \{n + 1, n + 2, \dots, 2n\}$; $V^{[3]}$ – the set of an ordered triple from set $V = \{2n + 1, 2n + 2, \dots, 3n\}$; $[a, b, c]$ -Ordered triple; $A_n \times A_n \times A_n$ -Cartesian product of alternating group A_n ; $P^{[3]} \times S^{[3]} \times V^{[3]}$ -Cartesian product of ordered sets of triples $P^{[3]}$, $S^{[3]}$ and $V^{[3]}$.

Definition 1.1.1: Let P be a non-empty set. A group G is said to act on the left of P if for each $g \in G$ and each $p \in P$ there corresponds a unique element $gp \in G$ such that:

- (i) $(g_1 g_2) = g_1 (g_2 p)$, $g_1, g_2 \in G$ and $p \in P$.
- (ii) For any $p \in P$, $ep = p$, where e is the identity in G .

The action of G from the right on P can be defined in the same manner.

Definition 1.1.2: Let G act on a set P . Then P is partitioned into disjoint equivalent classes called orbits or transitivity classes of the action. For every $p \in P$ the orbit containing p is called the orbit of p and is denoted by $Orb_G(p)$.

Definition 1.1.3: Let G act on a set P and $p \in P$. The stabilizer of p in G , denoted by $Stab_G(p)$ is given by $Stab_G(p) = \{g \in G | gp = p\}$.

Definition 1.1.4: Let G act on a set P . The set of elements of P fixed by $g \in G$ is called the fixed-point set of G and is denoted by $Fix(g)$. Thus $Fix(g) = \{p \in P | gp = p\}$.

Definition 1.1.5: If the action of a group G on set P has only one orbit, then we say that G acts transitively on P . In other words, G acts transitively on P if for every pair of points $p, s \in P$, there exists $g \in G$ such that $gp = s$.

Definition 1.1.6: A group G with two subgroups H and K , then they are said to be conjugate if $H = gkg^{-1}$ for some $g \in G$.

Theorem 1.1.7 (Krishnamurthy, 1985, p. 68): Two permutations in A_n are conjugate if and only if, they have the same cycle type and if $g \in S_n$ has cycle type $(\alpha_1, \alpha_2, \dots, \alpha_n)$, then the number of permutations in S_n conjugate to g is, $\frac{n!}{\prod_{i=1}^n \alpha_i i^{\alpha_i}}$.

Theorem 1.1.8 (Orbit – Stabilizer Theorem, Rose, 1978, p.72): Let G act on a set P . Then $|Orb_G(p)| = |Stab_G(p)|$.

Theorem 1.1.9 (Cauchy-Frobenius Lemma, Rotman, 1973, p.45): Let G be a group acting on a finite set P . Then the number of G -orbits in P is,

$$\frac{1}{|G|} \sum_{g \in G} |Fix(g)|.$$

Definition 1.1.10 (Direct product action, Cameron et al, 2008): Let (G_1, P_1) and (G_2, P_2) be permutation groups. The direct product $G_1 \times G_2$ acts on the disjoint union $P_1 \cup P_2$ by the rule

$$p(g_1, g_2) = \begin{cases} p g_1, & \text{if } p \in P_1 \\ p g_2, & \text{if } p \in P_2 \end{cases} \text{ and on the Cartesian product } P_1 \times P_2 \text{ by the rule}$$

$$(p_1, p_2)(g_1, g_2) = (p_1 g_1, p_2 g_2).$$

Theorem 1.1.11 (Armstrong, 2013): The $G_1 \times G_2 \times G_3$ -orbit containing $(p, s, v) \in P \times S \times V$ is given by $Orb_{G_1}(p) \times Orb_{G_2}(s) \times Orb_{G_3}(v)$ and the stabilizer of (p, s, v) is given by $Stab_{G_1}(p) \times Stab_{G_2}(s) \times Stab_{G_3}(v)$.

1.2 Introduction

Higman (1964) introduced the rank of a group on finite permutation groups of rank 3. In 1970, Higman proved that the rank of the symmetric group S_n acting on 2-element subsets from the set $P = \{1, 2, \dots, n\}$ is 3 and the subdegrees are: $1, 2(n-1)$ and $\binom{n-2}{2}$. Cameron (1972) worked on the suborbits of multiply transitive permutations and later in 1974 studied the suborbits of primitive groups.

Ndarinyo et al., (2015) showed that the alternating group $A_n = 5, 6, 7$ acts transitively on unordered and ordered triples from the set $P = 1, 2, \dots, n$ when $n \leq 7$ through determination of the number of orbits. Nyaga (2018) proved that the direct product action of the alternating group on the Cartesian product of three sets

is transitive. The ranks and subdegrees associated with this action for $n \geq 4$ is 8; and $1, (n-1), (n-1)^2, (n-1)^3$ respectively. Based on these results we investigate some properties of $A_n \times A_n \times A_n$, the cartesian product action of the alternating group acting on $P^{[3]} \times S^{[3]} \times V^{[3]}$, the cartesian product of ordered sets of triples.

The cartesian product of alternating group $A_n \times A_n \times A_n$, acts on $P^{[3]} \times S^{[3]} \times V^{[3]}$, by the rule;

$$g_1\{([1,2,3],[1,2,4],\dots,[n,n-1,n-3],[n,n-1,n-2])\} \times g_2\{([n+1,n+2,n+3],[n+1,n+2,n+4],\dots,[2n,2n-1,2n-3],[2n,2n-1,2n-2])\} \times g_3\{([2n+1,2n+2,2n+3],[2n+1,2n+2,2n+4],\dots,[3n,3n-1,3n-3],[3n,3n-1,3n-3])\} = \{g_1([1,2,3],[1,2,4],\dots,[n,n-1,n-3],[n,n-1,n-2]), g_2([n+1,n+2,n+3],[n+1,n+2,n+4],\dots,[2n,2n-1,2n-3],[2n,2n-1,2n-2]), g_3([2n+1,2n+2,2n+3],[2n+1,2n+2,2n+4],\dots,[3n,3n-1,3n-3],[3n,3n-1,3n-3])\};$$

$$\forall g_1, g_2, g_3 \in A_n, \{([1,2,3],[1,2,4],\dots,[n,n-1,n-3],[n,n-1,n-2])\} \in$$

$$P^{[3]}, \text{ set of ordered triples from the set } P = \{1,2,3,\dots,n\}; \{([n+1,n+2,n+3],[n+1,n+2,n+4],\dots,[2n,2n-1,2n-3],[2n,2n-1,2n-2])\} \in$$

$$S^{[3]}, \text{ set of ordered triples from the set } S = \{n+1,n+2,\dots,2n\}; \text{ and } \{([2n+1,2n+2,2n+3],[2n+1,2n+2,2n+4],\dots,[3n,3n-1,3n-3],[3n,3n-1,3n-3])\} \in$$

$$V^{[3]}, \text{ set of ordered triples from the set } V = \{2n+1,2n+2,\dots,3n\}.$$

2. MAIN RESULTS

Lemma 2.1: The action of $A_5 \times A_5 \times A_5$ on $P^{[3]} \times S^{[3]} \times V^{[3]}$ is transitive.

Proof: Let $G = A_5 \times A_5 \times A_5$ act on $P^{[3]} \times S^{[3]} \times V^{[3]}$ where $P^{[3]} = \{[1,2,3],[1,2,4],[1,2,5],[1,3,2],[1,3,4],[1,3,5],[1,4,2],[1,4,3],[1,4,5],[1,5,2],[1,5,3],[1,5,4],[2,1,3],[2,1,4],[2,1,5],[2,3,1],[2,3,4],[2,3,5],[2,4,1],[2,4,3],[2,4,5],[2,5,1],[2,5,3],[2,5,4],[3,1,2],[3,1,4],[3,1,5],[3,2,1],[3,2,4],[3,2,5],[3,4,1],[3,4,2],[3,4,5],[3,5,1],[3,5,2],[3,5,4],[4,1,2],[4,1,3],[4,1,5],[4,2,1],[4,2,3],[4,2,5],[4,3,1],[4,3,2],[4,3,5],[4,5,1],[4,5,2],[4,5,3],[5,1,2],[5,1,3],[5,1,4],[5,2,1],[5,2,3],[5,2,4],[5,3,1],[5,3,2],[5,3,4],[5,4,1],[5,4,2],[5,4,3]\};$

$S^{[3]} = \{[6,7,8],[6,7,9],[6,7,10],[6,8,7],[6,8,9],[6,8,10],[6,9,7],[6,9,8],[6,9,10],[6,10,7],[6,10,8],[6,10,9],[7,6,8],[7,6,9],[7,6,10],[7,8,6],[7,8,9],[7,8,10],[7,9,6],[7,9,8],[7,9,10],[7,10,6],[7,10,8],[7,10,9],[8,6,7],[8,6,9],[8,6,10],[8,7,6],[8,7,9],[8,7,10],[8,9,6],[8,9,7],[8,9,10],[8,10,6],[8,10,7],[8,10,9],[9,6,7],[9,6,8],[9,6,10],[9,7,6],[9,7,8],[9,7,10],[9,8,6],[9,8,7],[9,8,10],[9,10,6],[9,10,7],[9,10,8],[10,6,7],[10,6,8],[10,6,10],[10,7,6],[10,7,8],[10,7,10],[10,8,6],[10,8,7],[10,8,10],[10,9,6],[10,9,7],[10,9,10]\};$

$10, 6, 9], [10, 7, 6], [10, 7, 8], [10, 7, 9], [10, 8, 6], [10, 8, 7], [10, 8, 9], [10, 9, 6], [10, 9, 7], [10, 9, 8]$ } ; and

$V^{[3]} = \{ [11, 12, 13], [11, 12, 14], [11, 12, 15], [11, 13, 12], [11, 13, 14], [11, 13, 15], [11, 14, 12], [11, 14, 13], [11, 14, 15], [11, 15, 12], [11, 15, 13], [11, 15, 14], [12, 11, 13], [12, 11, 14], [12, 11, 15], [12, 13, 11], [12, 13, 14], [12, 13, 15], [12, 14, 11], [12, 14, 13], [12, 14, 15], [12, 15, 11], [12, 15, 13], [12, 15, 14], [13, 11, 12], [13, 11, 14], [13, 11, 15], [13, 12, 11], [13, 12, 14], [13, 12, 15], [13, 14, 11], [13, 14, 12], [13, 14, 15], [13, 15, 11], [13, 15, 12], [13, 15, 14], [14, 11, 12], [14, 11, 13], [14, 11, 15], [14, 12, 11], [14, 12, 13], [14, 12, 15], [14, 13, 11], [14, 13, 12], [14, 13, 15], [14, 15, 11], [14, 15, 12], [14, 15, 13], [15, 11, 12], [15, 11, 13], [15, 11, 14], [15, 12, 11], [15, 12, 13], [15, 12, 14], [15, 13, 11], [15, 13, 12], [15, 13, 14], [15, 14, 11], [15, 14, 12], [15, 14, 13] \}$.

The cartesian product of $P^{[3]} \times S^{[3]} \times V^{[3]}$ is generated using the GAP software with $|P^{[3]} \times S^{[3]} \times V^{[3]}| = 216\,000$. G is generated by

$\langle \{(1\,2\,3\,4\,5), (123)\}, \{(6\,7\,8\,9\,10), (678)\}, \{(11\,12\,13\,14\,15), (11\,12\,13)\} \rangle$ using the GAP software.

$([1,2,3], [6,7,8], [11,12,13])$ is fixed by an element $(g_p, g_s, g_v) \in G$ if and only if 1,2 and 3 comes from a single cycle in g_p ; 6,7 and 8 comes from a single cycle in g_s and 11,12 and 13 comes from a single cycle in g_v .

Therefore, $Stab_G([1,2,3], [6,7,8], [11,12,13]) = \{1,6,11\} = \{(e_p, e_s, e_v)\}$.

$|Stab_G([1,2,3], [6,7,8], [11,12,13])| = 1$.

By Orbit-Stabilizer Theorem,

$$\begin{aligned} |Orb_G([1,2,3], [6,7,8], [11,12,13])| &= |G : Stab_G([1,2,3], [6,7,8], [11,12,13])| \\ &= \frac{|G|}{|Stab_G([1,2,3], [6,7,8], [11,12,13])|} \\ &= \frac{216000}{1} = 216000 = |P^{[3]} \times S^{[3]} \times V^{[3]}| \end{aligned}$$

Therefore, $A_5 \times A_5 \times A_5$ acts transitively on $P^{[3]} \times S^{[3]} \times V^{[3]}$.

Lemma 2.2: The action of $A_6 \times A_6 \times A_6$ on $P^{[3]} \times S^{[3]} \times V^{[3]}$ is transitive.

Proof: Let $G = A_6 \times A_6 \times A_6$ act on $P^{[3]} \times S^{[3]} \times V^{[3]}$ where;

$P^{[3]} = [1, 2, 3], [1, 2, 4], [1, 2, 5], [1, 2, 6], [1, 3, 2], [1, 3, 4], [1, 3, 5], [1, 3, 6], [1, 4, 2], [1, 4, 3], [1, 4, 5], [1, 4, 6], [1, 5, 2], [1, 5, 3], [1, 5, 4], [1, 5, 6],$

[1, 6, 2], [1, 6, 3], [1, 6, 4], [1, 6, 5], [2, 1, 3], [2, 1, 4], [2, 1, 5], [2, 1, 6],
 [2, 3, 1], [2, 3, 4], [2, 3, 5], [2, 3, 6], [2, 4, 1], [2, 4, 3], [2, 4, 5], [2, 4, 6],
 [2, 5, 1], [2, 5, 3], [2, 5, 4], [2, 5, 6], [2, 6, 1], [2, 6, 3], [2, 6, 4], [2, 6, 5],
 [3, 1, 2], [3, 1, 4], [3, 1, 5], [3, 1, 6], [3, 2, 1], [3, 2, 4], [3, 2, 5], [3, 2, 6],
 [3, 4, 1], [3, 4, 2], [3, 4, 5], [3, 4, 6], [3, 5, 1], [3, 5, 2], [3, 5, 4], [3, 5, 6],
 [3, 6, 1], [3, 6, 2], [3, 6, 4], [3, 6, 5], [4, 1, 2], [4, 1, 3], [4, 1, 5], [4, 1, 6],
 [4, 2, 1], [4, 2, 3], [4, 2, 5], [4, 2, 6], [4, 3, 1], [4, 3, 2], [4, 3, 5], [4, 3, 6],
 [4, 5, 1], [4, 5, 2], [4, 5, 3], [4, 5, 6], [4, 6, 1], [4, 6, 2], [4, 6, 3], [4, 6, 5],
 [5, 1, 2], [5, 1, 3], [5, 1, 4], [5, 1, 6], [5, 2, 1], [5, 2, 3], [5, 2, 4], [5, 2, 6],
 [5, 3, 1], [5, 3, 2], [5, 3, 4], [5, 3, 6], [5, 4, 1], [5, 4, 2], [5, 4, 3], [5, 4, 6],
 [5, 6, 1], [5, 6, 2], [5, 6, 3], [5, 6, 4], [6, 1, 2], [6, 1, 3], [6, 1, 4], [6, 1, 5],
 [6, 2, 1], [6, 2, 3], [6, 2, 4], [6, 2, 5], [6, 3, 1], [6, 3, 2], [6, 3, 4], [6, 3, 5],
 [6, 4, 1], [6, 4, 2], [6, 4, 3], [6, 4, 5], [6, 5, 1], [6, 5, 2], [6, 5, 3], [6, 5, 4]};

$S^{[3]} = \{ [7, 8, 9], [7, 8, 10], [7, 8, 11], [7, 8, 12], [7, 9, 8], [7, 9, 10], [7, 9, 11], [7, 9, 12], [7, 10, 8],$
 $[7, 10, 9], [7, 10, 11], [7, 10, 12], [7, 11, 8], [7, 11, 9], [7, 11, 10], [7, 11, 12], [7, 12, 8], [7, 12, 9], [7,$
 $12, 10], [7, 12, 11], [8, 7, 9], [8, 7, 10], [8, 7, 11], [8, 7, 12], [8, 9, 7], [8, 9, 10], [8, 9, 11], [8, 9, 12],$
 $[8, 10, 7], [8, 10, 9], [8, 10, 11], [8, 10, 12], [8, 11, 7], [8, 11, 9], [8, 11, 10], [8, 11, 12], [8, 12, 7], [8,$
 $12, 9], [8, 12, 10], [8, 12, 11], [9, 7, 8], [9, 7, 10], [9, 7, 11], [9, 7, 12], [9, 8, 7], [9, 8, 10], [9, 8, 11],$
 $[9, 8, 12], [9, 10, 7], [9, 10, 8], [9, 10, 11], [9, 10, 12], [9, 11, 7], [9, 11, 8], [9, 11, 10], [9, 11, 12], [$
 $9, 12, 7], [9, 12, 8], [9, 12, 10], [9, 12, 11], [10, 7, 8], [10, 7, 9], [10, 7, 11], [10, 7, 12], [10, 8, 7], [$
 $10, 8, 9], [10, 8, 11], [10, 8, 12], [10, 9, 7], [10, 9, 8], [10, 9, 11], [10, 9, 12], [10, 11, 7], [10, 11, 8], [$
 $10, 11, 9], [10, 11, 12], [10, 12, 7], [10, 12, 8], [10, 12, 9], [10, 12, 11], [11, 7, 8], [11, 7, 9], [11, 7, 10]$
 $[11, 7, 12], [11, 8, 7], [11, 8, 9], [11, 8, 10], [11, 8, 12], [11, 9, 7], [11, 9, 8], [11, 9, 10], [11, 9, 12],$
 $[11, 10, 7], [11, 10, 8], [11, 10, 9], [11, 10, 12], [11, 12, 7], [11, 12, 8], [11, 12, 9], [11, 12, 10], [12, 7,$
 $8], [12, 7, 9], [12, 7, 10], [12, 7, 11], [12, 8, 7], [12, 8, 9], [12, 8, 10], [12, 8, 11], [12, 9, 7], [12, 9, 8]$
 $[12, 9, 10], [12, 9, 11], [12, 10, 7], [12, 10, 8], [12, 10, 9], [12, 10, 11], [12, 11, 7], [12, 11, 8], [12,$
 $11, 9], [12, 11, 10] \}$

and;

$V^{[3]} = \{ [13, 14, 15], [13, 14, 16], [13, 14, 17], [13, 14, 18], [13, 15, 14], [13, 15, 16], [13, 15, 17], [$
 $13, 15, 18], [13, 16, 14], [13, 16, 15], [13, 16, 17], [13, 16, 18], [13, 17, 14], [13, 17, 15], [13, 17, 16], [$
 $13, 17, 18], [13, 18, 14], [13, 18, 15], [13, 18, 16], [13, 18, 17], [14, 13, 15], [14, 13, 16], [14, 13, 17], [$
 $14, 13, 18], [14, 15, 13], [14, 15, 16], [14, 15, 17], [14, 15, 18], [14, 16, 13], [14, 16, 15], [14, 16, 17], [$
 $14, 16, 18], [14, 17, 13], [14, 17, 15], [14, 17, 16], [14, 17, 18], [14, 18, 13], [14, 18, 15], [14, 18, 16], [$
 $14, 18, 17], [15, 13, 14], [15, 13, 16], [15, 13, 17], [15, 13, 18], [15, 14, 13], [15, 14, 16], [15, 14, 17], [$
 $15, 14, 18], [15, 16, 13], [15, 16, 14], [15, 16, 17], [15, 16, 18], [15, 17, 13], [15, 17, 14], [15, 17, 16], [$
 $15, 17, 18], [15, 18, 13], [15, 18, 14], [15, 18, 16], [15, 18, 17], [16, 13, 14], [16, 13, 15], [16, 13, 17], [$
 $16, 13, 18], [16, 14, 13], [16, 14, 15], [16, 14, 17], [16, 14, 18], [16, 15, 13], [16, 15, 14], [16, 15, 17], [$
 $16, 15, 18], [16, 17, 13], [16, 17, 14], [16, 17, 15], [16, 17, 18], [16, 18, 13], [16, 18, 14], [16, 18, 15],$
 $[16, 18, 17], [17, 13, 14], [17, 13, 15], [17, 13, 16], [17, 13, 18], [17, 14, 13], [17, 14, 15], [17, 14, 16],$

[17, 14, 18], [17, 15, 13], [17, 15, 14], [17, 15, 16], [17, 15, 18], [17, 16, 13], [17, 16, 14], [17, 16, 15], [17, 16, 18], [17, 18, 13], [17, 18, 14], [17, 18, 15], [17, 18, 16], [18, 13, 14], [18, 13, 15], [18, 13, 16], [18, 13, 17], [18, 14, 13], [18, 14, 15], [18, 14, 16], [18, 14, 17], [18, 15, 13], [18, 15, 14], [18, 15, 16], [18, 15, 17], [18, 16, 13], [18, 16, 14], [18, 16, 15], [18, 16, 17], [18, 17, 13], [18, 17, 14], [18, 17, 15], [18, 17, 16]}.

The cartesian product of $P^{[3]} \times S^{[3]} \times V^{[3]}$ is generated using the GAP software with $|P^{[3]} \times S^{[3]} \times V^{[3]}| = 1728000$. G is generated by

$\langle \{(123456), (123)\}, \{(789101112), (789)\}, \{(131415161718), (131415)\} \rangle$ using the GAP software. $([1,2,3], [7,8,9], [13,14,15])$ is fixed by an element $(g_p, g_s, g_v) \in G$ if and only if 1,2 and 3 comes from a single cycle in g_p ; 7,8 and 9 comes from a single cycle in g_s and 13,14 and 15 comes from a single cycle of g_v .

The $|Stab_G([1,2,3], [7,8,9], [13,14,15])| = 27$.

By Orbit-Stabilizer Theorem,

$$\begin{aligned} |Orb_G([1,2,3], [7,8,9], [13,14,15])| &= |G : Stab_G([1,2,3], [7,8,9], [13,14,15])| \\ &= \frac{|G|}{|Stab_G([1,2,3], [7,8,9], [13,14,15])|} \\ &= \frac{46656000}{27} = 1728000 = |P^{[3]} \times S^{[3]} \times V^{[3]}| \end{aligned}$$

Therefore, $A_6 \times A_6 \times A_6$ acts transitively on $P^{[3]} \times S^{[3]} \times V^{[3]}$.

Lemma 2.3: The action of $A_7 \times A_7 \times A_7$ on $P^{[3]} \times S^{[3]} \times V^{[3]}$ is transitive.

Proof: Let $G = A_7 \times A_7 \times A_7$ act on $P^{[3]} \times S^{[3]} \times V^{[3]}$ where;

$P^{[3]} = \{[1, 2, 3], [1, 2, 4], [1, 2, 5], [1, 2, 6], [1, 2, 7], [1, 3, 2], [1, 3, 4], [1, 3, 5], [1, 3, 6], [1, 3, 7], [1, 4, 2], [1, 4, 3], [1, 4, 5], [1, 4, 6], [1, 4, 7], [1, 5, 2], [1, 5, 3], [1, 5, 4], [1, 5, 6], [1, 5, 7], [1, 6, 2], [1, 6, 3], [1, 6, 4], [1, 6, 5], [1, 6, 7], [1, 7, 2], [1, 7, 3], [1, 7, 4], [1, 7, 5], [1, 7, 6], [2, 1, 3], [2, 1, 4], [2, 1, 5], [2, 1, 6], [2, 1, 7], [2, 3, 1], [2, 3, 4], [2, 3, 5], [2, 3, 6], [2, 3, 7], [2, 4, 1], [2, 4, 3], [2, 4, 5], [2, 4, 6], [2, 4, 7], [2, 5, 1], [2, 5, 3], [2, 5, 4], [2, 5, 6], [2, 5, 7], [2, 6, 1], [2, 6, 3], [2, 6, 4], [2, 6, 5], [2, 6, 7], [2, 7, 1], [2, 7, 3], [2, 7, 4], [2, 7, 5], [2, 7, 6], [3, 1, 2], [3, 1, 4], [3, 1, 5], [3, 1, 6], [3, 1, 7], [3, 2, 1], [3, 2, 4], [3, 2, 5], [3, 2, 6], [3, 2, 7], [3, 4, 1], [3, 4, 2], [3, 4, 5], [3, 4, 6], [3, 4, 7], [3, 5, 1], [3, 5, 2], [3, 5, 4], [3, 5, 6], [3, 5, 7], [3, 6, 1], [3, 6, 2], [3, 6, 4], [3, 6, 5], [3, 6, 7], [3, 7, 1], [3, 7, 2], [3, 7, 4], [3, 7, 5], [3, 7, 6], [4, 1, 2], [4, 1, 3], [4, 1, 5], [4, 1, 6], [4, 1, 7], [4, 2, 1], [4, 2, 3], [4, 2, 5], [4, 2, 6], [4, 2, 7], [4, 3, 1], [4, 3, 2], [4, 3, 5], [4, 3, 6], [4, 3, 7], [4, 5, 1], [4, 5, 2],$

[4, 5, 3], [4, 5, 6], [4, 5, 7], [4, 6, 1], [4, 6, 2], [4, 6, 3], [4, 6, 5], [4, 6, 7], [4, 7, 1], [4, 7, 2], [4, 7, 3], [4, 7, 5], [4, 7, 6], [5, 1, 2], [5, 1, 3], [5, 1, 4], [5, 1, 6], [5, 1, 7], [5, 2, 1], [5, 2, 3], [5, 2, 4], [5, 2, 6], [5, 2, 7], [5, 3, 1], [5, 3, 2], [5, 3, 4], [5, 3, 6], [5, 3, 7], [5, 4, 1], [5, 4, 2], [5, 4, 3], [5, 4, 6], [5, 4, 7], [5, 6, 1], [5, 6, 2], [5, 6, 3], [5, 6, 4], [5, 6, 7], [5, 7, 1], [5, 7, 2], [5, 7, 3], [5, 7, 4], [5, 7, 6], [6, 1, 2], [6, 1, 3], [6, 1, 4], [6, 1, 5], [6, 1, 7], [6, 2, 1], [6, 2, 3], [6, 2, 4], [6, 2, 5], [6, 2, 7], [6, 3, 1], [6, 3, 2], [6, 3, 4], [6, 3, 5], [6, 3, 7], [6, 4, 1], [6, 4, 2], [6, 4, 3], [6, 4, 5], [6, 4, 7], [6, 5, 1], [6, 5, 2], [6, 5, 3], [6, 5, 4], [6, 5, 7], [6, 7, 1], [6, 7, 2], [6, 7, 3], [6, 7, 4], [6, 7, 5], [7, 1, 2], [7, 1, 3], [7, 1, 4], [7, 1, 5], [7, 1, 6], [7, 2, 1], [7, 2, 3], [7, 2, 4], [7, 2, 5], [7, 2, 6], [7, 3, 1], [7, 3, 2], [7, 3, 4], [7, 3, 5], [7, 3, 6], [7, 4, 1], [7, 4, 2], [7, 4, 3], [7, 4, 5], [7, 4, 6], [7, 5, 1], [7, 5, 2], [7, 5, 3], [7, 5, 4], [7, 5, 6], [7, 6, 1], [7, 6, 2], [7, 6, 3], [7, 6, 4], [7, 6, 5];

$S^{[3]} = \{[8, 9, 10], [8, 9, 11], [8, 9, 12], [8, 9, 13], [8, 9, 14], [8, 10, 9], [8, 10, 11], [8, 10, 12], [8, 10, 13], [8, 10, 14], [8, 11, 9], [8, 11, 10], [8, 11, 12], [8, 11, 13], [8, 11, 14], [8, 12, 9], [8, 12, 10], [8, 12, 11], [8, 12, 13], [8, 12, 14], [8, 13, 9], [8, 13, 10], [8, 13, 11], [8, 13, 12], [8, 13, 14], [8, 14, 9], [8, 14, 10], [8, 14, 11], [8, 14, 12], [8, 14, 13], [9, 8, 10], [9, 8, 11], [9, 8, 12], [9, 8, 13], [9, 8, 14], [9, 10, 8], [9, 10, 11], [9, 10, 12], [9, 10, 13], [9, 10, 14], [9, 11, 8], [9, 11, 10], [9, 11, 12], [9, 11, 13], [9, 11, 14], [9, 12, 8], [9, 12, 10], [9, 12, 11], [9, 12, 13], [9, 12, 14], [9, 13, 8], [9, 13, 10], [9, 13, 11], [9, 13, 12], [9, 13, 14], [9, 14, 8], [9, 14, 10], [9, 14, 11], [9, 14, 12], [9, 14, 13], [10, 8, 9], [10, 8, 11], [10, 8, 12], [10, 8, 13], [10, 8, 14], [10, 9, 8], [10, 9, 11], [10, 9, 12], [10, 9, 13], [10, 9, 14], [10, 11, 8], [10, 11, 9], [10, 11, 12], [10, 11, 13], [10, 11, 14], [10, 12, 8], [10, 12, 9], [10, 12, 11], [10, 12, 13], [10, 12, 14], [10, 13, 8], [10, 13, 9], [10, 13, 11], [10, 13, 12], [10, 13, 14], [10, 14, 8], [10, 14, 9], [10, 14, 11], [10, 14, 12], [10, 14, 13], [11, 8, 9], [11, 8, 10], [11, 8, 12], [11, 8, 13], [11, 8, 14], [11, 9, 8], [11, 9, 10], [11, 9, 12], [11, 9, 13], [11, 9, 14], [11, 10, 8], [11, 10, 9], [11, 10, 12], [11, 10, 13], [11, 10, 14], [11, 12, 8], [11, 12, 9], [11, 12, 10], [11, 12, 13], [11, 12, 14], [11, 13, 8], [11, 13, 9], [11, 13, 10], [11, 13, 12], [11, 13, 14], [11, 14, 8], [11, 14, 9], [11, 14, 10], [11, 14, 12], [11, 14, 13], [12, 8, 9], [12, 8, 10], [12, 8, 11], [12, 8, 13], [12, 8, 14], [12, 9, 8], [12, 9, 10], [12, 9, 11], [12, 9, 13], [12, 9, 14], [12, 10, 8], [12, 10, 9], [12, 10, 11], [12, 10, 13], [12, 10, 14], [12, 11, 8], [12, 11, 9], [12, 11, 10], [12, 11, 13], [12, 11, 14], [12, 13, 8], [12, 13, 9], [12, 13, 10], [12, 13, 11], [12, 13, 14], [12, 14, 8], [12, 14, 9], [12, 14, 10], [12, 14, 11], [12, 14, 13], [13, 8, 9], [13, 8, 10], [13, 8, 11], [13, 8, 12], [13, 8, 14], [13, 9, 8], [13, 9, 10], [13, 9, 11], [13, 9, 12], [13, 9, 14], [13, 10, 8], [13, 10, 9], [13, 10, 11], [13, 10, 12], [13, 10, 14], [13, 11, 8], [13, 11, 9], [13, 11, 10], [13, 11, 12], [13, 11, 14], [13, 12, 8], [13, 12, 9], [13, 12, 10], [13, 12, 11], [13, 12, 14], [13, 14, 8], [13, 14, 9], [13, 14, 10], [13, 14, 11], [13, 14, 12], [14, 8, 9], [14, 8, 10], [14, 8, 11], [14, 8, 12], [14, 8, 13], [14, 9, 8], [14, 9, 10], [14, 9, 11], [14, 9, 12], [14, 9, 13], [14, 10, 8], [14, 10, 9], [14, 10, 11], [14, 10, 12], [14, 10, 13], [14, 11, 8], [14, 11, 9], [14, 11, 10], [14, 11, 12], [14, 11, 13], [14, 12, 8], [14, 12, 9], [14, 12, 10], [14, 12, 11], [14, 12, 13], [14, 13, 8], [14, 13, 9], [14, 13, 10], [14, 13, 11], [14, 13, 12] \}$;

$V^{[3]} = \{[15, 16, 17], [15, 16, 18], [15, 16, 19], [15, 16, 20], [15, 16, 21], [15, 17, 16], [15, 17, 18], [15, 17, 19], [15, 17, 20], [15, 17, 21], [15, 18, 16], [15, 18, 17], [15, 18, 19], [15, 18, 20], [15, 18, 21], [15, 19, 16], [15, 19, 17], [15, 19, 18], [15, 19, 20], [15, 19, 21], [15, 20, 16], [15, 20, 17], [15, 20, 18], [15, 20, 19], [15, 20, 21], [15, 21, 16], [15, 21, 17], [15, 21, 18], [15, 21, 19], [15, 21, 20], [15, 21, 21]\}$;

15, 20, 19], [15, 20, 21], [15, 21, 16], [15, 21, 17], [15, 21, 18], [15, 21, 19], [15, 21, 20], [16, 15, 17], [16, 15, 18], [16, 15, 19], [16, 15, 20], [16, 15, 21], [16, 17, 15], [16, 17, 18], [16, 17, 19], [16, 17, 20], [16, 17, 21], [16, 18, 15], [16, 18, 17], [16, 18, 19], [16, 18, 20], [16, 18, 21], [16, 19, 15], [16, 19, 17], [16, 19, 18], [16, 19, 20], [16, 19, 21], [16, 20, 15], [16, 20, 17], [16, 20, 18], [16, 20, 19], [16, 20, 21], [16, 21, 15], [16, 21, 17], [16, 21, 18], [16, 21, 19], [16, 21, 20], [17, 15, 16], [17, 15, 18], [17, 15, 19], [17, 15, 20], [17, 15, 21], [17, 16, 15], [17, 16, 18], [17, 16, 19], [17, 16, 20], [17, 16, 21], [17, 18, 15], [17, 18, 16], [17, 18, 19], [17, 18, 20], [17, 18, 21], [17, 19, 15], [17, 19, 16], [17, 19, 18], [17, 19, 20], [17, 19, 21], [17, 20, 15], [17, 20, 16], [17, 20, 18], [17, 20, 19], [17, 20, 21], [17, 21, 15], [17, 21, 16], [17, 21, 18], [17, 21, 19], [17, 21, 20], [18, 15, 16], [18, 15, 17], [18, 15, 19], [18, 15, 20], [18, 15, 21], [18, 16, 15], [18, 16, 17], [18, 16, 19], [18, 16, 20], [18, 16, 21], [18, 17, 15], [18, 17, 16], [18, 17, 19], [18, 17, 20], [18, 17, 21], [18, 19, 15], [18, 19, 16], [18, 19, 17], [18, 19, 20], [18, 19, 21], [18, 20, 15], [18, 20, 16], [18, 20, 17], [18, 20, 19], [18, 20, 21], [18, 21, 15], [18, 21, 16], [18, 21, 17], [18, 21, 19], [18, 21, 20], [19, 15, 16], [19, 15, 17], [19, 15, 18], [19, 15, 20], [19, 15, 21], [19, 16, 15], [19, 16, 17], [19, 16, 18], [19, 16, 20], [19, 16, 21], [19, 17, 15], [19, 17, 16], [19, 17, 18], [19, 17, 20], [19, 17, 21], [19, 18, 15], [19, 18, 16], [19, 18, 17], [19, 18, 20], [19, 18, 21], [19, 20, 15], [19, 20, 16], [19, 20, 17], [19, 20, 18], [19, 20, 21], [19, 21, 15], [19, 21, 16], [19, 21, 17], [19, 21, 18], [19, 21, 20], [20, 15, 16], [20, 15, 17], [20, 15, 18], [20, 15, 19], [20, 15, 21], [20, 16, 15], [20, 16, 17], [20, 16, 18], [20, 16, 19], [20, 16, 21], [20, 17, 15], [20, 17, 16], [20, 17, 18], [20, 17, 19], [20, 17, 21], [20, 18, 15], [20, 18, 16], [20, 18, 17], [20, 18, 19], [20, 18, 21], [20, 19, 15], [20, 19, 16], [20, 19, 17], [20, 19, 18], [20, 19, 21], [20, 21, 15], [20, 21, 16], [20, 21, 17], [20, 21, 18], [20, 21, 19], [21, 15, 16], [21, 15, 17], [21, 15, 18], [21, 15, 19], [21, 15, 20], [21, 16, 15], [21, 16, 17], [21, 16, 18], [21, 16, 19], [21, 16, 20], [21, 17, 15], [21, 17, 16], [21, 17, 18], [21, 17, 19], [21, 17, 20], [21, 18, 15], [21, 18, 16], [21, 18, 17], [21, 18, 19], [21, 18, 20], [21, 19, 15], [21, 19, 16], [21, 19, 17], [21, 19, 18], [21, 19, 20], [21, 20, 15], [21, 20, 16], [21, 20, 17], [21, 20, 18], [21, 20, 19]}.

The cartesian product of $P^{[3]} \times S^{[3]} \times V^{[3]}$ is generated using the GAP software with $|P^{[3]} \times S^{[3]} \times V^{[3]}| = 9\,261\,000$. G is generated by

$\langle \{(1234567), (123)\}, \{(8\,9\,10\,11\,12\,13\,14), (8\,9\,10)\}, \{(15\,16\,17\,18\,19\,20\,21), (15\,16\,17)\} \rangle$ using the GAP software. $([1,2,3], [8,9,10], [15,16,17])$ is fixed by an element $(g_p, g_s, g_v) \in G$ if and only if 1,2 and 3 comes from a single cycle of g_p ; 8,9 and 10 comes from a single cycle of g_s and 15,16 and 17 comes from a single cycle of g_v .

The $|S t a b_G([1,2,3], [8,9,10], [15,16,17])| = 1728$.

By Orbit-Stabilizer Theorem,

$$\begin{aligned} |O r b_G([1,2,3], [8,9,10], [15,16,17])| &= |G : S t a b_G([1,2,3], [8,9,10], [15,16,17])| \\ &= \frac{|G|}{|S t a b_G([1,2,3], [8,9,10], [15,16,17])|} \end{aligned}$$

$$= \frac{16\,003\,008\,000}{1728} = 9261000 = \left| P^{[3]} \times S^{[3]} \times V^{[3]} \right|$$

Therefore, $A_7 \times A_7 \times A_7$ acts transitively on $P^{[3]} \times S^{[3]} \times V^{[3]}$.

Theorem 2.4: The action of $A_n \times A_n \times A_n$ on $P^{[3]} \times S^{[3]} \times V^{[3]}$ is transitive if and only if $n \geq 5$.

Proof: Let $G = G_p \times G_s \times G_v = A_n \times A_n \times A_n$ act on $P^{[3]} \times S^{[3]} \times V^{[3]}$. It suffices to verify that $\left| P^{[3]} \times S^{[3]} \times V^{[3]} \right|$ is equal to $\left| O r b_G ([1,2,3], [n+1, n+2, n+3], [2n+1, 2n+2, 2n+3]) \right|$.

Let $|R| = \left| S t a b_G ([1,2,3], [n+1, n+2, n+3], [2n+1, 2n+2, 2n+3]) \right|$.

So, $(g_p, g_s, g_v) \in G = A_n \times A_n \times A_n$ fixes $([1,2,3], [n+1, n+2, n+3], [2n+1, 2n+2, 2n+3]) \in P^{[3]} \times S^{[3]} \times V^{[3]}$ if and only if 1,2 and 3 comes from 1-cycle of g_p ; $n+1, n+2$ and $n+3$ comes from 1-cycle of g_s and $2n+1, 2n+2$ and $2n+3$ comes from 1-cycle of g_v .

The $S t a b_G ([1,2,3], [n+1, n+2, n+3], [2n+1, 2n+2, 2n+3])$ is isomorphic to: $A_{n-3} \times A_{n-3} \times A_{n-3}$.

Therefore, $|R| = \left| S t a b_G ([1,2,3], [n+1, n+2, n+3], [2n+1, 2n+2, 2n+3]) \right| = \left| S t a b_{G_p} ([1,2,3]) \times S t a b_{G_s} ([n+1, n+2, n+3]) \times S t a b_{G_v} ([2n+1, 2n+2, 2n+3]) \right|$

$$|R| = \frac{(n-3)! \times (n-3)! \times (n-3)!}{2 \times 2 \times 2} = \left(\frac{(n-3)!}{2} \right)^3$$

Applying the Orbit-Stabilizer Theorem we get;

$$\begin{aligned} & \left| O r b_G ([1,2,3], [n+1, n+2, n+3], [2n+1, 2n+2, 2n+3]) \right| \\ &= \left| G : S t a b_G ([1,2,3], [n+1, n+2, n+3], [2n+1, 2n+2, 2n+3]) \right| \end{aligned}$$

$$|G| = \frac{n! \times n! \times n!}{2 \times 2 \times 2} = \left(\frac{n!}{2} \right)^3$$

$$\frac{|G|}{|R|} = \frac{\left(\frac{n!}{2}\right)^3}{\left(\frac{(n-3)!}{2}\right)^3} = \left(\frac{n!}{(n-3)!}\right)^3.$$

Therefore;

$$\frac{|G|}{|R|} = \left(\frac{n!}{(n-3)!}\right)^3 = |P^{[3]} \times S^{[3]} \times V^{[3]}|$$

Hence, $A_n \times A_n \times A_n$ acts transitively on $P^{[3]} \times S^{[3]} \times V^{[3]}$ if $n \geq 5$.

Corollary 2.5: For $n < 5$, the

$$\left| \text{Stab}_G([1,2,3], [n+1, n+2, n+3], [2n+1, 2n+2, 2n+3]) \right| = |A_{n-3} \times A_{n-3} \times A_{n-3}| < 1.$$

COMPETING INTERESTS DISCLAIMER:

Authors have declared that no competing interests exist. The products used for this research are commonly and predominantly use products in our area of research and country. There is absolutely no conflict of interest between the authors and producers of the products because we do not intend to use these products as an avenue for any litigation but for the advancement of knowledge. Also, the research was not funded by the producing company rather it was funded by personal efforts of the authors.

References

- [1] Armstrong. (2013). Groups and symmetry. Springer-Verlag, New York Inc.
- [2] Cameron, P.J., Gewurz, D.A., Merola, F. (2008). Product action. *Discrete Math.* 386–394.
- [3] Higman, D. G. (1964). Finite permutation groups of rank 3. *Math Zeitschrift*, 86:145–156.
- [7] Higman, D.G. (1970). Characterization of families of rank 3 permutation groups by sub degrees. *I. Arch.Math.*, 21: 151-156.
- [4] Kinyanjui, J.N., Musundi, S.W., Rimberia, J., Sitati, N.I. and Makila P. (2013). Transitivity Action of A_n ($n=5, 6, 7, 8$) on ordered and unordered pairs. *IJMA-4(9)*, 77-88.
- [5] Krishnamurthy, V. (1985). Combinatorics, theory and applications. *Affiliated East West Pressprivate Limited*, New Delhi.
- [6] Muriuki, G. D., Namu, N. L., & Kagwiria, R. J. (2017). Ranks, sub degrees and suborbital graphs of direct product of the symmetric group acting on the cartesian product of three sets. *Pure and Applied Mathematics Journal*, 6(1), 1.

- [7] Ndarinyo, C.W. and Rimberia, J.K. (2015). Transitivity Action of A_n ($n = 5,6,7$) on Unordered and Ordered Triples. *IJMSE*, 6(7), 21-27.
- [8] Nyaga, L. N. (2018). Transitivity of the direct product of the Alternating group acting on the cartesian product of three sets. *International journal of mathematics and its applications*, (ISSN:2347-1557), rn, 55, 7.
- [9] Rimberia, J. K., Kamuti, I. N., Kivunge, B. M., & Kinyua, F. (2012). Ranks and Sub degrees of the Symmetric Group S_n Acting on Ordered r-Element Subsets. *Journal of Mathematical Sciences*, 23(3), 383-390.
- [10] Rose, J. S. (1978). A Course in Group Theory. *Cambridge University Press*, Cambridge.
- [11] Wielandt, H. (1964). Finite Permutation Groups. *Academic Press*, New York

UNDER PEER REVIEW