

SCREENING AND IN SILICO VALIDATION OF ANTI-MICROBIAL PEPTIDES DERIVED FROM LYSOSTAPHIN, ENTERO AND ENDOLYSIN

Running title: *In silico* screening of antimicrobial peptides

ABSTRACT

Introduction: Antimicrobial peptides (AMPs) are small molecules which are known to exert destructive effects upon pathogenic microorganisms. AMPs are designed from proteins obtained from various sources and tested under in vitro conditions to deduce their antimicrobial activity.

Materials and Methods: A few of the peptidoglycan hydrolases such as lysostaphin (AAB53783.1), enterolysin (AGG79281.1), and endolysin (YP_009901016.1) were selected for the study based on an extensive text mining process. The protein sequences of the proteins were retrieved from the NCBI (National Centre for Biotechnology Information) database in the FASTA format (<https://www.ncbi.nlm.nih.gov/protein/>).

Results and Discussion : In the antimicrobial protein lysostaphin, three antimicrobial peptide are been found, in which two is active and other is inactive, and one has antifungal property with a score of -0.15, and one having cell penetrating property, in which all are non toxic.

Conclusion: The present study predicts AMPs from lysostaphin, entero and endolysins. These peptides were found to possess antifungal, anti-biofilm properties. Most of the peptides predicted were found to be non-cell penetrating and non-toxic.

Keywords: Antimicrobial peptides, anti-fungal, biofilm, lysostaphin, entero, endolysins, novel peptides

INTRODUCTION

Antimicrobial drug resistance has emerged as a global threat in recent years. Novel strategies have been developed to identify bioactive leads which can be used as a therapeutic modality against microbial pathogens, with a special emphasis on the drug resistant groups. Numerous reports have suggested the emergence of novel drug resistant pathogens in dental settings (1); (2). Phytocompounds, compounds from marine and animal sources and non-antibiotic drugs were repurposed for use as antimicrobial agents (3); (4); (5); (6).

Antimicrobial peptides are small molecules which have opened a new era of peptide therapeutics. These are oligopeptides with different numbers of amino acid residues. They have been shown to have a broad spectrum of activity which ranges from anti-bacterial, anti-viral, anti-parasitic etc. The major class of peptides are as follows: cationic peptides, anionic peptides, cationic amphipathic peptides, host defense peptides, alpha helical peptides etc., (7). In line with these facts three antimicrobial proteins were selected for the study viz., lysostaphin (AAB53783.1), enterolysin (AGG79281.1), and endolysin (YP_009901016.1).

MATERIALS AND METHODS

A few of the peptidoglycan hydrolases such as lysostaphin (AAB53783.1), enterolysin (AGG79281.1), and endolysin (YP_009901016.1) were selected for the study based on an extensive text mining process. The protein sequences of the proteins were retrieved from the NCBI (National Centre for Biotechnology Information) database in the FASTA format (<https://www.ncbi.nlm.nih.gov/protein/>).

Antimicrobial peptide identification

Antimicrobial peptide analysis (AMPA) is a web based application employed for identifying and assessing the antimicrobial domains in a protein. The source is used to design and develop peptide based drugs against microbial pathogens (8,9).

Anti-biofilm property

dPABB (design Peptides Against Bacterial Biofilms) algorithm is based on the SVM and Weka models used to identify anti-biofilm peptides based on their amino acid composition, selected residue and position of the residues. The scores generated for each of the peptide molecules are

then used to ascertain the anti-biofilm property (10).

Antifungal property:

The tool used in silico prediction of antimicrobial peptides for its antifungal property is Antifp. The module allows users to predict single or multiple sequences for its antifungal properties. The tool can be used for designing peptides and scanning protein sequences to identify peptides and their mutant analogs followed by the screening for antifungal property (11).

Cell penetrating property:

Identification of newer peptide molecules with the ability to penetrate cells using high throughput methods is known to consume time as well as labour. The in silico screening procedures coupled with experimental validation is considered to be more feasible and cost-effective. The results could be replicated in in vitro conditions with much ease and confidence. CellPPD is one such standalone application developed to predict and design cell penetrating peptide molecules (12, 13).

Toxicity prediction:

Prediction of toxicity of peptides is a vital step in designing antimicrobial peptides. The ToxinPred tool has been used in the present study. The algorithm identifies certain amino acid residues such as Cys, His, Asn and Pro and their placements at various positions which makes them toxic. ToxinPred can be used to predict whether the designed peptide is toxic or non-toxic, consequences of mutations on toxicity and identification of toxic regions in a protein (14).

Results and discussion

Lysostaphin is a potent antimicrobial agent, which falls under the major class of proteins called bacteriocins. Bacteriocins are antimicrobial proteins exhibiting bactericidal activity against other bacterial species. This endopeptidase derived from *Staphylococcus simulans* was found to break the peptidoglycan bridge (15). Enterolysin is a protein purified from *Enterococcus faecalis*. The protein was found to have an inhibitory effect on *Enterococci*, *Lactococci* and *Lactobacilli* (16). Endolysins are cell wall hydrolyzing enzymes synthesized by phages. These enzymes fall into 4 classes: glycosidases, transglycosylases, amidases, endopeptidases. More than thousands of

endolysins are identified from uncultured bacteriophages (17). Several studies have been conducted by the authors to reveal the effects of antimicrobial phytochemicals or bioactive compounds against dental pathogens (18).

The present study identified AMPs from the antimicrobial proteins mentioned above and their properties were further assessed. *In silico* prediction tools identified lysostaphin, enterolysin and endolysin to harbour 3, 2 and 1 peptide molecules respectively. Out of three peptides of lysostaphin 2 were found to exhibit antibiofilm property and one was found to exhibit antifungal property. Among the peptides of enterolysin one peptide was found to exhibit both antifungal and antibacterial property. A similar observation was seen with endolysin where one peptide was found to exhibit anti-biofilm and anti-fungal property. All the peptides except one of the lysostaphin was found to be non-cell penetrating. Almost all the peptides observed were predicted to be non-toxic in nature (Table 1). The physicochemical properties of the peptides identified are given in Table 2. These peptides have been used or tested against common pathogens associated with hospital acquired infections. The present study is first of its kind to identify the potential properties of a therapeutic lead intended for use in dental settings. Our team has extensive knowledge and research experience that has translated into high quality publications (19-36). The present study aims to identify the peptide molecules in the proteins and to predict their anti-biofilm or anti-fungal nature.

Conclusion

The present study identified antimicrobial peptides in commonly known antimicrobial proteins. Further experimental evidence is warranted to confirm these predictions of AMPs.

COMPETING INTERESTS DISCLAIMER:

Authors have declared that no competing interests exist. The products used for this research are commonly and predominantly use products in our area of research and country. There is absolutely no conflict of interest between the authors and producers of the products because we do not intend to use these products as an avenue for any litigation but for the advancement of knowledge. Also, the research was not funded by the producing company rather it was funded by

personal efforts of the authors.

References

1. Vijayashree Priyadharsini J, Smiline Girija AS, Paramasivam A. An insight into the emergence of *Acinetobacter baumannii* as an oro-dental pathogen and its drug resistance gene profile - An in silico approach. *Heliyon*. 2018;4(12):e01051.
2. Vijayashree Priyadharsini J, Smiline Girija AS, Paramasivam A. In silico analysis of virulence genes in an emerging dental pathogen *A. baumannii* and related species. *Arch Oral Biol*. 2018;94:93-98.
3. Balamithra, S., Girija, S., & Priyadharsini, J. V. An in silico Analysis of Protein Targeted by Glycyrrhizin in Common Dental Pathogens. *Journal of Pharmaceutical Research International*, 2020; 32(15), 170-178.
4. Cibikkarthik.T, Smiline Girija.A.S, Vijayashree Priyadharsini.J. An in silico approach to detect potential targets of catechin in red complex pathogens. *JCR*. 2020; 7(12): 3328-3331.
5. Nandhini, J. S. T., Girija, A. S. S., & Priyadharsini, J. V. (2020). Virtual Screening to Identify the Protein Targets in Common Dental Pathogens Interacting with Menthol. *Journal of Pharmaceutical Research International*, 32(21), 25-31.
6. Vivek Babu B, A.S.Smiline Girija, J.Vijayashree Priyadharsini. An in silico approach to identify the protein targets of common dental pathogens targeted by genistein. *JCR*. 2020; 7(12): 3340-3348.
7. Bahar, AA and Ren, D. Antimicrobial peptides. *Pharmaceuticals (Basel, Switzerland)*, 2013; 6(12), 1543–1575.
8. Torrent M, Di Tommaso P, Pulido D, Nogués MV, Notredame C, Boix E, Andreu D. AMPA: an automated web server for prediction of protein antimicrobial regions. *Bioinformatics*. 2012;28(1):130-1.
9. Torrent M, Nogués VM, Boix E. A theoretical approach to spot active regions in antimicrobial proteins. *BMC Bioinformatics*. 2009;10:373.
10. Sharma A, Gupta P, Kumar R, Bhardwaj A. dPABBs: A Novel in silico Approach for Predicting and Designing Anti-biofilm Peptides. *Sci Rep*. 2016;6:21839.

11. Agrawal P, Bhalla S, Chaudhary K, Kumar R, Sharma M, Raghava GPS. In Silico Approach for Prediction of Antifungal Peptides. *Front Microbiol.* 2018;9:32.
12. Gautam A, Chaudhary K, Kumar R, Raghava GP. Computer-Aided Virtual Screening and Designing of Cell-Penetrating Peptides. *Methods Mol Biol.* 2015;1324:59-69.
13. Gautam A, Chaudhary K, Kumar R, Sharma A, Kapoor P, Tyagi A; Open source drug discovery consortium, Raghava GP. In silico approaches for designing highly effective cell penetrating peptides. *J Transl Med.* 2013;11:74.
14. Gupta S, Kapoor P, Chaudhary K, Gautam A, Kumar R; Open Source Drug Discovery Consortium, Raghava GP. In silico approach for predicting toxicity of peptides and proteins. *PLoS One.* 2013;8(9):e73957.
15. Jayakumar J, Kumar VA, Biswas L, Biswas R. Therapeutic applications of lysostaphin against *Staphylococcus aureus*. *J Appl Microbiol.* 2020 Dec 31 [Epub ahead of print].
16. Nilsen T, Nes IF, Holo H. Enterolysin A, a cell wall-degrading bacteriocin from *Enterococcus faecalis* LMG 2333. *Appl Environ Microbiol.* 2003;69(5):2975-84.
17. Fernández-Ruiz I, Coutinho FH, Rodríguez-Valera F. Thousands of Novel Endolysins Discovered in Uncultured Phage Genomes. *Front Microbiol.* 2018;9:1033.
18. Gutiérrez, D., Fernández, L., Rodríguez, A., and García, P. (2018). Are phage lytic proteins the secret weapon to kill *Staphylococcus aureus*? *mBio* 9, e1923-17.
19. Ushanthika T, Smiline Girija AS, Paramasivam A, Priyadharsini JV. An in silico approach towards identification of virulence factors in red complex pathogens targeted by reserpine. *Nat Prod Res.* 2021 Jun;35(11):1893–8.
20. Vijayashree Priyadharsini J. In silico validation of the non-antibiotic drugs acetaminophen and ibuprofen as antibacterial agents against red complex pathogens. *J Periodontol.* 2019;90(12):1441-1448.
21. Paramasivam A, Vijayashree Priyadharsini J, Raghunandhakumar S. N6-adenosine methylation (m6A): a promising new molecular target in hypertension and cardiovascular diseases. *Hypertens Res.* 2020 Feb;43(2):153–4.
22. Paramasivam A, Vijayashree Priyadharsini J. Novel insights into m6A modification in circular RNA and implications for immunity. *Cell Mol Immunol.* 2020 Jun;17(6):668–9.
23. Paramasivam A, Priyadharsini JV, Raghunandhakumar S. Implications of m6A modification in autoimmune disorders. *Cell Mol Immunol.* 2020 May;17(5):550–1.

24. Girija ASS, Shankar EM, Larsson M. Could SARS-CoV-2-Induced Hyperinflammation Magnify the Severity of Coronavirus Disease (CoViD-19) Leading to Acute Respiratory Distress Syndrome? *Front Immunol.* 2020 May 27;11:1206.
25. Jayaseelan VP, Arumugam P. Exosomal microRNAs as a promising theragnostic tool for essential hypertension. *Hypertens Res.* 2020 Jan;43(1):74–5.
26. Ramalingam AK, Selvi SGA, Jayaseelan VP. Targeting prolyl tripeptidyl peptidase from *Porphyromonas gingivalis* with the bioactive compounds from *Rosmarinus officinalis*. *Asian Biomed.* 2019 Oct 1;13(5):197–203.
27. Kumar SP, Girija ASS, Priyadharsini JV. Targeting NM23-H1-mediated inhibition of tumour metastasis in viral hepatitis with bioactive compounds from *Ganoderma lucidum*: A computational study. *pharmaceutical-sciences* [Internet]. 2020;82(2). Available from: <https://www.ijpsonline.com/articles/targeting-nm23h1mediated-inhibition-of-tumour-metastasis-in-viral-hepatitis-with-bioactive-compounds-from-ganoderma-lucidum-a-comp-3883.html>
28. Mathivadani V, Smiline AS, Priyadharsini JV. Targeting Epstein-Barr virus nuclear antigen 1 (EBNA-1) with *Murraya koengii* bio-compounds: An in-silico approach. *Acta Virol.* 2020;64(1):93–9.
29. Samuel SR, Kuduruthullah S, Khair AMB, Shayeb MA, Elkaseh A, Varma SR. Dental pain, parental SARS-CoV-2 fear and distress on quality of life of 2 to 6 year-old children during COVID-19. *Int J Paediatr Dent.* 2021 May;31(3):436–41.
30. Samuel SR. Can 5-year-olds sensibly self-report the impact of developmental enamel defects on their quality of life? *Int J Paediatr Dent.* 2021 Mar;31(2):285–6.
31. Barma MD, Muthupandiyam I, Samuel SR, Amaechi BT. Inhibition of *Streptococcus mutans*, antioxidant property and cytotoxicity of novel nano-zinc oxide varnish. *Arch Oral Biol.* 2021 Jun;126:105132.
32. Teja KV, Ramesh S. Is a filled lateral canal - A sign of superiority? *J Dent Sci.* 2020 Dec;15(4):562–3.
33. Reddy P, Krithikadatta J, Srinivasan V, Raghu S, Velumurugan N. Dental Caries Profile and Associated Risk Factors Among Adolescent School Children in an Urban South-Indian City. *Oral Health Prev Dent.* 2020 Apr 1;18(1):379–86.
34. Jayaseelan VP, Paramasivam A. Emerging role of NET inhibitors in cardiovascular

diseases. *Hypertens Res.* 2020 Dec;43(12):1459–61.

35. Iswarya Jaisankar A, Smiline Girija AS, Gunasekaran S, Vijayashree Priyadharsini J. Molecular characterisation of *csgA* gene among ESBL strains of *A. baumannii* and targeting with essential oil compounds from *Azadirachta indica*. *Journal of King Saud University - Science.* 2020 Dec 1;32(8):3380–7.
36. Girija AS. Fox3 (+) CD25 (+) CD4 (+) T-regulatory cells may transform the nCoV's final destiny to CNS! COMMENT. WILEY 111 RIVER ST, HOBOKEN 07030-5774, NJ USA; 2021.

Table 1: The list of antimicrobial peptides predicted from Lysostaphin, Entero and Endolysin, their anti-biofilm and anti-fungal properties

Antimicrobial protein	Antimicrobial peptide	Anti-biofilm property	SVM score	Anti-fungal property	Score	Cell penetrating property	Toxicity
Lysostaphin	KKTKNNYYTRPL	Inactive	-0.24	Non-antifungal	-0.117	CPP	Non-toxic
	QWYMHLISKYNVK V	Active	0.28	Antifungal	-0.15	Non-CPP	Non-toxic
	RIYLPVRTWNKSTN T	Active	0.02	Non-antifungal	-0.31	Non-CPP	Non-toxic
Enterolysin	TNVRYGLRVLGG	Inactive	-0.13	Non-antifungal	-0.17	Non-CPP	Non-toxic
	AYYRSQTTKRSGW LKV	Active	0.31	Antifungal	-0.14	Non-CPP	Non-toxic
Endolysin	WYYHNPKTGKRE KSKGLLNRRKVEY K	Active	1.28	Antifungal	-0.39	Non-CPP	Non-toxic

Table 2: Physiochemical properties of the antimicrobial peptides

Antimicrobial peptide	Hydrophobicity	Hydropathicity	Hydrophilicity	Molecular weight
KKTKNNYYTRPL	-0.52	-2.08	0.43	1525.94
QWYMHLSKYNVKV	-0.15	-0.63	-0.61	1696.20
RIYLPVRTWNKSTNT	-0.31	-0.94	-0.15	1849.34
TNVRYGLRVLGG	-0.14	0.02	-0.26	1304.70
AYYRSQTTKRSGWLKV	-0.34	-1.09	0.01	1944.45
WTYYHNPKTGKREKSKGLLN RRKVEYK	-0.49	-1.91	0.63	3381.31