

AWARENESS OF STEM CELLS AND ITS APPLICATION AMONG GENERAL PUBLIC IN CHENNAI

ABSTRACT

Aim: To assess the awareness about stem cells and its application among the general public in Chennai.

Introduction: Stem cells are very unique cells and have been isolated from the dental pulp, exfoliated deciduous teeth, the periodontal ligament, the dental follicle and the dental papilla. Adult stem cells can differentiate into many dental components such as dentin, periodontal ligament, cement and dental pulp tissue but not into enamel.

Methodology: A cross sectional questionnaire based study was carried out among the general public in Chennai. This study included 110 participants.

Results: Male participants between the age group of 21-40 years were more aware about stem cells and its sources and its various applications.

Conclusion: The results of this study demonstrated a satisfactory level of awareness among the general public regarding stem cells.

Keywords: Awareness; Differentiation; Mesenchyme; Regeneration; Stem cells.

1. INTRODUCTION:

Stem cells that have attained a large focus of attention in today's regenerative medicine are defined as clonogenic unspecialized cells that can generate into one or more specialized cell types.(1) Stem cells are very unique cells that have the potential to repair and regenerate into several distinct cell types in the body like tooth, bone cartilages, skin, adipose tissue, and glands. On the basis of cell maturity, they may be (a) Embryonic stem cells, (b) Adult stem cells. Embryonic stem cells are pluripotent stem cells derived from the inner cell mass of the blastocyst, an early stage embryo. Adult stem cells are undifferentiated cells, found throughout the body after embryonic development, that multiply by cell division to replenish dying cells and regenerate damaged tissue. They are also known as somatic stem cells. (2,3)

With respect to medicine, stem cell-based treatments are being used to treat Parkinson's disease, neural degeneration following a brain injury, cardiovascular disease, diabetes mellitus, and autoimmune diseases.(4)

Human stem cells have been isolated from the dental pulp, exfoliated deciduous teeth, the periodontal ligament, the dental follicle and the dental papilla. Adult dental stem cells can differentiate into many dental components such as dentin, periodontal ligament, cement and dental pulp tissue but not into enamel. (5)

In 2003, Dr. Songtao Shi, announced the discovery of dental pulp stem cells (DPSCs). Seo, *et al.*, in 2004, demonstrated that periodontal ligament itself contains progenitors that can be activated to self-renew and regenerate tissues like cementum and alveolar bone.(6) In 2005, Morsczecket *et al.*, isolated the stem Cells from the dental follicle of human third molars, which expressed the stem cell markers.(7)Kerkis in 2006 discovered immature DPSCs, " a pluripotent sub-population of DPSCs" using dental pulp organ culture.(5)In 2006, Sonoyama*et al.*, isolated a new population of dental stem cells, and named stem cells from the apical part of the papilla (SCAPs). SCAPs are nothing but clonogenic fibroblast-like cells, but

have a comparatively higher proliferation rate than DPSCs.(8) An amazing property of DPSCs is their ability to regenerate a dentin pulp complex found in normal human teeth.(9) This has given rise to increasing popularity of tooth banking and harvesting of DPSCs.

Dental stem cells have an advantage over epithelium stem cells in treating many diseases as they are less likely to develop into teratomas or any other tumors when transplanted. However, the limitation of using dental stem cells is that it is difficult to harvest a large quantity of stem cells from the teeth, the requirement of a professional is higher for extraction, isolation, and culture, and it also takes a longer time to culture mesenchymal stem cells from the dental tissue.(10)

Although tooth banking is currently not very popular the trend is gaining acceptance mainly in the developed countries. Lifecell is India's first and largest stem cell bank established in 2004, in Chennai.(11,12) However, the knowledge and awareness about stem cells seems to be poor among Indians. Our team has extensive knowledge and research experience that has translated into high quality publications.(13–25),(26–30)(31)(32)Hence, this study was conducted to assess the awareness about stem cells and its application among the general public in Chennai.

2. MATERIALS AND METHODS

2.1 STUDY DESIGN AND STUDY SETTING

A cross sectional survey was conducted among the general public using a self-administered questionnaire. The questionnaire was assessed by experts in the field for validity and reliability.

2.2 SAMPLING

A total of 110 participants enrolled for this study. The sampling bias is minimized by including all available data with no sorting process.

2.3 DATA COLLECTION

A questionnaire based online survey was conducted among 110 individuals. The survey was created on Google Forms platform. A total of 15 questions were asked related to stem cells and its applications.

2.4 STATISTICAL ANALYSIS

The collected data was tabulated and analysed with Statistical Package for Social Sciences for Windows, version 20.0 (SPSS Inc., Vancouver style) and results were obtained. Categorical variables were expressed in frequency and percentage. Chi- square test was used to test association between categorical variables. Chi- square tests were carried out using age, gender as independent variables and questions as dependent variables. The statistical analysis was done by Pearson Chi- squared test. P value < 0.05 was considered statistically significant.

3. RESULTS AND DISCUSSION

This study included 110 participants, out of which 56.4% of them were males and 43.6% were females. (Fig. 1.). Most of the participants were between the age group of 20-40 years (60%), followed by participants below 20 years of age (22.7%), and 41-60 years (17.3%) (Fig. 2.) Majority of the participants (71%) have heard about stem cells. There are different sources of stem cells such as bone marrow, fat, umbilical cord, blood, most of the participants think that the major source of stem cells is bone marrow (32.7%). There are various types of stem cells such as hematopoietic, mesenchymal, neural, and epithelial; the majority of the participants were aware about all of these types of stem cells (36.4%).

There was a slight predominance where 58.2% participants believed that stem cell therapy is invasive. There was not much of a difference in the awareness level between males and females as both were equally knowledgeable about stem cells, its sources, and its various benefits and its usage in cancer treatment. (Fig. 3,4,5.). Approximately, the majority of the participants belonging to the 21-40 years of age group were aware about the stem cells (Fig. 6.) and believed it was beneficial (Fig. 7.) and could be used in cancer treatment such as bone regeneration, tissue regeneration, stem cell transplant (Fig. 8.).




Fig. 1. Distribution of participants based on gender.

Blue colour denotes 'Males' (56.36%), and green colour denotes 'females' (43.64%).




Fig. 2. Distribution of participants based on their age groups.

Blue colour denotes age group of the participants below 20 years (22.73%), green colour denotes 21-40 years (60%), and beige colour denotes 41-60 years (17.27%).




Fig. 3. Association between the gender and awareness about stem cells.

X-axis denotes the gender and Y-axis denotes the responses of the question “Have you heard of stem cells“. Blue colour denotes ‘Yes’, green colour denotes ‘No’. Males had a higher percentage of awareness about stem cells (39.09%). Chi- square test was done and the association was found to be statistically not significant, $p = 0.68$ ($p > 0.05$).




Fig. 4. Association between the gender and awareness on the benefits of stem cells.

X-axis denotes the gender and Y-axis denotes the responses of the question “Are you aware that stem cells are very beneficial“. Blue colour denotes ‘Yes’, green colour denotes ‘No’. Males had a higher percentage of awareness about the benefits of stem cells (40.91%). Chi- square test was done and the association was found to be statistically not significant, $p= 0.50$ ($p> 0.05$).




Fig. 5. Association between the gender and the awareness about stem cell transplants in cancer treatment.

X-axis denotes the gender and Y-axis denotes the responses of the question “Do you know that stem cell transplants are used in cancer treatment”. Blue colour denotes ‘Yes’, green colour denotes ‘No’. Males had a higher percentage of awareness about the use of stem cell transplant in cancer treatment (32.73%). Chi- square test was done and the association was found to be statistically not significant, $p = 0.84$ ($p > 0.05$).




Fig. 6. Association between the age group and the awareness about stem cells.

X-axis denotes the age groups and Y-axis denotes the responses of the question “Have you heard of stem cells”. Blue colour denotes ‘Yes’, green colour denotes ‘No’. 21-40 years of age group were more aware about stem cells (43.64%). Chi- square test was done and the association was found to be statistically not significant, $p = 0.34$ ($p > 0.05$).




Fig. 7. Association between the age group and the awareness about the benefits of stem cells.

X-axis denotes the age groups and Y-axis denotes the responses of the question “Are you aware that stem cells are very beneficial”. Blue colour denotes ‘Yes’, green colour denotes ‘No’. The age group of 21-40 years were more aware about the benefits of stem cells (42.73%). Chi- square test was done and the association was found to be statistically not significant, $p = 0.12$ ($p > 0.05$).




Fig. 8. Association between the age group and the awareness about stem cell transplants in cancer treatment.

X-axis denotes the age groups and Y-axis denotes the responses of the question “Do you know that stem cell transplants are used in cancer treatment?”. Blue colour denotes ‘Yes’, green colour denotes ‘No’. The age group of 21-40 years were more aware of the use of stem cell transplant in cancer treatment (36.36%). The Chi square test was done and the association was found to be statistically not significant, $p = 0.55$ ($p > 0.05$).

Stem cells have proved themselves to be of unique type of cells having specialized capacity to differentiate into a variety of cells, e.g., smooth muscle cells, adipocytes, chondrocytes and neurons. Bone marrow, neural tissue, skin, retina, deciduous teeth which exfoliate and wisdom teeth can be a potential source for stem cells. (9,33–35)

In our study, awareness about the beneficial use of stem cells was found to be 70% which was in contrast to the study done by Saran et al in which only 53.7% of the subjects had a clear knowledge that stem cells are beneficial for health. However, the awareness of dental stem cells was found to be moderate in our study population (56.3%).(36)

The clinical benefits of dental SCs are not limited to dental use but can also be used for treating many diseases like myocardial infarction, liver dysfunction, diabetes mellitus.(37)

Though India's first and largest stem cell bank - Lifecell was established in 2004, Chennai, only 52% of the participants were aware about the stem cell collection and banking facility.

Dental stem cells/ mesenchymal stem cells are harvested from the deciduous teeth of children in the age group of 6-12 years and are stored for 21 years. Our study showed that 65.4% of the subjects knew that the tooth lost can be regenerated using stem cells. It reflects a clear degree of awareness and knowledge of subjects about Dental Pulp Stem cells.(12)

The general population is becoming increasingly aware about stem cells through media such

as advertisements and news. However, awareness regarding the importance of dental stem cells has to be increased. This can be done by dental professionals. In a study by FarhinKatge et al the awareness of stem cells in dentists was 79.4% in graduates, 95.1% in postgraduates, and 78.6% in PhD participants.(3) However, the awareness of Dental Stem Cells was lesser among the same. Hence, Awareness and knowledge among dentists regarding sources, applications, and uses of Dental stem cells should be increased in colleges through conferences and continuing education programmes.

It is important that the health professionals update themselves with knowledge regarding stem cells and Dental Stem Cells for the benefit of a larger population. Stem cell therapy is an emerging therapeutic modality and is believed to be one of the greatest untapped resources currently available for the prevention and treatment of many diseases. Hence, a common man can be educated and motivated to store their stem cell without any second thought.

5. CONCLUSION:

The results of this study demonstrated a satisfactory level of awareness among the general public regarding stem cells and its applications. A positive attitude towards updating the knowledge regarding Dental Stem Cells has been displayed by the subjects.

COMPETING INTERESTS DISCLAIMER:

Authors have declared that no competing interests exist. The products used for this research are commonly and predominantly use products in our area of research and country. There is absolutely no conflict of interest between the authors and producers of the products because we do not intend to use these products as an avenue for any litigation but for the advancement of knowledge. Also, the research was not funded by the producing company rather it was funded by personal efforts of the authors.

REFERENCES:

1. Gronthos S, Brahim J, Li W, Fisher LW, Cherman N, Boyde A, et al. Stem cell properties of human dental pulp stem cells. J Dent Res [Internet]. 2002 Aug;81(8):531–5. Available from: <http://dx.doi.org/10.1177/154405910208100806>
2. Mouli PEC, Kumar SM, Senthil B, Parthiban S, Priya R, Subha R. stem cells in dentistry-A review. Res J Pharm Biol Chem Sci [Internet]. 2012;4(7):1872. Available from: https://www.researchgate.net/profile/Senthil-Balasubramani/publication/279191737_Stem_Cells_in_Dentistry-A_Review/links/58e8cbcfa6fdccb4a83114a6/Stem-Cells-in-Dentistry-A-Review.pdf
3. Katge F, Shetty AJ, Rusawat B, Vamsi KC. Knowledge and attitude of Indian dentists regarding dental stem cells: A cross-sectional descriptive survey. Indian J Dent Res [Internet]. 2017 Jul;28(4):367–74. Available from: http://dx.doi.org/10.4103/ijdr.IJDR_389_16
4. Rai S, Kaur M, Kaur S. Applications of stem cells in interdisciplinary dentistry and beyond: an overview. Ann Med Health Sci Res [Internet]. 2013 Apr;3(2):245–54. Available from: <http://dx.doi.org/10.4103/2141-9248.113670>
5. Gupta AS, Gupta S, Singaraju S. Role of dental adult stem cells in regenerative medicine. Journal of

Orofacial [Internet]. 2013; Available from: <https://mansapublishers.com/JOFR/article/view/1904>

6. Seo B-M, Miura M, Sonoyama W, Coppe C, Stanyon R, Shi S. Recovery of stem cells from cryopreserved periodontal ligament. *J Dent Res* [Internet]. 2005 Oct;84(10):907–12. Available from: <http://dx.doi.org/10.1177/154405910508401007>
7. Morsczeck C, Götz W, Schierholz J, Zeilhofer F, Kühn U, Möhl C, et al. Isolation of precursor cells (PCs) from human dental follicle of wisdom teeth. *Matrix Biol* [Internet]. 2005 Apr;24(2):155–65. Available from: <http://dx.doi.org/10.1016/j.matbio.2004.12.004>
8. Sonoyama W, Liu Y, Fang D, Yamaza T, Seo B-M, Zhang C, et al. Mesenchymal stem cell-mediated functional tooth regeneration in swine. *PLoS One* [Internet]. 2006 Dec 20;1:e79. Available from: <http://dx.doi.org/10.1371/journal.pone.0000079>
9. Shi S, Gronthos S. Perivascular niche of postnatal mesenchymal stem cells in human bone marrow and dental pulp. *J Bone Miner Res* [Internet]. 2003 Apr;18(4):696–704. Available from: <http://dx.doi.org/10.1359/jbmr.2003.18.4.696>
10. Hee Jung Kim J-SP. Usage of Human Mesenchymal Stem Cells in Cell-based Therapy: Advantages and Disadvantages. *Development & Reproduction* [Internet]. 2017 Mar [cited 2021 Nov 1];21(1):1. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5409204/>
11. Vanishree N, Chaithra V, Pabbla A. A Tooth For A Tooth: Dental Stem Cell Banking In India. 2011; Available from: <https://pesquisa.bvsalud.org/portal/resource/pt/sea-174259>
12. Tuteja M, Agarwal M, Phadke SR. Knowledge of Cord Blood Banking in General Population and Doctors: A Questionnaire Based Survey. *Indian J Pediatr* [Internet]. 2016 Mar;83(3):238–41. Available from: <http://dx.doi.org/10.1007/s12098-015-1909-x>
13. Ramesh A, Varghese S, Jayakumar ND, Malaiappan S. Comparative estimation of sulfiredoxin levels between chronic periodontitis and healthy patients - A case-control study. *J Periodontol* [Internet]. 2018 Oct;89(10):1241–8. Available from: <http://dx.doi.org/10.1002/JPER.17-0445>
14. Paramasivam A, Priyadharsini JV, Raghunandhakumar S, Elumalai P. A novel COVID-19 and its effects on cardiovascular disease. *Hypertens Res* [Internet]. 2020 Jul;43(7):729–30. Available from: <http://dx.doi.org/10.1038/s41440-020-0461-x>
15. S G, T G, K V, Faleh A A, Sukumaran A, P N S. Development of 3D scaffolds using nanochitosan/silk-fibroin/hyaluronic acid biomaterials for tissue engineering applications. *Int J Biol Macromol* [Internet]. 2018 Dec;120(Pt A):876–85. Available from: <http://dx.doi.org/10.1016/j.ijbiomac.2018.08.149>
16. Del Fabbro M, Karanxha L, Panda S, Bucchi C, Nadathur Doraiswamy J, Sankari M, et al. Autologous platelet concentrates for treating periodontal infrabony defects. *Cochrane Database Syst Rev* [Internet]. 2018 Nov 26;11:CD011423. Available from: <http://dx.doi.org/10.1002/14651858.CD011423.pub2>
17. Paramasivam A, Vijayashree Priyadharsini J. MitomiRs: new emerging microRNAs in mitochondrial dysfunction and cardiovascular disease. *Hypertens Res* [Internet]. 2020 Aug;43(8):851–3. Available from: <http://dx.doi.org/10.1038/s41440-020-0423-3>
18. Jayaseelan VP, Arumugam P. Dissecting the theranostic potential of exosomes in autoimmune disorders. *Cell Mol Immunol* [Internet]. 2019 Dec;16(12):935–6. Available from: <http://dx.doi.org/10.1038/s41423-019-0310-5>
19. Vellappally S, Al Kheraif AA, Divakar DD, Basavarajappa S, Anil S, Fouad H. Tooth implant prosthesis using ultra low power and low cost crystalline carbon bio-tooth sensor with hybridized data acquisition algorithm. *Comput Commun* [Internet]. 2019 Dec 15;148:176–84. Available from:

<https://www.sciencedirect.com/science/article/pii/S0140366419307017>

20. Vellappally S, Al Kheraif AA, Anil S, Assery MK, Kumar KA, Divakar DD. Analyzing Relationship between Patient and Doctor in Public Dental Health using Particle Memetic Multivariable Logistic Regression Analysis Approach (MLRA2). *J Med Syst* [Internet]. 2018 Aug 29;42(10):183. Available from: <http://dx.doi.org/10.1007/s10916-018-1037-z>
21. Varghese SS, Ramesh A, Veeraiyan DN. Blended Module-Based Teaching in Biostatistics and Research Methodology: A Retrospective Study with Postgraduate Dental Students. *J Dent Educ* [Internet]. 2019 Apr;83(4):445–50. Available from: <http://dx.doi.org/10.21815/JDE.019.054>
22. Venkatesan J, Singh SK, Anil S, Kim S-K, Shim MS. Preparation, Characterization and Biological Applications of Biosynthesized Silver Nanoparticles with Chitosan-Fucoidan Coating. *Molecules* [Internet]. 2018 Jun 12;23(6). Available from: <http://dx.doi.org/10.3390/molecules23061429>
23. Alsubait SA, Al Ajlan R, Mitwalli H, Aburaisi N, Mahmood A, Muthurangan M, et al. Cytotoxicity of Different Concentrations of Three Root Canal Sealers on Human Mesenchymal Stem Cells. *Biomolecules* [Internet]. 2018 Aug 1;8(3). Available from: <http://dx.doi.org/10.3390/biom8030068>
24. Venkatesan J, Rekha PD, Anil S, Bhatnagar I, Sudha PN, Dechsakulwatana C, et al. Hydroxyapatite from Cuttlefish Bone: Isolation, Characterizations, and Applications. *Biotechnol Bioprocess Eng* [Internet]. 2018 Aug 1;23(4):383–93. Available from: <https://doi.org/10.1007/s12257-018-0169-9>
25. Vellappally S, Al Kheraif AA, Anil S, Wahba AA. IoT medical tooth mounted sensor for monitoring teeth and food level using bacterial optimization along with adaptive deep learning neural network. *Measurement* [Internet]. 2019 Mar 1;135:672–7. Available from: <https://www.sciencedirect.com/science/article/pii/S0263224118311333>
26. PradeepKumar AR, Shemesh H, Nivedhitha MS, Hashir MMJ, Arockiam S, Uma Maheswari TN, et al. Diagnosis of Vertical Root Fractures by Cone-beam Computed Tomography in Root-filled Teeth with Confirmation by Direct Visualization: A Systematic Review and Meta-Analysis. *J Endod* [Internet]. 2021 Aug;47(8):1198–214. Available from: <http://dx.doi.org/10.1016/j.joen.2021.04.022>
27. R H, Ramani P, Tilakaratne WM, Sukumaran G, Ramasubramanian A, Krishnan RP. Critical appraisal of different triggering pathways for the pathobiology of pemphigus vulgaris-A review. *Oral Dis* [Internet]. 2021 Jun 21; Available from: <http://dx.doi.org/10.1111/odi.13937>
28. Ezhilarasan D, Lakshmi T, Subha M, Deepak Nallasamy V, Raghunandhakumar S. The ambiguous role of sirtuins in head and neck squamous cell carcinoma. *Oral Dis* [Internet]. 2021 Feb 11; Available from: <http://dx.doi.org/10.1111/odi.13798>
29. Sarode SC, Gondivkar S, Sarode GS, Gadbail A, Yuwanati M. Hybrid oral potentially malignant disorder: A neglected fact in oral submucous fibrosis. *Oral Oncol* [Internet]. 2021 Jun 16;105390. Available from: <http://dx.doi.org/10.1016/j.oraloncology.2021.105390>
30. Kavarthapu A, Gurumoorthy K. Linking chronic periodontitis and oral cancer: A review. *Oral Oncol* [Internet]. 2021 Jun 14;105375. Available from: <http://dx.doi.org/10.1016/j.oraloncology.2021.105375>
31. Vellappally S, Abdullah Al-Kheraif A, Anil S, Basavarajappa S, Hassanein AS. Maintaining patient oral health by using a xeno-genetic spiking neural network. *J Ambient Intell Humaniz Comput* [Internet]. 2018 Dec 14; Available from: <https://doi.org/10.1007/s12652-018-1166-8>
32. Aldhuwayhi S, Mallineni SK, Sakhamuri S, Thakare AA, Mallineni S, Sajja R, et al. Covid-19 Knowledge and Perceptions Among Dental Specialists: A Cross-Sectional Online Questionnaire Survey. *Risk Manag Healthc Policy* [Internet]. 2021 Jul 7;14:2851–61. Available from: <http://dx.doi.org/10.2147/RMHP.S306880>
33. Gandia C, Armiñan A, García-Verdugo JM, Lledó E, Ruiz A, Miñana MD, et al. Human dental pulp

stem cells improve left ventricular function, induce angiogenesis, and reduce infarct size in rats with acute myocardial infarction. *Stem Cells* [Internet]. 2008 Mar;26(3):638–45. Available from: <http://dx.doi.org/10.1634/stemcells.2007-0484>

34. Yesikar V, Banseria R, Shivram G. A Cross-Sectional Study to Assess the Knowledge Regarding Stem Cells and its Transplantation among Students from Various Colleges and Women from ANC Clinic in Indore. *Int J Environ Res Public Health*. 2016;3(4):154–9.
35. Ikeda E, Yagi K, Kojima M, Yagyuu T, Ohshima A, Sobajima S, et al. Multipotent cells from the human third molar: feasibility of cell-based therapy for liver disease. *Differentiation* [Internet]. 2008 May;76(5):495–505. Available from: <http://dx.doi.org/10.1111/j.1432-0436.2007.00245.x>
36. Saran MK, Lakshminarayan N, Kumar M, Shanmukha G. Knowledge and awareness of stem cells among expectant mothers and parents of elementary school children in Bareilly and Delhi cities. *Journal of Indian Association of Public Health Dentistry* [Internet]. 2015 Oct 1 [cited 2021 Aug 2];13(4):502. Available from: <https://www.jiaphd.org/article.asp?issn=2319-5932;year=2015;volume=13;issue=4;spage=502;epage=508;aulast=Saran>
37. Herlihy MM, Delpapa EH. Obstetricians and their role in cord blood banking: promoting a public model. *Obstet Gynecol* [Internet]. 2013 Apr;121(4):851–5. Available from: <http://dx.doi.org/10.1097/AOG.0b013e31828882aa>