

### **A Realistic Digital Study on Healthcare Practices in Urban Regions**

#### **Abstract**

By the end of 2015, the global smart connected device market is expected to be worth USD 735.1 billion. PC usage is expected to decline from 28.7% in 2013 to 13% in 2017. Tablets are expected to grow since 11.8% in 2013 To 16.5% in 2017, while smart mobiles are expected to climb from 59.5 percent to 70.5 percent. Tablets and smartphones are expected to account for 87 percent of the global smart connected device market by 2017. Customer engagement is the top objective for businesses throughout the world when it comes to smart device channel strategies. Health care is one of the many verticals where this transition will have significant ramifications. By far the most important aspect of their smart device channel strategy for hospitals will be patient involvement. Advanced knowledge is enhancing devices, facilities, and procedures, influencing the persistent and essential knowledges as well as hospital operations.

The Medical industry has responding to the advanced revolution as well as increasing at a 15% annual-Rate. With the use of technology, much inefficiencies in the delivery of health care services may be removed. Sensors incorporated in a broad series of health modules, such as analytic apparatus, medication distribution schemes, medical robot, essential modules, trickle machineries, and health-fitness devices, are projected to undertake many measures and tests that are presently delivered manually. As a result, health-care delivery will undergo a paradigm shift in comparison to what it is now.

Not just in supermarkets and metropolitan bazaars, but it is in additional markets, the usage of the broadband for pointed and switching strength info & discussing post-analysis treatment is becoming more common. Health-related websites and blogs are becoming more popular, and they represent a delay or novel arrangement of the kind of material that has remained offer by old-style bases of info like magazines and periodicals. The reality of examination trains and social networking positions has opened up at modern opportunities, but it has also raised questions about how users can verify they are obtaining quality, vetted information.

Health-related websites include information on healthy habits as well as diseases, existence, medications, and complements. Effected persons who reach for action with a prospective analysis drawn from a weblinks that had slight to do with an accurate assessment of their ailment are not uncommon these days, according to health care specialists. Abusing the possible of digital technologies to improve the excellence and security of health care has


piqued people's curiosity. Globally, the application of transformative tele-Health and mobile-Health knowledges is often at a high expense.

The advent of persistent determined health care advertising, which is changing the method healthiness care facilities are given, is the subject of this empirical study. The use of examples from other industries is used to provide context for marketing accomplishments and to identify relevant characteristics for inclusion in health-care marketing models. The benefits and drawbacks of knowledge allowed health-care marketing is too discussed.

**Keywords:** Advanced medical care, current platforms, Disruptive novelties, E-Health, medical markets, Health Information science, M-Healthiness.

## Introduction

Around the world, an increasing number of individuals have access towards and use the internet. By the end of 2015, the global smart connected device market is expected to be worth USD 735.1 billion. PC usage is expected to decline from 28.7% in 2013 to 13% in 2017. Tablets are expected to grow from 11.8 percent in 2013 to 16.5 percent in 2017, while smartphones are expected to climb from 59.5 percent to 70.5 percent. Tablets and smartphones are expected to account for 87 percent of the global smart connected device market by 2017. Customer engagement is the top objective for businesses throughout the world when it comes to smart device channel strategies. Health care is one of the many verticals where this transition will have significant ramifications. Despite the 'digital gap' between affluent & developing countries, there has been a significant rise of 193 percent in internet use worldwide, as seen in Figure 1. Although penetration levels are significantly lower in India, the rise is a stunning 800 percent. According to the World Bank, just 18 out of every 100 Indians have access to the internet in 2014. India has the lowest penetration of the BRIC countries. The developed world has a 90 percent internet penetration rate. In all nations, the digital gap is also common among older age groups. People over the age of 65, who frequently seek information for their health care, have a difficult time using the internet.




**Figure 1** Internet Users per 100 People for Select Countries

When your patients are sick or need medical guidance, where do they go for help? No longer to a hospital or to a well-informed patient. Patients can use an increasingly complicated array of digital channels, depending on what is most convenient and beneficial to them, too each channel increases the demand on health care providers towards offer dependable, consistent, & quality service. By far the most important aspect of their smart device channel strategy for hospitals will be patient involvement. The rewards for hospitals that thrive at digital patient care, or e-healthcare, are enormous: increased patient happiness, cost savings, increased loyalty, and top-line & bottom-line growth. It's previous time for medical services experts who depend on manual, wasteful cycles to distinguish, disseminate, and send data imperative to progressing patient consideration to change to mechanical stages. PC proficient medical services searchers are assuming responsibility for their wellbeing by utilizing the web for data and settling on educated choices as web access develops. In the field of medical services, the Internet is empowering unrivaled admittance to data, improved dynamics, and improved correspondence between chiefs and the individuals who are influenced by their choices (Jadad et al, 2000). Medical services suppliers, as far as concerns them, are giving data that patients are searching for online so they may settle on educated choices. Therefore, the patient-supplier relationship is encountering a change. Notwithstanding stresses over the exactness of online wellbeing data, medical care shoppers are progressively utilizing the Internet for data recovery and individual correspondence to more readily comprehend and oversee infection. While there are numerous advantages to digitizing patient care, there are also numerous barriers to designing and implementing cost-effective e-healthcare.

The utilization of data and correspondence innovation (ICT) to assist patients with overseeing medical conditions and issues is known as computerized medical care (otherwise called advanced wellbeing, e-medical services). Hardware and software solutions, as well as services, are included in these technologies. Computerized medical care, all in all, has concerned around the progression of unified comfort outlines towards improve the operation of multiple developments, astute devices, mythological study procedures, and communication media to help medical services specialists & affected role oversee diseases & wellbeing chances, just as advance comfort and wealth. Clinicians, analysts, researchers, medical services specialists, and academicians with a wide scope of abilities in medical care, designing, sociology, over-all happiness, comfort monetary materials, then the executives are among the various partners engaged with computerized medical services. People can better track, manage, & enhance their own then their family's health thanks to digital health. It's also assisting in the reduction of waste in traditional healthcare delivery systems. It expands access, lowers prices, raises quality, and improves precision and personalization in medicine.

Wireless devices, hardware sensors, and programming detecting advancements, microchips and incorporated circuits, the Internet, long range interpersonal communication, versatile/cell organizations, and body region organizations, Health IT (Health Information Technology), genomics, and individual hereditary data are immeasurably significant parts of the computerized wellbeing upset. The advancement interaction for specialized arrangements in computerized medical services is additionally an iterative cycle. As shown in Figure 2, there are five primary activity processes.




**Figure 2** Innovation Cycle

Defining the problem, identifying users, and comprehending user demands and the clinical treatment pathway are all steps in recognizing the healthcare issue. Relevant scientific, engineering, and psychological ideas and principles will be used to codify user needs and the context of digital channel use. Following that, one can identify existing applicable technologies related to clinical procedures and prepare for the creation of prospective new technologies by reviewing published literature. Then a prototype solution that matches the context and is valuable to the stakeholders is planned and created. After that, the technology solution is put to the test in user groups to confirm that it is effective, safe, and affordable. Clinical trials may also be used to assess the economic effects. The knowledge derived from the synthesized evidence is subsequently disseminated to other stakeholders in order to spread the digital innovation.

**Types of health information websites:** According to reports, roughly a fifth of web users in the United Kingdom utilized the Net as their primary port of call when researching a health concern in 2009. In 2012, 72 percent of adults in the US looked for medical info on the internet. Other developed countries were in a similar situation. The situation has drastically changed in recent years, with Web usage quadrupling. Data, text, audio, and video are all common media for information on health-related websites. Such data has accommodated an assortment of reasons, including business and non-benefit reasons like public approach (for instance, to improve populace wellbeing or increment the effectiveness of the public medical services framework) and philanthropic or aggregate self-improvement reasons, like a craving to help and gain from other people who are encountering comparable medical problems. Contingent upon the kind of site, the foundation of the individuals who produce content varies somewhat. As a result, categorizing the internet health information that is available in various ways into the following areas is beneficial (See Figure 3).

**Figure 3** Categorization of Online Health Information (Source: Authors)



**General health information provision sites:** WebMD, Patient UK, BBC Health, and a huge number of websites give data about wellbeing and illness, just as way of life, drugs, and enhancements. A few sites additionally have self-conclusion devices.

**Disease specific websites:** Disease Civilization & Parkinson's Illness Society in the United Kingdom, as well as breast cancer in the United States, deliver disease-certain info. Such websites concentrate on a certain ailment, its causes, accessible pharmacological treatments, complementary & alternative therapies, as well as lifestyle recommendations. Charities, patient interest groups, the government, and pharmaceutical firms are usually the ones who support them.

**Interactive patient group websites:** Patients Like Me remains a site that allows users towards exchange clinical data about their health & collects data in a “blinded, aggregated, and individual manner to (sell to) partners (businesses that create or sell products to patients).” Researchers can utilize such websites towards give consumers the opportunity towards engage in medical research. As a result, interactive patient group websites remain often used by people who have a certain ailment towards learn more about it and share their experiences with others who have the same or a comparable disease. Some people assist people with unusual conditions in obtaining information about their specific circumstances from those who have dealt with the disease before.

**Scientific databases:** Access towards research published by scientists or ongoing clinical trials is available through databases such as PubMed and clinicaltrials.gov. These websites were created with medical and healthcare professionals in mind. They can now be accessible by anybody over the internet.

**Web tools:** sugarstats.com permits clients to track, screen, and access a patient's glucose levels and diabetes insights to see possibly hazardous themes and improve diabetic wellbeing on the board. The Australian National University's Center for Mental Health Research created MoodGY, an intelligent web program pointed toward forestalling sadness. Healthspace, a web application provided by the NHS in the United Kingdom, permits clients to enter and follow wellbeing information, for example, weight and cholesterol levels. Web devices are planned to help individuals in dealing with their wellbeing, and they as a rule incorporate an intelligent segment, for example, programmed examination and discoveries dependent on reactions to an online poll.

### **Advantages and Disadvantages of media Health Data**

From the standpoint of the user or patient, online information offers numerous benefits. There are, however, some potential drawbacks. Table 1 summarizes these findings.

**Table 1** Advantages & Disadvantages of Online Health Information

<b>Advantages</b>	<b>Disadvantages</b>
Convenience in accessing.	Misleading information.
Facilitates mutual support and empowers patients.	Possible misinterpretation.
Getting personally involved in health and healthcare management.	Intrudes into individual privacy.
Protection from medical malpractice or incompetence of doctors.	May undermines doctor-patient relationship

### **Literature Review**

Wellbeing searchers are depicted as Internet clients who scan the Web for data on wellbeing matters, as per the Pew Internet and American Life Project (referred to by Dickerson, 2004). Due to the fast spread of Internet innovations in the public domain, customers presently approach an uncommon measure of wellbeing data (Hesse et al, 2005). As of late, governments, emergency clinics, specialists, and drug organizations have made an enormous measure of clinical information, data, and administrations accessible on the web (Audet et al. 2004; Eysenbach et al. 2002 referred to by Miller and West, 2009). Doctors have generally assumed a critical part in giving medical care data and administrations to their patients (Arora, 2003). Worries about a computerized hole because of the lopsided selection of wellbeing advancements, then again, ought to be firmly observed (Hesse et al, 2005). Enabling patients to take part in and deal with their own wellbeing holds a ton of guarantee for improving treatment productivity and adequacy. Telehealth programming and self-administration apparatuses have been found to improve the results of the medical care measure (Finkelstein et al., 2012 referred to by Sherer, 2014). Most specialists are now seeing the effects of patients bringing printouts from the Internet into their workplaces and asking explicit systems, tests, or medications (referred to by Hesse et al, 2005). Regardless of the undeniable advantage of these ventures, the measures by which information is recorded vary starting with one consideration community then onto the next. Information designs, marks (standard information component names), classification (the standard name for a particular clinical idea), codes (standard code for a similar idea), limits, units, segments, and models for cases where an information component is to be recorded are totally covered by these information principles.

According to Jadad et al. (2000), finding information on the Internet takes a long time. Users of the Internet, regardless of their function, history, or knowledge, might become confused

and anxious as a result of the almost limitless amount of information available, which is frequently disorganized and of highly varied quality and relevancy. If decision-makers have access to conflicting and contradictory information, the Internet can lead to conflict.

Individuals who are worried about their well-being search out wellbeing-related data and are propelled to utilize viable correspondence channels (Celsi and Olson, 1988; Kraft and Goodell, 1993; Moorman and Matulich, 1993 as referred to by Reber et al, 2013). Suzanne et al. (2004) guarantee that PC proficient patients need to oversee their wellbeing by utilizing the Internet to explore ailments and medicines. The knowledge available on the Internet assists patients in better managing their illnesses and making educated decisions, thereby altering the dynamics of the patient-provider interaction. Baker et al. (2003) discovered that people in fair towards bad health were more likely towards seek medical help than those in good or exceptional health. However, if decision-makers rely on erroneous information found on the Internet, a person's health could be jeopardized (Jadad et al., 2000). According to Baker et al. (2003), 33% of respondents said they had used the Internet or e-mail towards learn more about a prescription medicine. If decision-makers have access to conflicting and contradictory information, the Internet can lead towards conflict. If decision-makers rely on erroneous information discovered on the Internet, a person's health could be jeopardized (Jadad et al., 2000). Consequently Evidence-based decision-making, according to Jadad et al. (op cit.), entails the express, scrupulous, and prudent appraisal of the best accessible proof when settling on medical services choices. The proof-based dynamic could profit with the Internet since it gives chiefs reasonable, speedy, and productive admittance to forward-thinking, substantial, and important information at the opportune time, in the perfect spot, in the suitable sum, and in the correct arrangement.

The purpose of Health Information Technology (HIT), according to Miller and West (2009), remains towards encourage the reception of Electronic Health Records (EHRs) and different advancements to help in electronic outcomes seeing symptomatic help, mechanized request section, and confirmation, and different exercises. Individuals who utilize the Internet to search for wellbeing data significantly dwarf the individuals who use it to speak with medical services suppliers. As indicated by Sommerhalder et al. (2009), scanning the Internet for wellbeing related data was oftentimes connected to the hour of conferences: looking through the Internet preceding a counsel assisted patients with deciding if a clinical meeting was really essential and to explore whether manifestations were identified with clinically significant illnesses. Patients' need to completely comprehend a diagnosis or treatment method drove their Internet searches after a session. The Internet remains a well-developed source of health information, and people can use it without the information or help of their doctors or additional clinicians (Miller & West, 2009).

**Table 2** Sample Characteristics (N = 183)

%	
<b>Age, years</b>	
15-19	12
20-29	43
30-39	22
40-49	16
50-59	6
> 60	2
<b>Gender</b>	
Male	66
Female	34
<b>Income, □</b>	
< 1,00,000	43
1,00,001-2,00,000	14
2,00,001-3,00,000	18
3,00,001-4,00,000	12
4,00,001-5,00,000	1
> 5,00,001	13
<b>Edification</b>	
Ignorant	2
Up to Class 10 <sup>th</sup>	18
Class 12 <sup>th</sup>	26
UG	33
PG & above	22
<b>Profession</b>	
Scholar	31
Working	46
Housewife	10
Self -Working	11
Others	2

Enhancements to training and innovative proficiency, just as admittance to minimal expense innovation, are among them (Miller and West, 2009). Supporting patients in deciding the individual meaning of wellbeing-related Internet material is turning into another space of training for specialists. In conversations with Internet-insightful patients, specialists are all the more much of the time requested to represent their insight and to tailor patient training to their particular necessities (Sommerhalder et al, 2009).

Powell et al (2011) discovered that four concepts emerged from the motivation category for seeking health information: the longing for consolation, the craving briefly assessment to challenge other data, the craving for more prominent agreement to enhance other data, and saw outer hindrances to getting to data through conventional sources. The advantages were

coordinated into three classifications: comfort, inclusion, and namelessness. The comfort of online wellbeing incorporated the capacity to get data whenever and from any area, especially at home. The negative relationship between's Internet use and data looking for could demonstrate that young people utilize the Internet for entertainment only as opposed to wellbeing data (Reber et al, 2013).

## **Methodology**

The objectives of this investigation are to (a) decide the pace of reception of wellbeing-related data on the web and (b) decide the degree of the steadfastness of data acquired from the web and the degree to which it is utilized. The study's scope is limited to two nearby urban towns in India's state of Andhra Pradesh, namely Guntur and Vijayawada. Data was gathered from both primary and secondary sources for the study. The study's sampling unit is the individual responder. Individuals seeking health information on the internet made up the sampling frame. This study was conducted using a questionnaire that was prepared and constructed specially for it. The -coefficient was used to assess the questionnaire's internal reliability, which was determined to be adequate at.93. A total of 183 people was included in the study. The study's data was gathered between late 2013 & early 2014. The respondents were chosen at random.


## **Analysis & Results, Discussion**

The study discoveries were examined to create synopsis graphic measurements and cross-classifications, for which chi-square insights were delivered to explore relative contrasts by segment factors. There were no factual adjustments utilized, like weighting. There were no non-responders, thus nobody question was avoided with regards to the examination.

The responders ranged in age from 15 to over 60 years old. The model age group is 20 to 29 years old (43%), followed by 30 to 39 years old (33%). (22 percent). In terms of gender, 66% were males and 34% were females. Post-graduates accounted for 22% of respondents, graduates for 33%, and XII students for 26%, with the remaining 19% falling below class X. Table 2 contains additional demographic data such as income and occupation.

### ***Internet browsing behaviour for online health information***


On a self-rating scale, internet surfing behavior for health information is measured in terms of the number of hours browsed each week (Figure 4). 37 percent of respondents spend 6 to 10 hours per week browsing the internet, 31% spend less than 5 hours, 13% spend 11 to 15 hours, 7% spend 16 to 20 hours, and 13% spend more than 20 hours. Respondents were discovered to be accustomed to searching the internet for health information. This lines up with Subha's (2015) perception that looking for wellbeing data online is a typical online movement notwithstanding different things they (clients) do on the web.



**Figure 4** No. of Hours Browsed Per Week on Health Information

**Sources for Seeking health information**

Figure 5 graphically depicts the different sources that are frequently used by users. Programs on television 17 percent draw an audience, 15 percent look for information in books/articles, 12 percent in Wikis, 10% in hospital websites, and 3% in other websites. With 43%, social networking sites are the most popular place to look for health information. This results is consistent with Powell et al (2011)'s conclusion that "the reason was again reassurance - wanting to know that the person was not alone in what they were feeling." it is They went on to say that "online health convenience" included "easy and speed of access at any time and from any location, particularly at home." The third issue that rose up out of the meetings as a profoundly esteemed advantage for Internet wellbeing purchasers was secrecy (Powell et al, 2011).



**Figure 5** Sources of Seeking Healthcare Information

**Authentication of material collected from Web**

The Internet's medical care advantages will depend, at any rate to some degree, on its ability to give us proficient and viable approaches to access, trade, and utilize the information we need when we need it, and in the organization, we need it (Jadad, 1999). While the number of people seeking health information online is increasing, more than 60% of those who do so confirm the information with their doctor. This contradicts Shubha's (2015) findings, which

found that the Internet scored highest among the mainstream media, with 45 percent of respondents agreeing that they utilize and trust the Cyberspace as a basis of wellbeing info.

***Beneficiary of health information***

It was shown that over 70% of users look for health information on the internet on their own. Furthermore, 73% assist family members in obtaining information.

***Awareness and informed decision making***


Health information websites, according to 58 percent of respondents, provide much-needed awareness about illnesses. Only 57 percent of respondents said they rely on the internet for information on basic health practices. 76 percent of users said they use the internet to get information before making decisions. Powell et al (2011) put it succinctly: "It's [the Internet] the perfect instrument for finding out something you need to know about but don't have the information unless you're a medic." According to the findings, 47 percent of respondents were advised by their doctor to visit websites in order to learn more about their illness. Sixty-six percent of respondents utilize the internet to double-check the information provided by their doctor.

***Influence of reviews***

The reviews left by other users influence a user's preference for a particular website. These reviews influence 48 percent of respondents' decisions on which websites to visit.

***Reliability and usefulness of information***

Instead of visiting another doctor, 50% of respondents used the cyberspace for wellbeing data due to its convenience & suitability. Though, only 52% of respondents believe the information offered on the net remains dependable, while 50% believe it is valuable. However, by the end of the session, 54 percent of respondents said they had gotten enough information regarding their health.



**Figure 6** Gender-wise specific health information sought

### ***Specific health information sought***

Users typically have unique health-related information needs. Exercise and fitness, as well as diet, are popular topics for Internet research. The next most popular searches are for eye care and hair care. Figure 6 graphically depicts the precise knowledge requested on different diseases/topics. It's interesting to see how the health information sought differs by gender. While women remain more likely than men towards seek information on gynecological issues, they also outnumber men in the areas of hair care, colds, exercise & fitness, allergy, headache, and gastrointestinal difficulties.

### **Acting on the info found on the Cyberspace in its place of referring a medic**

Despite the way that meeting the web for online data is well known, just 14% of respondents said they follow up on the data they find on the web.

### **Use medicine based on the material providing on the Cyberspace**

Internet users who are looking for health information do not utilize it to get medicines. In reality, only 13% of those polled said they get their medication via internet-based sources.

The behavior of accessing health-care information for oneself is unaffected by one's educational level ( $\chi^2=22.624$ ,  $p=.124$ ). Similarly, family health-care information-seeking behavior remains unaffected by education level ( $\chi^2=17.845$ ,  $p=.333$ ). However, accessing basic health care procedures is depending on education level ( $\chi^2=31.319$ ,  $p=.012$ ).

Self-researching information online then acting on that knowledge without contacting a doctor are not mutually exclusive ( $\chi^2=10.246$ ,  $p=.853$ ). Similarly, checking for information for family members on the internet and acting on that knowledge without contacting a doctor are not dependent ( $\chi^2=7.476$ ,  $p=.963$ ). Searching for data just to find out about essential medical services techniques and following up on that data without reaching a specialist are likewise not exceptionally dependent. Finding information on the internet & acting on it without contacting a doctor are not mutually exclusive ( $\chi^2=22.713$ ,  $p=.122$ ).

### **Conclusions**

The age group of 20-29 years is more likely towards seek health information on the internet. Users are looking for information for themselves as well as for members of their family. The Internet-based health-seeking behavior is not influenced by one's educational status. For health information, social media websites are the chosen medium. Despite the fact that individuals use the Internet to gather information, they do not use it to obtain drugs. After consulting with a doctor, acting on medicines available on the internet is preferred.

The internet is unique in that it mixes massive amounts of data with sophisticated search & retrieval techniques. It permits individuals to have fast admittance to wellbeing data in the protection of their own homes, at whatever point they need, however long they need, and

however many occasions as they need. Online health services make it possible to obtain information without shame or the necessity to speak with a doctor or other health expert face to face. Individuals may likewise have the option to set aside cash on the off chance that they would somehow need to pay for a specialist's conference or go on vacation work to do such.

## References

1. Amy Hennington. The Rural Digital Divide: Exploring Differences in the Health Information Seeking Behaviors of Internet Users. *Franklin Business & Law Journal*. Pp.55-67. Accessed from Ebscohost.
2. Arora, N. K. (2003). Interacting with Cancer Patients: The Significance of Physicians' Communication Behavior. *Social Science & Medicine*. 2003; 57:791-806.
3. Avancha, Sasikanth; Baxi, Amit & Kotz, David (2012). Privacy in Mobile Technology for Personal Healthcare. *ACM Computing Surveys*, Vol. 45, No. 1, November 2012.
4. Avison, David & Young, Terry (2007). Time to Rethink Health Care and ICT? *Communications of the ACM*. June 2007. Vol. 50, No. 6.
5. Baker, Laurence; Wagner, H. Todd; Singer, Sara & Bundorf, M. Kate (2003). Use of the Internet and E-mail for Health care Information. Results from a national survey. *Journal of American Medical Association*. 2003; 289:2400–6.
6. Babu, B. K., & Narasimha Rao, M. V. A. L. (2017). A study on engineering students awareness and myths about chickenpox in Guntur, Andhra Pradesh. *International Journal of Mechanical Engineering and Technology*, 8(12), 478–490.
7. Bellandi, Giuseppe; Giannini, Marco & Grande, Claudia (2013). Mobile eHealth technology and healthcare quality impacts in Italy. *International Journal of Healthcare Management* 2013. Vol. 6 No. 3.
8. Berland G. K; Elliott M. N; Morales L. M; et al. (2001). Health information on the Internet: accessibility, quality, and readability in English and Spanish. *Journal of American Medical Association*. 2001; 285: 2612-2621.
9. Best Practices for Hospitals Moving to Electronic Medical Records. *International Journal of Micrographics & Optical Technology*. Volume 27, Number 3, 2009.
10. Camlek, Victor (2011). Healthcare mobile information flow. *Information Services & Use*. 31 pp.23–30. DOI 10.3233/ISU-2011-0626.
11. Caratozzolo, Maria Cristina; Bagnara, Sebastiano & Parlangei, Oronzo (2008). Use of information and communication technology to supply health-care services to nomadic patients: An explorative survey. *Behaviour & Information Technology*. Vol. 27, No. 4, July–August 2008, pp.345–350.
12. Coelho P. C. (1998). The Internet: increasing information, decreasing certainty. *Journal of American Medical Association*. 1998; 280:1454.
13. Department of Culture, Media and Sport and Department for Business, Innovation and Skills (2009) *Digital Britain – Final Report*, available at:

<http://www.culture.gov.uk/images/publications/digitalbritain-finalreport-jun09.pdf>, pp13, 29, 30.

14. Dickerson, Suzanne; Reinhart M. Amber; Feeley Hugh Thomas; Bidani Rakesh; Rich Ellen; Garg K. Vinod; Hershey O. Charles(2004). Patient Internet Use for Health Information at Three Urban Primary Care Clinics. *Journal of the American Medical Informatics Association*. Volume 11. No.6. pp.499-504.
15. Empowering healthcare providers to enhance patient care beyond the office visit. PricewaterhouseCoopers LLP. October 2014. Available at [http://www.pwc.com/en\\_US/us/increasing-it-effectiveness/publications/assets/digital-care-solution.pdf](http://www.pwc.com/en_US/us/increasing-it-effectiveness/publications/assets/digital-care-solution.pdf). Retrieved on August 26, 2015.
16. Erdem, S. Altan (2007).Healthcare Marketing on the Web: Moving Forward Toward More Interactive Practices. *Health Marketing Quarterly*, Vol. 24(1/2) 2007.
17. Fell, Daniel (2009). New Era of connected healthcare Marketing and IT find common ground at last. *Marketing Health Services*. Winter 2009.
18. Friestad Marian & Wright Peter (1994).The Persuasion Knowledge Model: How People Cope with Persuasion Attempts, *Journal of Consumer Research*.
19. Glucksman, James & Lipson, Roberta (2010). Private Healthcare: A Tough Market to Crack. *China Business Review*. January–February 2010.
20. Health Care Information Pulse Delivering Tomorrow’s Technology Today. General Cable.
21. Hesse, W. Bradford; Nelson, E. David; Kreps, L. Gary; Croyle, T. Robert; Arora, K. Neeraj; Rimer, K. Barbara; Vishwanath, Kasisomayajula (2005). Trust and Sources of Health Information. *Archives of Internal Medicine*. Vol 165, Dec 12/26, 2005.
22. Hostetter, Martha; Klein, Sarah & McCarthy, Douglas (2014). Taking Digital Health to the Next Level: Promoting Technologies That Empower Consumers and Drive Health System Transformation. The Commonwealth Fund. Available at [http://www.commonwealthfund.org/~media/files/publications/fund-report/2014/oct/1777\\_hostetter\\_taking\\_digital\\_hlt\\_next\\_level\\_v2.pdf](http://www.commonwealthfund.org/~media/files/publications/fund-report/2014/oct/1777_hostetter_taking_digital_hlt_next_level_v2.pdf). Retrieved on August 26, 2015.
23. IDC: 87% of Connected Devices Sales by 2017 will be Tablets and Smartphones. Accessed on 15.07.2015 from <http://www.forbes.com/sites/louiscolumnbus/2013/09/12/idc-87-of-connected-devices-by-2017-will-be-tablets-and-smartphones/>.
24. Jadad A. R. (1999). Promoting partnerships: Challenges for the Internet Age. *BMJ* 1999; 319:761-4. Available: [www.bmj.com/cgi/content/full/319/7212/761](http://www.bmj.com/cgi/content/full/319/7212/761). Accessed September 1, 2015.
25. Jadad, R. Alejandro; Haynes, R. Brian; Hunt, Dereck & Browman, P. George (2000). The Internet and evidence-based decision-making: A needed synergy for efficient knowledge management in health care. *Canadian Medical Association Journal*. 162(3):362-5. Available at <http://www.cmaj.ca/content/162/3/362.full.pdf>. Accessed on August 30, 2015.
26. Jani, Prashant, Satav, H. Vijay (2012), Revolutionizing Traditional Pathology Practice in Today's Computer Age. *Journal of Krishna Institute of Medical Sciences University*, Vol. 1, No. 2, July-Dec. 2012. ISSN 2231-4261.

27. Lansiti, Marco & Lakhani, R. Karim (2014). Digital Ubiquity How Connections, Sensors, and Data are Revolutionizing Business. Harvard Business Review.
28. Kishore Babu B, & Venkateshwara Kumar K S. (2020). Awareness And Myths About Corona Virus: Selected Study On Engineering Students, Guntur, Andhra Pradesh. International Journal of Research in Pharmaceutical Sciences, 11(SPL1), 533-537. <https://doi.org/10.26452/ijrps.v11iSPL1.2845>
29. Dr. B. Kishore Babu, N. Rajeswari and Naidu Mounika, An Empirical Study on Consumer Green Buying Behaviour, Vijayawada, Andhra Pradesh, International Journal of Civil Engineering and Technology,9(3), 2018, pp. 648–655
30. Kumar, K.S.Venkateswara and Kishore Babu, B., A Study on Perception of Pharmacists Towards Goods and Services Tax (GST) in Guntur District of Andhra Pradesh, India (August 4, 2018). Jour of Adv Research in Dynamical & Control Systems, Vol. 10, 08-Special Issue, 2018,
31. Dr. B.Kishore Babu and M.V.A.L. Narasimha Rao, A Study on Civil Engineering Students Perception towards Demonetization in Guntur District ,Andhra Pradesh, International Journal of Civil Engineering and Technology, 8(12),2017, pp. 160–174
32. Dr. B. Kishore Babu, A.Tulsi Ram Naveen and Sampath, Perception of the Engineering Students towards 7ps of Organized Retail Stores and Unorganized Retail Stores, Vijayawada- A Comparative Study, International Journal of mechanical Engineering and Technology 9(1), 2018. pp. 841–851.
33. Mbarika, W. A. Victor (2004). Is Telemedicine the Panacea for Sub-Saharan Africa's Medical Nightmare? Communications of the ACM, July 2004. Vol. 47, No. 7.
34. McHaney, Donna Faye. Information Management and Technology. Jones and Bartlett Publishers. Available at [http://www.jblearning.com/samples/0763757144/57144\\_CH13\\_428\\_452.pdf](http://www.jblearning.com/samples/0763757144/57144_CH13_428_452.pdf). Retrieved on August 26, 2015.
35. Miller, Alan Edward; West, M. Darrell (2009).Where's the Revolution? Digital Technology and Health Care in the Internet Age. Journal of Health Politics, Policy and Law, Vol. 34, No. 2, Duke University Press.
36. Mohammad Reza Meigounpoory; Seyed Mojtaba Sajadi; Iran Danehzan (2014). Conceptualization of the Factors Affecting the Quality of Mobile Health Services of Active SMEs in Healthcare System. International Journal of Management, Accounting and Economics Vol. 1, No. 4, November, 2014.
37. MoodGYM (2010) the MoodGYM training program/Mark III. <http://moodgym.anu.edu.au/welcome>.
38. Müller, Christian; Fujiwara, Takao & Herstatt, Cornelius (2004).Journal of Small Business Management 2004 42(1), pp. 93–101.
39. Murray E, Lo B, Pollack L, et al. The impact of health information on the Internet on the physician-patient relationship: patient perceptions. Archives of Internal Medicine. 2003; 163:1727-1734.
40. Never Misplace Record Again. Marketing Health Services. Spring 2005.
41. Niewolny, David (2013). How the Internet of Things Is Revolutionizing Healthcare.

freescale.com/healthcare. Available at [http://cache.freescale.com/files/corporate/doc/white\\_paper/IOTREVHEA\\_LCARWP.pdf](http://cache.freescale.com/files/corporate/doc/white_paper/IOTREVHEA_LCARWP.pdf). Retrieved on August 26, 2015.

42. Omachonu K. Vincent & Einspruch G. Norman (2010). Innovation in Healthcare Delivery Systems: A Conceptual Framework. *The Innovation Journal: The Public Sector Innovation Journal*, Volume 15(1), 2010, Article 2.
43. Palvia, Prashant; Lowe, Kevin; Nemati, Hamid & Jacks, Tim (2012). Information Technology Issues in Healthcare: Hospital CEO and CIO Perspectives. *Communications of AIS*. Volume 30, Article 19, pp. 293-312, May 2012.
44. Parente, T. Stephen & Van Horn, R. Lawrence (2006). Valuing Hospital Investment in Information Technology: Does Governance Make a Difference? *Health Care Financing Review/Winter 2006-2007/Volume 28, Number 2*. Pp.31-43.
45. Parker J. Pamela (2004). Quantify technology's benefits. *Nursing Management*. 2004;35(2):41-44.
46. PatientsLikeMe, responding to the Working Party's consultation. <http://www.patientslikeme.com/>.
47. Pertile, Paolo (2008). Investment in Health Technologies in A Competitive Model with Real Options. *Journal of Public Economic Theory*, 10 (5), 2008, Pp. 923–952.
48. Powell, John; Inglis, Nadia; Ronnie, Jennifer & Large, Shirley (2011). The Characteristics and Motivations of Online Health Information Seekers: Cross-Sectional Survey and Qualitative Interview Study, *Journal of Medical Internet Research*, 2011. Accessed on January 2014 from [http://wrap.warwick.ac.uk/37076/1/WRAP\\_Powell\\_fc-xsltGalley-1600-8930-1-PB.pdf](http://wrap.warwick.ac.uk/37076/1/WRAP_Powell_fc-xsltGalley-1600-8930-1-PB.pdf)
49. Quinn, Gwendolyn; Ellery, Jane; Detman, A. Linda; Jeffers, Dee; A. Gorski, A. Peter; Singer, L. Terri & Mahan, S. Charles (2008). Creating patient-centred healthcare practices: Social marketing tools and strategies. *Journal of Management & Marketing in Healthcare*. Vol. 2 No. 3. PP 221–237. July 2009
50. Reber, H. Bryan; Paek, Hye-Jin & Lariscy, Ruthann Weaver (2013). Race, Digital and Traditional Media, and Public Relations Health Campaigns. *Public Relations Journal*. Vol. 7, No. 2, pp.128-156. Accessed on January 2014 from <http://www.prsa.org/Intelligence/PRJournal/Documents/20132Reber.pdf>
51. Revolutionizing Health Care through Information Technology. President's Information Technology Advisory Committee. June 2004. Available at [http://lazowska.cs.washington.edu/20040721\\_hit\\_report.pdf](http://lazowska.cs.washington.edu/20040721_hit_report.pdf). Retrieved on August 26, 2015.
52. Rouse, B. William (2009). Engineering perspectives on healthcare delivery: Can we afford technological innovation in healthcare? *Systems Research and Behavioral Science*. 26, pp.573-582.
53. Sensmeier, Joyce & Horowitz, K. Jennifer (2003). Align information technology initiatives with staff expectations regarding patient safety. *IT Solutions*, October 2003.
54. Shareef, Mahmud Akhter; Kumar, Vinod & Kumar, Uma (2014). *Journal of Customer Behaviour*, 2014, Vol. 13, No. 3, pp.187-205.

55. Sharma, J K & Narang, Ritu (2011). Quality of Healthcare Services in Rural India: The User Perspective. *Vikalpa*. Volume 36, No 1. January - March 2011. Pp.51-60.
56. Sherer A. Susan (2014). Patients Are Not Simply Health IT Users or Consumers: The Case for “e-Healthicant” Applications. *Communications of the Association for Information Systems*. Volume 34, Article 17, pp. 351–364, January 2014.
57. Siddiqi, A. A; Ahmed, M; Alginahi, Y. M; Alharby, A. (2009). Comprehensive Patient Health Care System for the Saudi Hospitals using Information and Mobile Computing Technologies. *Trends in Information Management*. V.5 (2) July-December 2009.
58. Sommerhalder, Kathrin; Abraham, Andrea; Zufferey, Maria Caiata; Barth, Jurgen; Abel, Thomas (2009). Internet information and medical consultations: Experiences from patients’ and physicians’ perspectives. *Patient Education and Counseling*. 77(2):266-71. doi: 10.1016. Accessed on March 2014 from <http://www.juergen-barth.de/en/wp-content/uploads/2010/01/SommerhalderBarth2009.pdf>.
59. Sonnier, Paul (2015). Story of Digital Health. Available at <http://storyofdigitalhealth.com/definition/>. Retrieved on August 31, 2015.
60. Srivatsan, Nagaraja (2014). Enabling Healthier Outcomes for All. *Cognizanti*. Volume 7, Issue 1. pp.331-38.
61. Subha, H. S. (2015). Relationship between Internet Use and Health Orientation: A Study among University Students. *International Conference on Communication, Media, Technology and Design*. 16 - 18 May 2015 Dubai – United Arab Emirates.
62. SugarStats (2009) About SugarStats. <http://www.sugarstats.com/about/>.
63. Taylor, Karen (2015). Connected Health How Digital Technology is Transforming Health and Social Care. Deloitte Centre for Health Solutions, London. Available at <http://www2.deloitte.com/content/dam/Deloitte/uk/Documents/life-sciences-health-care/deloitte-uk-connected-health.pdf>. Retrieved on August 26, 2015.
64. Ubiquitous Access on the Front Lines of Patient Care and Safety. *Communications of the ACM*. June 2008/Vol. S 1, No. 6. pp.95-99.
65. Urhuogo, Irikefe; Vann, Valerie & Chandan, C. Harish (2013). *Journal of Business Studies Quarterly* 2013, Volume 4, Number 3.
66. West, Darrell (2012). How Mobile Devices are Transforming Healthcare. Centre for Technology Innovations at Brookings. No.18. Available at [http://www.insidepolitics.org/brookingsreports/mobile\\_health\\_52212.pdf](http://www.insidepolitics.org/brookingsreports/mobile_health_52212.pdf). Retrieved on August 26, 2015.
67. Wilhoit, Kathryn (2006). How does technology drive safety? *Nursing Management*. IT Solutions, October 2006.