

Antioxidant activity of *Abies webbiana* mediated zinc oxide nanoparticles

ABSTRACT:

Background: Biological methods for nanoparticle (NP) synthesis using microorganisms, enzymes, and plants or plant extracts have been suggested as possible eco-friendly alternatives to chemical and physical methods.

Aim: The aim of the current study is to synthesize Zinc oxide nanoparticles (ZnO NPs) mediated by *Abies webbiana* and to evaluate its antioxidant activity.

Materials and Methods: Bio-mediated synthesis of metal oxide nanoparticles using *A. webbiana* is a promising alternative to traditional chemical synthesis. The antioxidant activity of zinc oxide (ZnO) NPs was synthesised using DPPH radical scavenging assay.

Results: The ZnO NPs were identified by dark brown color and the surface plasmon resonance was positioned at a peak at 290 nm. Finally, the current study has clearly demonstrated that the ZnO NPs are responsible for significant high antioxidant activities.

Conclusion: Therefore, the study reveals an efficient, eco-friendly, and simple method for the green synthesis of ZnO NPs using a green synthetic approach.

Keywords: Antioxidant, innovative technology, nanoparticles, plant extract, zinc oxide

1. INTRODUCTION:

In this modern period, nanoscience and nanotechnology are growing branches of science that deal with various processes like fabrication and characterization of different nano metals and non-metal of different sizes, shapes and compositions(1). Nanoparticles are the particles with size ranging from 1 nm to 100 nm providing solutions to environmental and technological challenges and applied in almost all the fields. Nanotechnology is mainly used to produce and process products eco-friendly and to minimize the use of hazardous environments(2)

Green chemistry is known as implementation, development and designing of chemical products and making it eco-friendly and biocompatible to be used in medicine and food industry(3). It was found to be more suitable than other methods. In this method, the plant extract is used both as a capping and reducing agent for synthesizing the zinc oxide nanoparticles because of the presence of reducing properties in the leaf extract.

The scientific name of Talisapatra is *Abies webbiana*, it is considered to have antimicrobial and antioxidant properties and hence chosen for this study to synthesize nanoparticles from this(4). Nanoparticles containing antioxidant and antimicrobial properties are considered as a new trend of medicinal and therapeutic agents and even in the prevention of deterioration of food and pathogenic microorganisms. Green synthesized ZnO NPs exhibited moderate bacterial activity against Gram positive and Gram negative bacteria and free radical scavenging activity(5).

A wide variety of physical and chemical processes for the synthesis of ZnO nanostructures have been developed including laser ablation, hydrothermal, electrochemical depositions(6), sol gel(6,7), chemical vapor deposition(8), thermal decomposition(9), combustion(10,11), ultrasound,(12) microwave-assisted combustion method,(13) two-step mechano chemical–thermal synthesis,(14) anodization,(14,15) co-precipitation,(16) and electrophoretic deposition(16,17) methods. Even though the exact mechanism of shape and size control of these structures have not been established and mentioned in the literature for the preparation of a number of self-assembled structures reported(18). Chemical synthesis methods lead to the adsorption of toxic chemical species onto the surface that may have adverse effects in medical applications. As a result, researchers in the field of synthesis of nanoparticles and assembly have turned to biosynthesis methods for nanoparticle production, which employ plants, fungi, bacteria and enzymes and represent possible eco-friendly alternatives to chemical and physical methods(19). To date, green synthesis of ZnO NPs by plants such as *Calotropis procera*,(20) *Aloe barbadensis miller*(21), and *Poncirus trifoliata*(22) have been reported.

ZnO metal-semiconductor nanocomposites with hierarchical nanostructure have been prepared by the hydrothermal synthesis. Biomolecule-assisted hydrothermal method is an efficient route for the fabrication of ZnO nanocomposites. Ag NPs on the ZnO act as electron sinks, improving the separation of photogenerated electrons and holes, increasing the surface hydroxyl contents ZnO, facilitating trapping the photo-induced electrons and holes to form more active hydroxyl radicals, and thus enhancing the ZnO photocatalytic efficiency.(23) Our team has extensive knowledge and research experience that has translate into high quality publications.(24–36),(37–41) (42) (43). The aim of the current study is to evaluate the antioxidant activity of *A. webbiana* mediated Zinc oxide nanoparticles (ZnO NPs).

2. MATERIALS AND METHODS

2.1 Preparation of leaf extract

The *A. webbiana* leaves were gathered and washed double distilled water to remove dust particles. The leaves were dried and grained with mortar. The leaf extract sample was mingled with 100 mL of double distilled water and kept at 60 degree Celcius in heating mantle. Using whatman No 1 filter paper, the sample was filtered. Then the final extract of the leaf was stored.

2.2 Synthesis of Zinc oxide nanoparticles

About 1 mM of 50 mM of zinc sulfate dissolved in 80 mL of double-distilled water. The plant extract of *A. webbiana* was added with metal solution and was made into 100 mL solution. The color change was observed visually and photographs were recorded. The solution is kept in a magnetic stirrer/orbital shaker for NP synthesis.

2.3 Characterization of *A. webbiana* mediated ZnO NPs

The synthesized NPs solution is preliminarily characterized using UV-visible spectroscopy; 3 mL of the solution is taken in cuvette and scanned in double- beam UV-visible spectrophotometer from 300 nm to 700 nm wavelength and the results were recorded at different time periods.

2.4 Preparation of ZnO NPs powder

The NPs solution is centrifuged using Lark refrigerated centrifuge. The solution of ZnO NPs is centrifuged at 8000 rpm for 10 min, and the pellet was collected and washed with distilled water twice. The final purified pellet is collected and dried at 100–150°C NPs for 24 h. Finally, the NPs powder is collected and stored in an airtight Eppendorf tube.

2.5 Antioxidant activity

DPPH radical scavenging assay was done to assess the antioxidant property of the extract. The DPPH is considered as a stable lipophilic free radical, having nitrogen at the center exhibiting purple color. The antioxidant donates an electron to the DPPH radical and the change in absorbance occurs at a wavelength of 517 nm and the color changes to pale yellow slowly.

2 mL of the synthesized CuNPs in the concentration range of 10-50 mL (5 different concentrations) were obtained by adding 50% of the methanol solution to equal volume of 0.1mM of DPPH solution at different concentrations and was incubated for 30 minutes in dark at room temperature. The absorbance was measured at 517 nm. Here the Methanol solution mixed with 0.1 mM of DPPH solution was used as control and ascorbic acid was used as a standard. The IC₅₀ value was calculated.

3. RESULTS AND DISCUSSION:

3.1 Visual Identification

Color change was found to be an important factor for the synthesis of ZnO NPs. Here, the ZnO NPs were synthesized from *A. webbiana*; the color change of the mixture was observed at different intervals during the incubation period. The color changed from light brown to dark brown at room temperature suggesting the formation of ZnO NPs. The results depend upon the presence of the color

that arises during the reaction. In another study, which involves a color change to yellow, indicating the presence of ZnO NPs where ZnS is converted to ZnO by oxidation(44).

3.2 UV-vis Spectroscopy

The results depend upon the presence of the color that arises during the reaction. The maximum absorption peak was at 290 nm because of excitation of the characteristic surface plasmon resonance band by the synthesized zinc oxide nanoparticles. Since the *A. webbiana* is a rich source of flavonoids and phenolics they are said to play an important role in the reduction process during synthesis of nanoparticles. It was observed that with increase in incubation time, the absorption spectrum steadily increases.

3.3 Antioxidant property of zinc oxide nanoparticles using *A. webbiana*

The odd electron molecule in the DPPH free radical gave a strong absorption at 517 nm where it turned from light brown to dark brown color. The % inhibition for different concentrations of copper nanoparticles was calculated and is found to be maximum at 50 μ l (Fig 3) concentration. This confirmed the reducing action of DPPH radical indicating its antioxidant property. In another study, it was observed from the spectra that the extract at 517 nm had highest radical scavenging activity at a concentration of 25 μ l (60.2%), which is indicative of significant antioxidant activity as potent as DPPH itself (45). Previous studies has shown that that the extract at 362 nm has the highest antioxidant activity(46) In another study, the synthesized silver NPs showed comparable free radical scavenging activity at 100 μ l (47). When subjected to DPPH assay to check for its antioxidant activity of grape seed mediated titanium oxide nanoparticles, highest antioxidant activity at a concentration of 50 μ l was observed(48).



Figure 1: Visual observation of colour change




Figure 2: UV- vis absorption spectra analyses of zinc oxide nanoparticles synthesized using *A. webbiana* recorded as function of time.



Figure 3: Evaluation of antioxidant activity




Figure 4: The quality of antioxidant activity of zinc oxide nanoparticles synthesized using *A. webbiana*.

4. CONCLUSION:

This study was done to find a way for a greener approach of synthesizing the ZnO NPs using *A. webbiana* thereby giving pharmacological evidence against the antioxidant activity. The ZnO NPs were identified by dark brown color and the surface plasmon resonance was positioned at a peak at 290 nm. The ZnO NPs synthesized using *A. webbiana* has potent free radical scavenging activity and has a wide array of medical and dental applications.

CONSENT

It is not applicable

ETHICAL APPROVAL

It is not applicable

References:

1. Ashtaputrey SD, Ashtaputrey PD, Rathod G. Eco-friendly Green Synthesis and Characterization of Silver Nanoparticles Derived from *Murraya koenigii* Leaves Extract [Internet]. Vol. 29, Asian Journal of Chemistry. 2017. p. 1966–8. Available from: <http://dx.doi.org/10.14233/ajchem.2017.20680>

2. Padma P, Banu S, Kumari S. Studies on Green Synthesis of Copper Nanoparticles Using Punica granatum [Internet]. Vol. 23, Annual Research & Review in Biology. 2018. p. 1–10. Available from: <http://dx.doi.org/10.9734/arrb/2018/38894>
3. Subha V, Ravindran RSE, Preethi R, Cyrril J, Kirubanandan S, Renganathan S. Silver Nanoparticles - Green Synthesis with Aq. Extract of Stems Ipomoea Pes-Caprae, Characterization, Antimicrobial and Anti-Cancer Potential [Internet]. Vol. 5, International Journal of Medical Nano Research. 2018. Available from: <http://dx.doi.org/10.23937/2378-3664.1410024>
4. Vishnoi SP, Ghosh AK, Debnath B, Samanta S, Gayen S, Jha T. Antibacterial activity of Abies webbiana. *Fitoterapia*. 2007 Feb;78(2):153–5.
5. Nagajyothi PC, Sreekanth TVM, Tettey CO, Jun YI, Mook SH. Characterization, antibacterial, antioxidant, and cytotoxic activities of ZnO nanoparticles using Coptidis Rhizoma. *Bioorg Med Chem Lett*. 2014 Sep 1;24(17):4298–303.
6. Chang S-S, Yoon SO, Park HJ, Sakai A. Luminescence properties of Zn nanowires prepared by electrochemical etching [Internet]. Vol. 53, Materials Letters. 2002. p. 432–6. Available from: [http://dx.doi.org/10.1016/s0167-577x\(01\)00521-3](http://dx.doi.org/10.1016/s0167-577x(01)00521-3)
7. Ristić M, S. Musić, Ivanda M, Popović S. Sol–gel synthesis and characterization of nanocrystalline ZnO powders [Internet]. Vol. 397, Journal of Alloys and Compounds. 2005. p. L1–4. Available from: <http://dx.doi.org/10.1016/j.jallcom.2005.01.045>
8. Wu J-J, Liu S-C. Low-Temperature Growth of Well-Aligned ZnO Nanorods by Chemical Vapor Deposition [Internet]. Vol. 14, Advanced Materials. 2002. p. 215–8. Available from: [http://dx.doi.org/10.1002/1521-4095\(20020205\)14:3<215::aid-adma215>3.0.co;2-j](http://dx.doi.org/10.1002/1521-4095(20020205)14:3<215::aid-adma215>3.0.co;2-j)
9. Wang R-C, Tsai C-C. Efficient synthesis of ZnO nanoparticles, nanowalls, and nanowires by thermal decomposition of zinc acetate at a low temperature [Internet]. Vol. 94, Applied Physics A. 2009. p. 241–5. Available from: <http://dx.doi.org/10.1007/s00339-008-4755-0>
10. Lamas DG, Lascalea GE, de Reca NEW. Synthesis and characterization of nanocrystalline powders for partially stabilized zirconia ceramics [Internet]. Vol. 18, Journal of the European Ceramic Society. 1998. p. 1217–21. Available from: [http://dx.doi.org/10.1016/s0955-2219\(98\)00045-4](http://dx.doi.org/10.1016/s0955-2219(98)00045-4)
11. Ghosh D, Chen S. Palladium nanoparticles passivated by metal–carbon covalent linkages [Internet]. Vol. 18, Journal of Materials Chemistry. 2008. p. 755. Available from: <http://dx.doi.org/10.1039/b715397j>
12. Zak AK, Khorsand Zak A, abd. Majid WH, Wang HZ, Yousefi R, Moradi Golsheikh A, et al. Sonochemical synthesis of hierarchical ZnO nanostructures [Internet]. Vol. 20, Ultrasonics Sonochemistry. 2013. p. 395–400. Available from: <http://dx.doi.org/10.1016/j.ultsonch.2012.07.001>
13. Kooti M, Sedeh AN, Motamedi H, Rezatofighi SE. Magnetic graphene oxide inlaid with silver nanoparticles as antibacterial and drug delivery composite. *Appl Microbiol Biotechnol*. 2018 Apr;102(8):3607–21.
14. Rajesh D, Vara Lakshmi B, Sunandana CS. Two-step synthesis and characterization of ZnO nanoparticles [Internet]. Vol. 407, Physica B: Condensed Matter. 2012. p. 4537–9. Available from: <http://dx.doi.org/10.1016/j.physb.2012.07.050>
15. Shetty A, Nanda KK. Synthesis of zinc oxide porous structures by anodization with water as an electrolyte [Internet]. Vol. 109, Applied Physics A. 2012. p. 151–7. Available from: <http://dx.doi.org/10.1007/s00339-012-7023-2>

16. Singh O, Kohli N, Singh RC. Precursor controlled morphology of zinc oxide and its sensing behaviour [Internet]. Vol. 178, *Sensors and Actuators B: Chemical*. 2013. p. 149–54. Available from: <http://dx.doi.org/10.1016/j.snb.2012.12.053>
17. Gomez JL, Tigli O. Zinc oxide nanostructures: from growth to application [Internet]. Vol. 48, *Journal of Materials Science*. 2013. p. 612–24. Available from: <http://dx.doi.org/10.1007/s10853-012-6938-5>
18. Shervani Z, Ikushima Y, Sato M, Kawanami H, Hakuta Y, Yokoyama T, et al. Morphology and size-controlled synthesis of silver nanoparticles in aqueous surfactant polymer solutions [Internet]. Vol. 286, *Colloid and Polymer Science*. 2008. p. 403–10. Available from: <http://dx.doi.org/10.1007/s00396-007-1784-8>
19. Vilchis-Nestor AR, Sánchez-Mendieta V, Camacho-López MA, Gómez-Espinosa RM, Camacho-López MA, Arenas-Alatorre JA. Solventless synthesis and optical properties of Au and Ag nanoparticles using *Camellia sinensis* extract [Internet]. Vol. 62, *Materials Letters*. 2008. p. 3103–5. Available from: <http://dx.doi.org/10.1016/j.matlet.2008.01.138>
20. Avinash MB, Govindaraju T. Molecular Engineering: Engineering Molecular Organization of Naphthalenediimides: Large Nanosheets with Metallic Conductivity and Attoliter Containers (*Adv. Funct. Mater.* 20/2011) [Internet]. Vol. 21, *Advanced Functional Materials*. 2011. p. 3998–3998. Available from: <http://dx.doi.org/10.1002/adfm.201190090>
21. Sangeetha G, Rajeshwari S, Venckatesh R. Green synthesis of zinc oxide nanoparticles by aloe barbadensis miller leaf extract: Structure and optical properties [Internet]. Vol. 46, *Materials Research Bulletin*. 2011. p. 2560–6. Available from: <http://dx.doi.org/10.1016/j.materresbull.2011.07.046>
22. Nagajyothi PC, Minh An TN, Sreekanth TVM, Lee J-I, Lee DJ, Lee KD. Green route biosynthesis: Characterization and catalytic activity of ZnO nanoparticles [Internet]. Vol. 108, *Materials Letters*. 2013. p. 160–3. Available from: <http://dx.doi.org/10.1016/j.matlet.2013.06.095>
23. Gao S, Jia X, Yang S, Li Z, Jiang K. Hierarchical Ag/ZnO micro/nanostructure: Green synthesis and enhanced photocatalytic performance [Internet]. Vol. 184, *Journal of Solid State Chemistry*. 2011. p. 764–9. Available from: <http://dx.doi.org/10.1016/j.jssc.2011.01.025>
24. Ramesh A, Varghese S, Jayakumar ND, Malaiappan S. Comparative estimation of sulfiredoxin levels between chronic periodontitis and healthy patients - A case-control study. *J Periodontol*. 2018 Oct;89(10):1241–8.
25. Paramasivam A, Priyadharsini JV, Raghunandhakumar S, Elumalai P. A novel COVID-19 and its effects on cardiovascular disease. *Hypertens Res*. 2020 Jul;43(7):729–30.
26. S G, T G, K V, Faleh A A, Sukumaran A, P N S. Development of 3D scaffolds using nanochitosan/silk-fibroin/hyaluronic acid biomaterials for tissue engineering applications. *Int J Biol Macromol*. 2018 Dec;120(Pt A):876–85.
27. Del Fabbro M, Karanxha L, Panda S, Bucchi C, Nadathur Doraiswamy J, Sankari M, et al. Autologous platelet concentrates for treating periodontal infrabony defects. *Cochrane Database Syst Rev*. 2018 Nov 26;11:CD011423.
28. Paramasivam A, Vijayashree Priyadharsini J. MitomiRs: new emerging microRNAs in mitochondrial dysfunction and cardiovascular disease. *Hypertens Res*. 2020 Aug;43(8):851–3.
29. Jayaseelan VP, Arumugam P. Dissecting the theranostic potential of exosomes in autoimmune disorders. *Cell Mol Immunol*. 2019 Dec;16(12):935–6.

30. Vellappally S, Al Kheraif AA, Divakar DD, Basavarajappa S, Anil S, Fouad H. Tooth implant prosthesis using ultra low power and low cost crystalline carbon bio-tooth sensor with hybridized data acquisition algorithm. *Comput Commun.* 2019 Dec 15;148:176–84.
31. Vellappally S, Al Kheraif AA, Anil S, Assery MK, Kumar KA, Divakar DD. Analyzing Relationship between Patient and Doctor in Public Dental Health using Particle Memetic Multivariable Logistic Regression Analysis Approach (MLRA2). *J Med Syst.* 2018 Aug 29;42(10):183.
32. Varghese SS, Ramesh A, Veeraiyan DN. Blended Module-Based Teaching in Biostatistics and Research Methodology: A Retrospective Study with Postgraduate Dental Students. *J Dent Educ.* 2019 Apr;83(4):445–50.
33. Venkatesan J, Singh SK, Anil S, Kim S-K, Shim MS. Preparation, Characterization and Biological Applications of Biosynthesized Silver Nanoparticles with Chitosan-Fucoidan Coating. *Molecules* [Internet]. 2018 Jun 12;23(6). Available from: <http://dx.doi.org/10.3390/molecules23061429>
34. Alsubait SA, Al Ajlan R, Mitwalli H, Aburaisi N, Mahmood A, Muthurangan M, et al. Cytotoxicity of Different Concentrations of Three Root Canal Sealers on Human Mesenchymal Stem Cells. *Biomolecules* [Internet]. 2018 Aug 1;8(3). Available from: <http://dx.doi.org/10.3390/biom8030068>
35. Venkatesan J, Rekha PD, Anil S, Bhatnagar I, Sudha PN, Dechsakulwatana C, et al. Hydroxyapatite from Cuttlefish Bone: Isolation, Characterizations, and Applications. *Biotechnol Bioprocess Eng.* 2018 Aug 1;23(4):383–93.
36. Vellappally S, Al Kheraif AA, Anil S, Wahba AA. IoT medical tooth mounted sensor for monitoring teeth and food level using bacterial optimization along with adaptive deep learning neural network. *Measurement.* 2019 Mar 1;135:672–7.
37. PradeepKumar AR, Shemesh H, Nivedhitha MS, Hashir MMJ, Arockiam S, Uma Maheswari TN, et al. Diagnosis of Vertical Root Fractures by Cone-beam Computed Tomography in Root-filled Teeth with Confirmation by Direct Visualization: A Systematic Review and Meta-Analysis. *J Endod.* 2021 Aug;47(8):1198–214.
38. R H, Ramani P, Tilakaratne WM, Sukumaran G, Ramasubramanian A, Krishnan RP. Critical appraisal of different triggering pathways for the pathobiology of pemphigus vulgaris-A review. *Oral Dis* [Internet]. 2021 Jun 21; Available from: <http://dx.doi.org/10.1111/odi.13937>
39. Ezhilarasan D, Lakshmi T, Subha M, Deepak Nallasamy V, Raghunandhakumar S. The ambiguous role of sirtuins in head and neck squamous cell carcinoma. *Oral Dis* [Internet]. 2021 Feb 11; Available from: <http://dx.doi.org/10.1111/odi.13798>
40. Sarode SC, Gondivkar S, Sarode GS, Gadbail A, Yuwanati M. Hybrid oral potentially malignant disorder: A neglected fact in oral submucous fibrosis. *Oral Oncol.* 2021 Jun 16;105390.
41. Kavarthapu A, Gurumoorthy K. Linking chronic periodontitis and oral cancer: A review. *Oral Oncol.* 2021 Jun 14;105375.
42. Vellappally S, Abdullah Al-Kheraif A, Anil S, Basavarajappa S, Hassanein AS. Maintaining patient oral health by using a xeno-genetic spiking neural network. *J Ambient Intell Humaniz Comput* [Internet]. 2018 Dec 14; Available from: <https://doi.org/10.1007/s12652-018-1166-8>
43. Aldhuwayhi S, Mallineni SK, Sakhamuri S, Thakare AA, Mallineni S, Sajja R, et al. Covid-19 Knowledge and Perceptions Among Dental Specialists: A Cross-Sectional Online Questionnaire Survey. *Risk Manag Healthc Policy.* 2021 Jul 7;14:2851–61.

44. Happy A, Soumya M, Venkat Kumar S, Rajeshkumar S, David Sheba R, Lakshmi T, et al. Phyto-assisted synthesis of zinc oxide nanoparticles using *Cassia alata* and its antibacterial activity against *Escherichia coli* [Internet]. Vol. 17, *Biochemistry and Biophysics Reports*. 2019. p. 208–11. Available from: <http://dx.doi.org/10.1016/j.bbrep.2019.01.002>
45. G N, Nivedhita G, Rajeshkumar S, Roy A, Nagalingam M, Lakshmi T. *Maranta arundinacea* root assisted zinc oxide nanoparticles and its characterisation using TEM and UV-vis spectroscopy [Internet]. Vol. 11, *International Journal of Research in Pharmaceutical Sciences*. 2020. p. 2968–72. Available from: <http://dx.doi.org/10.26452/ijrps.v11i3.2387>
46. R A, Akshaya R, Rajeshkumar S, Roy A, Lakshmi T. *Maranta arundinacea* root mediated zinc oxide nanoparticles and its enhanced antibacterial activity [Internet]. Vol. 11, *International Journal of Research in Pharmaceutical Sciences*. 2020. p. 5269–73. Available from: <http://dx.doi.org/10.26452/ijrps.v11i4.3143>
47. Keerthiga N, Anitha R, Rajeshkumar RS, Lakshmi T. Antioxidant Activity of Cumin Oil Mediated Silver Nanoparticles [Internet]. Vol. 11, *Pharmacognosy Journal*. 2019. p. 787–9. Available from: <http://dx.doi.org/10.5530/pj.2019.11.125>
48. Ramamurthy J, Head A, Department of Periodontics, Saveetha dental College and hospitals, Saveetha institute of medical and technical sciences, Saveetha university. Evaluation Of Antioxidant And Anti Inflammatory Activity Of Grape Seed Oil Infused With Silver Nanoparticles An In Vitro Study [Internet]. *International Journal of Dentistry and Oral Science*. 2021. p. 3318–22. Available from: <http://dx.doi.org/10.19070/2377-8075-21000676>