

A Systematic Medico Historical Review of Gokshura (*Tribulus terrestris* L.): A Traditional Indian Medicine

Abstract:

Objective: This review aims to reveal the classic and experience-based traditional uses of Gokshura for health and wellness, and emphasizes the pharmacological and biochemical scientific evidence to confirm them. **Data Source:** The available literature on Gokshura was also searched to determine the basis of the Latin scientific name and the correct identity. The Ayurvedic Pharmacopoeia and other related scientific works are also taken into consideration to clarify the issue in the scientific community. **Review methods:** In search of scientific evidence of use, international and national journals and other published materials were also searched to pique the curiosity of academics interested in Ayurvedic medicinal plants. This article reveals the ancient brilliance behind the therapeutic use of a promising plant, Gokshura from ancient India, to date. Several bioactive phytoconstituents, which include steroids, saponin, flavonoids, alkaloids, glycosides, and unsaturated acids, were isolated and recognized from Gokshura which might be responsible singly or in compound form for numerous pharmacological activities, and traditional application confirms that the basic principles of available Ayurvedic classics in various periods in India have been too scientific, and authentic. **Conclusion:** In this research work, it was found that Gokshura overcome diseases of Mutravaha srotasa (Urinary Tract Disorders) and other systems. Various simple and compound preparations can reasonably maintain health and are used as analgesic, diuretic, anti-inflammatory, aphrodisiac, and rejuvenator.

Key-words: *Tribulus terrestris*, *Ayurveda*, Traditional Indian Medicine, *Gokshura*

1. Introduction

Gokshura has been identified as *Tribulus terrestris* L. (Family: *Zygophyllaceae*), an annual, rarely perennial, prostrate herb and common weed grass land, roadsides, and other wastelands.^[1] It is native to the Mediterranean region and is widely distributed around the world from 35° south latitudes to 47° north latitude.^[2] *Zygophyllaceae* is a family of flowering plants that contain legumes and thistles. This family includes 22 genera and about 285 species.^[3] *Tribulus* comes from the Latin *tribo*, which means "tear", and is the Latin name for "caltrop", referring to the shape of the fruit of this plant resembling a barbed metal ball used as a throwing weapon in medieval wars at the foot of a horse; *Terrestris* in Latin means the "earth" and refers to the creeping growth habit of plants.^[4] The plant grows to 90 cm in length [Figure 1]. The fruit is globose, consisting of 5-12 woody cocci, each with two pairs of hard, sharp, and forked spines, one pair being longer than the other. There are several seeds in each coconut and there are horizontal partitions between them.^[5] Physicians are the implementers of clinical drug management, and they play an irreplaceable role in promoting the improvement of rational drug use. Selection of authentic drug is an important aspect of Ayurvedic medical practice. Selection of the authentic drug for treatment purpose should always be judicious and should follow specified guidelines in order to attain success in the



treatment.


(Figure 1) Showing A. Whole Fresh plant of *T. terrestris* Linn. B. Whole Dry plant of *T. terrestris* Linn.

2. Materials and Methods

The full review includes original *Ayurvedic* scriptures, classical *Ayurvedic* texts from different periods, Indian *Ayurvedic* Pharmacopoeia, and scientific databases such as Science Direct, PubMed, SciFinder, and Google Scholar, with *Gokshura* and *T. terrestris* as keywords, focusing on botany, literature, and pharmacology. Some published data were reviewed and data related to the title of the manuscript and the purpose of the research was selected.

3. Significance of the name- *Gokshura* and its synonyms and vernacular names

Gokshura is a Sanskrit word that means that its fruit will damage the legs of grazing cows because they have thorns. Other synonyms used are: *Ikshugandhika*, which means that it, has the aroma of sugarcane; *Sthalashringataka*, which means that it has fruits similar to water chestnuts; Except for the usual five parts (i.e., root, stem, leaf, fruit, flower) Also, *Shadanga* has the sixth part, the thorn; *Chanadruma* leaves are like the leaves of the Bengal gram plant [Figure 2].^[6]



(Figure 2)

Showing Synonyms of *Gokshura* A. *Chanadruma* (Leaves looking like leaves of Gram) B. *Kantakaphala* (Spiny fruits) C. *Vanasringataka* (Fruits similar to *Trapa* fruits)

4. The basic pharmaceutical forms of *Gokshura* in *Ayurveda*


The useful parts of the *Gokshura* plant used for medicinal purposes are the fruit and *Panchanga* (five parts, namely stem, root, leaf, fruit, flower).^[7] In addition, the five forms of essential medicines as a single preparation of *Ayurvedic* medicine are *Svarasa* (juice), *Kalka* (paste), *Shrita* (decoction), *Shita* (cold infusion), and *Phanta* (hot infusion).^[8] It is important here that the above five basic pharmaceutical forms are prescribed according to the condition of the disease and the physical strength of the patient.

5. Classification of *Gokshura* in various *Vargas* according to different *Ayurvedic* texts

Gokshura is mentioned in various *Vargas* in various *Ayurvedic* texts as per its different uses and properties.

6. Different Kinds of *Gokshura*

Many kinds of *Gokshura* do not appear in the *Brihatrayi* of the *Ayurvedic* text, i.e., *Charaka Samhita*, *Sushruta Samhita*, and *Ashtanga Hridaya*. *Bhavamishra* considers only one type of *Gokshura* in his work.^[9] According to *Priyavrata Sharma*, another species of *Gokshura* as *Brihatgokshura* is also famous throughout the country, and it has been identified as *Pedaliium murex* Linn. (Floral-plants). According to him, this variant is considered *Shrangika* in various *Ayurvedic* texts.^[6] In *Raj Nighantu*, two types of *Gokshura* mentioned having the same characteristics.^[10] *Shankara Nighantu* also mentions the same two types of *Gokshura* as before.^[11] According to *Nighantu Adarsha*, there are three types of *Gokshura*, viz. *Kshudra-gokshura*, *Brihatgokshura*, and *Gokshura-kalaan*, the latter of which is identified as *Xanthium strumarium* [Figure 3]. This last variety is not used for medicinal purposes.^[7]



(Figure 3) Kinds of Gokshura

7. Rasa Panchaka (Penta principles of Ayurvedic drug action) of *Gokshura*

Properties of drugs are mentioned as per *Rasa Panchaka*, which consists of *Rasa*, *Guna*, *Virya*, *Vipaka* and *Prabhava* in *Ayurveda*. According to different texts *Rasapanchaka* and *Karma* (actions) of *Gokshura* mentioned [Table 1,2] .

Table 1: Rasa Panchaka of Gokshura according to different Ayurvedic texts

Nighantus (Lexicons)	<i>Rasa</i> (Taste)	<i>Guna</i> (Property)	<i>Virya</i> (Po- tency)	<i>Vipaka</i> (Bio- transfor- mation of drug)	<i>Prabhava</i> (Spe- cific potency)
<i>Bhavaprakasha Nighantu</i>	<i>Madhura</i>	-	<i>Shita</i>	-	<i>Vatahara</i>
<i>Dhanvantari Nighantu</i>	-	-		-	<i>Tridosahara</i>
<i>Madanapala Nighantu</i>	<i>Madhura</i>	-	<i>Shita</i>	-	<i>Vatahara</i>
<i>Kaiyadeva Nighantu</i>	<i>Madhura</i>	-	<i>Shita</i>	-	<i>Kapha-vatahara</i>
<i>Priya Nighantu</i>	<i>Phala- Madhura</i>	-	<i>Mula- Ushna Phala- Shita</i>	-	<i>Mula- Vata- kaphahara</i>

<i>Nighantu Adarsha</i>	<i>Madhura, Tikta</i>	<i>Snigdha</i>	<i>Shita</i>	<i>Madhura</i>	<i>Vatahara</i>
<i>Shodhala Nighantu</i>	<i>Madhura</i>	-	-	<i>Madhura</i>	<i>Vata-pittahara</i>
<i>Madhava Dravyaguna</i>	-	-	-	-	<i>Vataghna</i>
<i>Mahaoushadha Nighantu</i>	<i>Madhura</i>	-	<i>Shita</i>	-	<i>Vatahara</i>
<i>Raj Nighantu</i>	<i>Madhura</i>	-	<i>Shita</i>	-	-
<i>Shankara Nighantu</i>	<i>Madhura, Tikta</i>	-	<i>Shita</i>	-	<i>Tridosahara</i>
The Ayurvedic Pharmacopoeia of India	<i>Madhura, Tikta</i>	<i>Guru, Snigdha</i>	<i>Ushna</i>	<i>Madhura</i>	<i>Tridosahara</i>

Table 2: Karma (Therapeutic action) of Gokshura according to various Ayurvedic Classics

<i>Ayurvedic Classics</i>	<i>Karma (Therapeutic action)</i>
<i>Charaka Samhita</i>	<i>Krimighna, Shothahara, Mutravirechaniya,</i>
<i>Ashtanga Sangraha</i>	<i>Krimighna, Shothahara, Mutravirechaniya</i>
<i>Bhavaprakasha Nighantu</i>	<i>Vatahara, Bala-krut, Basti-shodhana, Dipana, Vrushya, Pushtida, Ashmarihara, Pramehahara, Shvasa-kasahara, Arshahara, Mutrakricchahara, Hridrogahara,</i>
<i>Dhanvantari Nighantu</i>	<i>Tridosahara, Bringhana, Vrushya, Dipana, Shulahara, Hridrogahara, Mutrakricchahara, Pramehahara</i>
<i>Madanapala Nighantu</i>	<i>Vatahara</i>
<i>Kaiyadeva Nighantu</i>	<i>Kapha-vatahara</i>
<i>Priya Nighantu</i>	<i>Phala- Balya, Vrushya, Mutrala Mula- Vata-kaphahara</i>
<i>Nighantu Adarsha</i>	<i>Vatahara, Balya, Vrushya, Mutrala, Ashmarihara, Pramehahara, Shvasahara, Mutrakricchahara, Hridrogahara, Rasayana</i>
<i>Shodhala Nighantu</i>	<i>Vata-pittahara, Balya, Vrushya,</i>

	<i>Mutrashodhana, Mutrakrichhaghna,</i>
<i>Madhava Dravyaguna</i>	<i>Vataghna, Vrushya, Balya, Mutrakricchahara</i>
<i>Mahaoushadha Nighantu</i>	<i>Vatahara, Balya, Bastishodhana, Dipana, Bringhana, Vrushya, Pushtida, Ashmarihara, Pramehahara, Shvasa-kasahara, Arshahara, Mutrakricchahara, Hridrogahara</i>
<i>Raj Nighantu</i>	<i>Balya, Bringhana, Mutrakricchahara, Ashmarihara, Pramehahara, Vidahahara, Rasayana</i>
<i>Shankara Nighantu</i>	<i>Tridosahara, Balya, Bringhana, Mutrakricchahara, Ashmarihara, Pramehahara, Dahahara, Bastishodhana, Vrushya, Dipana, Shvasa-kasahara, Hridrogahara, Arshahara, Kustahara, Shulahara, Bastivatahara, Rasayana</i>
The Ayurvedic Pharmacopoeia of India	<i>Tridosahara, Balya, Bringhana, Dipana, Keshya, Mutrala, Shothahara, Vrushya, Vedanasthapana</i>

8. *Gokshura* for health and well-being in *Ayurveda*

The meaning of *Gokshura* as *Vrushya* (aphrodisiac) and *Mutravirechaniya* (diuretic) was first explained in *Charaka Samhita* and *Sushruta Samhita* based on their characteristics. When describing drugs and their effects, the terms "*Mutrala*" and "*Mutravirechaniya*" seem to be very similar, although their understanding is slightly different. *Mutrala dravyas* are those that increase urine output but do not necessarily excrete urine. However, *Mutravirechaniya dravyas* are substances that are easily excreted from the body regardless of the amount of urine produced.^[12]

8.1. *Charaka Samhita* (1000 BCE)

In *Charaka Samhita*, *Gokshura* is designated as *Mutravirechaniya* (diuretic), *Shothahara* (edemareliever), *Krimighna* (Antihelmenthic), Use *Gokshura* boiled milk to check for bleeding, especially the urethral.^[8] In addition, this original manuscript also mentioned various formulations of *Gokshura* in compound.^[8]

8.2. *Sushruta Samhita* (1000 BCE):

In *Sushruta Samhita*, *Gokshura* is mentioned in a variety of groups [Table 3]. So many compound formulations in which *Gokshura* appears as an ingredient in *Sushruta Samhita*.^[13]

8.3. *Ashtanga Hridaya* (600 AD)

Ashtanga Hridaya is a well-known book in medieval *Ayurvedic* classics, advocating the use of *Gokshura* to treat dysuria. *Vagbhata* has mentioned *Gokshura Rasayana*, as well as different formulations of *Rasayana* therapy. *Gokshura* also appears in various compound formulations in this document.^[14]

8.4. *Bhavaprakasha* (1600 AD)

Bhavaprakasha written by *Bhavamishra* and divided into two parts. It suggests that people should take the *Gokshura* seed decoction mixed with *Yavakshara*, Relieves dysuria, gravel and urolithiasis. *Gokshura* whole herb soup mixed with sugar and honey can alleviate all types of dysuria and *Ushnavata*. *Gokshura*, *Varuna* and *Shunthi* soup should be taken with honey.^[15, 16]

8.5. *Amarakosha* (500 AD)

In this book, the whole topic is divided into three parts. Its first two parts each consist of ten chapters, while the last part has five chapters. *Gokshura* is mentioned in the second part of the *Vanaoushadhi Varga* drug group.^[17]

8.6. *Vrindamadhava* (900 AD)

In this book *Vrinda Madhava* mentioned that milk boiled with it can be used to control bleeding. A decoction mixed with *Gokshura* and *Yavakshara* seeds treats *Sharkara*, dysuria, and urolithiasis. *Gokshura*, *Ikshuraka*, *Shatavari*, *Kapikacchu*, *Nagabala*, and *Atibala*. This powder is a good aphrodisiac when taken with milk at night.^[18, 19]

8.7. *Nighantu*

Nighantu is a unique ingredient in the field of *Ayurveda*. Food substances are reused for

energy and physical development, while medicines are used to relieve diseases. [20]

8.7.1. *Dhanvantari Nighantu* (10th -13th Century AD)

It is believed to be written by *Mahindra Bhogika*. *Gokshura* is mentioned in the *Guduchyadi Varga* drug group. [21]

8.7.2. *Shodhala Nighantu* (12th Century AD)

This work by *Acharya Shodhala* describes *Gokshura* in *Guduchyadi Varga* and *Hrasva Panchamula* as *Gokanta*. He believes that it is best for pacifying *Pitta* and pacifying *Vata*. [22]

8.7.3. *Abhidhanaratnamala* or *Shadrassa Nighantu* (13th Century AD)

Gokshura is mentioned in the medicine *Svadu Skandha* (with the sweet taste of medicine). [23]

8.7.4. *Madhava Dravyaguna* (13th Century AD)

This work by *Madhava Kara* placed *Gokshura* under the *Vividh aoushadhi Varga* drug group. In this work, *Gokshura* is considered *Vrushya* (aphrodisiac), *Balya* (strength booster), and helps to treat *Mutrakriccha* (dysuria). [24]

8.7.5. *Hridaya Dipaka Nighantu* (13th Century AD)

This work was composed by *Acharya Bopadeva*. *Gokshura* is listed in this with the drugs of the *Doshagna Varga* group. [25]

8.7.6. *Madanapala Nighantu* (14th Century AD)

In this work, *Gokshura* is mentioned in the drugs of the group *Abhayadi Varga*. Its properties and synonyms are mentioned as mentioned above, and its principled *Doshakarma* is believed to be *Vatahara*. [26]

8.7.7. *Kaiyadeva Nighantu* (*Pathyapathya Vibodhaka*) (15th Century AD)

In this *Nighantu*, *Gokshura* is referred to as a drug in the *Oushadhadi Varga* group synonymous with the properties mentioned above. Regarding *Doshas'* actions, according to this work, it is considered *Kaphavata Shamaka*. [27]

8.7.8. *Raj Nighantu* (*Nighantu Raj/ Abhidhana Chudamani*) (17th Century AD)

This *Nighantu* was composed by *Acharya Narahari Pandita*. A drug called *Gokshura* is listed in the *Shahatvadi Varga* group of drugs. As mentioned earlier, this work has two types of *Gokshura*, along with properties and synonyms. [10]

8.7.9. *Mahaoushadha Nighantu* (19th Century AD)

The author of this work is *Pandita Aryadas Kumar Singh*. *Gokshura* is mentioned synonymously with its characteristics as a constraint of the *Bilvadi Varga* group. [28]

8.7.10. *Nighantu Adarsha* (20th Century AD)

The author of this work is *Vaidya Bapalal*. This work is a stand-out work for identification of various drugs. *Gokshura* is mentioned in *Pataladi Varga* group of drugs along with its properties, therapeutical uses and synonyms along with its three types in this work. [7]

8.7.11. *Saraswati Nighantu* (20th Century AD)

The work of Dr. S.D. Kamath describes *Gokshura* in *Ulapadi Varga* group along with its synonyms. In this work there is a separate mention of *Ikshugandha* with synonyms and citing *Gokshura*. [29]

8.7.12. *Priya Nighantu* (20th Century AD)

Acharya Priyavrata Sharma in his work *Priya Nighantu*, describes *Gokshura* in *Haritakyadi Varga* group of drugs. it is known as *Vanashringhataka*; and as it is similar to molars of dog, it is known as *Shvadamshtra*. He has also mentioned botanical description of the plant along with its properties and therapeutical uses. [19]

8.7.13. *Shankara Nighantu* (1983)

This work composed by *Pandita Shankardutta Goud*. There are two types of *Gokshura* according to this work. Botanical description of both the types is mentioned in this work too. [30]

9. **Description of *Gokshura* in *The Ayurvedic Pharmacopoeia of India***

T. terrestris is included as a monograph in *The Ayurvedic Pharmacopoeia of India* Part-I & Volume VI and mentioned along with its definition, synonyms, macroscopic and microscopic description, identity, purity and strength, assay, constituents, properties and actions, important formulations, therapeutic uses and dose. [1]

9.1. **Purity and strength**

Foreign matter should not be more than 2%. Total ash value should not exceed more than 1% whereas acid-soluble ash should not exceed more than 4%.

9.2. **Active constituents**

T. terrestris contains alkaloids as terrestriamide, tribulusamide A, B. Also it has steroidal saponin namely terrestrosin C, D, E, F, G, H, I, J and K, terrestroneoside A and F, terreside A and B, terrestroside F; tribulosaponin A and B, tribulosin, protodioscin saponin C, prototribestin, terrestrosin J, isoterrestrosin B. It also contains flavonoid glycosides namely isorhamnetin-3-gentiotrioside, quercetin-3-gentiobioside-7-glucoside. Additionally, it also has amide in the form of moupinamide.

10. Pharmacological actions and scientific evidence of classical uses of *Gokshura*

On a review, it was found that the following biochemical & pharmacological activities has been published:

10.1. Anthelmintic activity

The extracts of *T. terrestris* show in vitro anti-helminthic activity against *Caenorhabditis elegans*.^[31]

10.2. Antibacterial activity and Antifungal activity

The ethanol extract showed antimicrobial activity against both gram-positive and gram-negative bacteria and antifungal activity.^[32]

10.3. Antifilarial activity

Hot water extract of the plant, in a mixture with *Melia rachta* (15%), *Sida cordifolia* (15%), *T. terrestris* (12%), *Terminalia chebula* (39%), and *Tinospora cordifolia* (19%), at a concentration of 100 mcg/ml, produced weak activity on *Acanthocheilonemaviteae*. A concentration of 500 mcg/ml was active.^[33]

10.4. Anti-inflammatory activity

The dried fruit, administered by gastric intubation to mice at a dose of 2 gm/kg in a preparation containing *Bombyx mori*, *Aconitum sinense*, *Alpinia species*, *Menthaarvensis*, and *Sophora flavescens*, was active versus dextran-induced pedal edema, leakage of dye into the peritoneal cavity and yeast-induced inflammation of the paw in a rat model.^[34]

10.5. Anti-mycobacterial activity

Chloroform extract of the dried entire plant, on an agar plate, was active on *Mycobacterium phlei*, MIC 41.6 gm/liter.^[34]

10.6. Antispasmodic activity

Ethanol (95%) extract of the entire plant, at a concentration of 10 mcg/ml, was active on guinea pig ileum versus Ach-, histamine-, and Barium chloride-induced spasms. [35]

10.7. Antitumor activity

Water extract of the dried fruit, at a dose of 100 mg/kg was active on the mouse Sarcoma 180 (ASC) (H, 1988). There is a notable change in gene expression of CXCR4, CCR7, and BCL2 after the treatment of breast cancer cells with saponin extract from *T. terrestris*. [36]

10.8. Anti-urolithiasis activity

Ethanol (95%) extract of the dried fruit, administered intragastrically to rats at a dose of 25 mg/kg, was active versus seed-induced cystolithiasis. [37]

10.9. Aphrodisiac activity

Phytochemical and pharmacological studies in humans and animals revealed an important role for *T. terrestris* in treating erectile dysfunction and sexual desire problems. It was also reported that the drug *T. terrestris* has more potential than Ashvagandha and Kapikachhu. All three drugs are good enhancers of sexual function and behavior by increasing the testosterone levels and regulating the NF- κ B and Nrf2/HO-1 pathway in male rats. [38]

10.10. Antifungal activity

Hot water extract of the dried entire plant was active on *Candida albicans*. [39]

10.11. Benign Prostatic Hyperplasia improvement

Hot water extract of the dried entire plant, in a preparation that also contained *Orchis mascula*, *Lactucaserrifolia*, *Asterantha longifolia*, *Macuna Pruriens*, *Oarmeliaperlata*, *Argyreia speciosa*, *Leptadenia reticulata*, and gold, was taken orally by 45 patients with prostatitis and 10 patients serving as untreated controls. Of the 38 patients with benign hyperplasia in the test group, 28 improved and did not need surgery. All of the controls needed surgery. [40]

10.12. Cardiotonic activity

The tribulosin reduced the myocardial apoptosis rate and treated rats showed reduced MDA, AST, CK, CDH contents with elevated activity of SOD. The major phytochemical saponin is positive in response to dilate the coronary artery and improves circulation in blood vessels. [41]

10.13. Diuretic activity

Hot water extract of the plant, administered intraperitoneally to male rats at a dose of 0.2 ml/animal, was active. The duration of action was 60 minutes. [42] The aqueous extract of it in

an oral dose of 5 gm/kg elicited a positive diuresis, which was slightly more than that of furosemide. In addition to its diuretic activity, it had evoked a contractile activity on the Guinea pig ileum. ^[43]

10.14. Hypocholesterolemic activity

The extract (aqueous) of the fruits of *T. terrestris* was evaluated for the hypolipidemic activity in Wistar albino rats with a decrease in cholesterol, triglycerides, low-density lipoprotein (LDL), very-low-density lipoprotein (VLDL), and atherogenic index (AI), and an increase in high-density lipoprotein (HDL) levels in the blood. Hypolipidemic activity may be due to the presence of phenolic compounds. ^[44]

10.15. Hypotensive activity

Ethanol (95%) extract of the dried entire plant, administered intraperitoneally to mice and intravenously to rabbits at a dose of 500 mg/kg was active. ^[45] A dose of 50 mg/kg, administered intravenously to dogs, was effective. ^[46]

10.16. Immunomodulatory effect

An alcoholic extract of the whole plant of *T. terrestris* exhibited a significant dose-dependent increase in humoral antibody titer and delayed-type hypersensitivity response, indicating increased specific immune response. ^[47]

10.18. Antidiabetic activity

The decoction of *T. terrestris* showed inhibition of gluconeogenesis in mice. ^[48]

10.19. Sclerosing effect

Saponin fraction of the dried leaf, administered intravenously to adults, was active. The biological activity has been patented. ^[49]

10.20. Skeletal muscle relaxant activity

Ethanol (95%) extract of the entire plant, administered intraperitoneally to mice at a dose of 300 mg/kg was active. ^[50]

10.21. Toxicity

The methanol extract of the plant showed cytotoxic effects, the others did not show the same. The water extract showed genotoxic and estrogenic effects, while the other extracts had anti-estrogenic properties. ^[51]

10.22. Anti-oxidant and protective activity

The drug showed the anti-oxidant properties in DPPH and FRAPS methods. ^[52]

11. Clinical trials on *Gokshura*

A good number of clinical trials have been done on *Gokshura*, which are as: sexual dysfunction activity in women, ^[53] Erectile Dysfunction and LUTS (Lower Urinary Tract Symptoms) in late-onset hypogonadism activity, ^[54] Male sexual dysfunction activity, ^[55] Hypoglycemic and hypolipidemic activity on women with Diabetes Mellitus, ^[56] Benign Prostatic Hyperplasia, ^[57, 59] Microalbuminuria in Diabetes mellitus, ^[58] Oligozoospermic activity, ^[60] Menopausal transition symptoms, ^[61] Nephrolithiasis. ^[62]

12. Discussion

This review finds that for medicinal purposes all the parts of *Gokshura* have been used extraneously. During the review, we found that *Gokshura* was present in most of the classical textbooks with the name *Gokshura*, *Svadanstra*, and *Trikantaka*.

As stated in this review it is clear that *Gokshura* is designated as *Mutravirechaniya* (diuretic), *Shothahara* (anti-inflammatory), *Krimighna* (Anthelmintic), *Anuvasanopaga* (unctuous enema) ^[7] *Vrushya* (Aphrodisiac), ^[8] *Bala-krut* (Strength promotor), *Basti-shodhana* (Intestinal cleanser), *Dipana* (Appetizer), *Pushtida* (Strength promotor), *Ashmarihara* (Anti-urolithiasis), *Pramehahara* (Anti-diabetic), *Shvasahara-Kasahara* (Improve respiratory diseases), *Arshahara* (Piles), *Mutrakricchahara* (Improve Urinary tract infection), *Hridrogahara* (Cardiac protective), ^[16] *Bringhana* (Growth promotor), *Shulahara* (Pain reliever) ^[10], *Vatahara* (*pacifies Vatadosha*), ^[11] *Tridoshahara* (Pacifies all doshas), *Dahahara* (Improve burning sensation), *Kusthahara* (Improve skin diseases), and *Rasayana* (Rejuvenator). ^[26]

Gokshura (*T. terrestris*) has been shown to exhibit anthelmintic, ^[31] antifungal and antimicrobial activity against Gram-positive and Gram-negative bacteria, ^[32] anti-urolithiasis activity, ^[37] aphrodisiac activity, ^[38] anti-inflammatory, ^[34] diuretic, ^[42,43] hypotensive, ^[45,46] anti-diabetic activity, ^[48] cardiogenic activity, ^[41] anti-hyperlipidemic, ^[44] anti-tumor, ^[36] immunomodulatory, ^[47] antioxidant. ^[52]

Just as scientific verification in clinical cases confirmed the empirical use mentioned in Ayurveda, it has been confirmed in scientific platform, as shown below; female sexual dysfunction, ^[53] late-onset gonads Erectile dysfunction, and LUTS (lower urinary tract symptoms) of hypo function, hypoglycemia and hypolipidemic effects in diabetic women, ^[72] benign prostatic hyperplasia, ^[57, 59] Microalbuminuria in diabetes, ^[58] menopausal transition symptoms, ^[61] kidney stones. ^[62]

T. terrestris contains biologically – rich compounds as steroids, saponin, flavonoids, alkaloids, glycosides, and unsaturated acids, which are involved in promoting numerous physiological

responses. ^[63] A large number of furosterol glycosides are found, including protodiasaponins and proanthocyanidins, which are important for the treatment of erectile dysfunction. ^[64]

13. Conclusion

The plant *Gokshura* has been used since centuries in Ayurvedic system of Medicine. It has been used to treat sexual disorders. *Gokshura* has long been used in traditional medicine to relieve urinary tract diseases, diabetes, worms, piles, and as an anti-inflammatory, and analgesic plant. It is concluded that *T. terrestris* has anti-inflammatory, analgesic, diuretic, aphrodisiac, and rejuvenator effects.

Acknowledgement:

The authors are cordially thankful to the Departmental Library, (Department of Dravyaguna, Faculty of Ayurveda, Institute of medical Sciences, Banaras Hindu University) and IMS Library of Banaras Hindu University.

Author contributions

Contributor 1; Literature search; Manuscript preparation; Contributor 2; Conceptualization; Design; Definition of intellectual content; Manuscript editing; Editing; Contributor 3; Data acquisition, Manuscript review

Conflict of interest

The authors state that they have no known competing financial interests or personal ties that could have seemed to influence the work disclosed in this study.

NOTE:

The study highlights the efficacy of "Ayurveda" which is an ancient tradition, used in some parts of India. This ancient concept should be carefully evaluated in the light of modern medical science and can be utilized partially if found suitable.

COMPETING INTERESTS DISCLAIMER:

Authors have declared that no competing interests exist. The products used for this research are commonly and predominantly use products in our area of research and country. There is absolutely no conflict of interest between the authors and producers of the products because we do not intend to use these products as an avenue for any litigation but for the advancement of knowledge. Also, the research was not funded by the producing company rather it was funded by personal efforts of the authors.

References

1. Anonymous. The Ayurvedic Pharmacopoeia of India, Part 1. In Anonymous, The Ayurvedic Pharmacopoeia of India, Part 1, 1st ed; Vol. VI; Government of India, Ministry of Health and Family Welfare, Department of Ayurveda, Yoga & Naturopathy, Unani, Siddha and Homeopathy, 2008, pp 56–58.
2. Holm, L. G., P.D. The World's Worst Weeds: Distribution and Biology. In The World's Worst Weeds: Distribution and Biology. Holm, P. D., Ed. LG, 1977. Honolulu, Hawaii, USA: University Press of Hawaii.
3. Christenhusz, M. J. M.; Byng, J. W. Phytotaxa 2016, 261 (3), 201–217. DOI: 10.11646/phytotaxa.261.3.1
4. Parsons, W. T.; C. E. Noxious Weeds of Australia. In Noxious Weeds of Australia. Parsons, C. E., Ed. WT; Inkata Press, 1992, (p 692).
5. Ross, I. A. Medicinal Plants of the World. In *Medicinal Plants of the World*; Vol. 2. Ross, I. A., Ed.; Humana Press, 1997, pp 411–422.
6. Sharma, P. Dravyaguna Vijnana. In Dravyaguna Vijnana; Vol. 2. Sharma, P., Ed.; ChaukhambhaBharati Academy, 2006, pp 233–234.
7. Vaidya, B. G. Nighantu Adarsh. In *Nighantu Adarsh*. Vaidya, B. G., Ed.; Chaukhambha Bharti Academy, 1999.
8. Agnivesha. Charaka Samhita. In *Agnivesha*, Samhita, C., Ed. Shastry, K., Trans.; Chaukhambha Bharti Academy, 2013.
9. Bhavamishra. 2004. Bhavaprakasha Nighantu. In Bhavamishra. *Bhavaprakasha Nighantu* (G. P. KC Chunekar, Trans., pp. 279-281); Chaukhambha Bharti Academy.
10. Pandit, N. Raj Nighantu. In *Raj Nighantu*, 6th ed. Tripathi, I., Ed. (Tripathi, I., Trans.; ChaukhambhaKrishnadas Academy, 2016, p 69.
11. Gaud, P. S. Shankara Nighantu. In *Shankara Nighantu*. Gaud, P. S., Ed.; ChaukhambhaVidyabhawan, 2002, (p 75).
12. Bhat, S. D.; Ashok, B. K.; Acharya, R. Critical Analysis of Herbs Acting on Mutravaha Srotas. *Ayu*2010, 31 (2), 167–169. DOI: [10.4103/0974-8520.72379](https://doi.org/10.4103/0974-8520.72379)
13. Sushruta. *Sushruta Samhita*. Samhita, S., In, S., Trikamji, A. Y., Eds.; Krishnada Academy, 1980.
14. Vagbhata. Ashtanga Hridayam (The Core of Octopartite Ayurveda) with the Commentaries (Sarvangasundara of Arunadutta and Ayurvedarasayana of Hemadri). In *Vagbhata, Hridayam, A., Ed.(The core of Octopartite Ayurveda) with the commentaries (Sarvangasundara of Arunadutta and Ayurvedarasayana of Hemadri)* (Reprint Ninth Edition ed.); ChaukhambhaOrientalia, 2005.
15. Mishra, B. Bhavamishra-virachita Bhavaprakasha Edited with the Vidyotani Hindi Commentary. In *Bhavamishra-virachita Bhavaprakasha Edited with the Vidyotani Hindi Commentary* (Reprint Eleventh Edition ed., Vol. Second Volume). Mishra, B., Ed.; Chaukhambha Sanskrit Bhawan, 2010.
16. Bhavamishra. 2004. Bhavaprakasha Nighantu. In Bhavamishra. *Bhavaprakasha Nighantu* (G. P. KC Chunekar, Trans., pp. 279-281); Chaukhambha Bharti Academy.
17. Shastri, P. H. Amarakosha of Amarasimha with Ramashrami Commentary of BhanujiDikshita. In *Amarakosha of Amarasimha with Ramashrami Commentary of BhanujiDikshita*. Shastri, P. H., Ed.; Chaukhambha Sanskrit Sansthana, 1957, (p 207).
18. Vrinda. Vrindamadhava or Siddha Yoga. In *Vrindamadhava or Siddha Yoga*, 1st ed ed. Vrinda, Tiwari, D. P., Eds. (Tiwari, D. P., Trans.; ChaukhambhaVishvabharti, 2007.
19. Sharma, P. Priya Nighantu. In *Priya Nighantu*. Sharma, P., Ed.; Chaukhambha Sanskrit Academy, 2004, (p 13).
20. Anonymous. Benchmarks for Training in Ayurveda, Benchmarks for Training in Traditional/Complimentary and Alternative Medicine. In *Anonymous, Benchmarks for Train-*

ing in Ayurveda, *Benchmarks for Training in Traditional/Complimentary and Alternative Medicine*; WHO, 2010.

21. Bhogik, M. 2008. Dhanvantari Nighantu (Sanskrit Text with English Translation). In M. Bhogik. *Dhanvantari Nighantu (Sanskrit Text with English Translation)*(Singh, D. A., Trans., p. 42; ChaukhambhaOrientalia.
22. Pandey, P. G. Acharya Shodhala's Shodhala Nighantu (Text with English-Hindi Commentary). In *Acharya Shodhala's Shodhala Nighantu (Text with English-Hindi Commentary)*. Pandey, P. G., Dwivedi, P. R., Eds. (Pandey, P. G., Trans.; ChaukhambhaKrishna-das Academy, 2009, pp 203–204.
23. Prasad, D. G. Shadrassa Nighantu (Abhidhana Ratnamala). In *Shadrassa Nighantu (Abhidhana Ratnamala)*. Prasad, D. G., Sastry, V. P., Eds.; Chaukhambha Sanskrit Series Office, 2009, (p 15).
24. Sharma, P. Madhava Dravyaguna (Bhava-svabhava-vada). In *Madhava Dravyaguna (Bhava-svabhava-vada)*. Sharma, P., Ed.; ChaukhambhaVidyabhawan, 1973.
25. Sharma, P. Shri Vopadevakrit Hridayadipaka Nighantu and Siddhamantra. In *Shri Vopadevakrit Hridayadipaka Nighantu and Siddhamantra*. Sharma, P., Ed.; ChaukhambhaAmarabhartiPrakashana, 1977, (p 99).
26. Madanapala. Madanapala Nighantu. In *Madanapala, Nighantu, M., Ed. Pandey, G., Trans.; ChaukhambhaOrientalia, 2012.*
27. Kaiyadeva. Kaiyadeva Nighantu. In *Kaiyadeva, Nighantu, K., Ed. (G. S. PV Sharma, Trans.); ChaukhambhaOrientalia, 1979.*
28. Aryadas-Kumar-Singh. 2006. Mahaoushadha Nighantu. In Aryadas-Kumar-Singh. *Mahaoushadha Nighantu*(Tripathi, I., Trans., pp. 109–110); Chaukhambha Bharti Academy.
29. Kamath, S. Studies on Medicinal Plants & Drugs in Saraswati Nighantu (Edited with Notes & Discussions). In *Studies on Medicinal Plants & Drugs in Saraswati Nighantu (Edited with Notes & Discussions)*. Kamath, S., Ed.; Chaukhambha Sanskrit Pratisthana, 2006, (p 43).
30. Gaud, P. S. Shankara Nighantu. In *Shankara Nighantu*. Gaud, P. S., Ed.; ChaukhambhaVidyabhawan, 2002, (p 75).
31. Kiran, B.; L. V. In-Vitro Evaluation of Aqueous and Solvent Extract of Tribulus terrestris L. Leaf Against Human Bacteria. *Int. J. Pharm. Tech. Res***2011**, *3*, 1897–1903.
32. Sheehan, M. P.; S. H. Follow-Up of Adult Patients with Atopic Eczema Treated with Traditional Chinese Herbal Therapy for 1 Year. *Clin. Exp. Dermatol.***1995**, *132* (4), 136–140.
33. Comley, J. C. W.; Titanji, V. P.; Ayafor, J. F.; Singh, V. K. In-Vitro Antifilarial Activity of Some Medicinal Plants. *Acta Leiden.***1990**, *59* (1–2), 361–363.
34. Chae, B. Y.; H. N. Studies on the Efficacy of Combined Preparation of Crude Drug (XLI). Effects of Tongkwan-San. *Korean J. Pharmacogn.***1990**, *21* (2), 163–172.
35. Chakraborty, B.; N. N. Pharmacological Properties of Tribulus terrestris. *Indian J. Pharm. Sci.***1978**, *40*, 50–52.
36. Goranova, T. E., B.S.; Bozhanov, S. S.; Lozanov, V. S.; Mitev, V. I.; Kaneva, R. P.; Georgieva, E. I. Changes in Gene Expression of CXCR4, CCR& and BCL2 After Treatment of Breast Cancer Cells with Saponin Extract of Tribulus terrestris. *Neoplasma***2015**, *62* (1), 27–33. DOI: [10.4149/neo_2015_004](https://doi.org/10.4149/neo_2015_004)
37. Anand, R.; Patnaik, G. K.; Srivastava, S.; Kulshreshtha, D. K.; Dhawan, B. N. Evaluation of Anti-Urolithiatic Activity of Tribulus terrestris. *Int. J. Pharmacogn.***1994**, *32* (3), 217–224. DOI: [10.3109/13880209409082997](https://doi.org/10.3109/13880209409082997)
38. Sahin, K.; Orhan, C.; Akdemir, F.; Tuzcu, M.; Gencoglu, H.; Sahin, N.; Turk, G.; Yilmaz, I.; Ozercan, I. H.; Juturu, V. Comparative Evaluation of the Sexual Functions and NF-KB

- and Nrf2 Pathways of Some Aphrodisiac Herbal Extracts in Male Rats. *B.M.C. Complement. Altern. Med.* **2016**, *16* (1), 318. DOI: [10.1186/s12906-016-1303-x](https://doi.org/10.1186/s12906-016-1303-x)
39. MM. Management of Systemic Fungal Infections with Chinese Herbal Medicines. *Int J Orient Med*, *15*(3)**1990**, V (B), 141–145.
 40. Mukherjee, S.; G. T. Effect of Speman on Prostatism- A Clinical Study. *Probe* **1986**, *25*, 237–240.
 41. Phillips, O. A.; Mathew, K. T.; Oriowo, M. A. Antihypertensive and Vasodilator Effect of Methanolic and Aqueous Extracts of *Tribulus terrestris* in Rats. *J. Ethnopharmacol.* **2006**, *104* (3), 351–355. DOI: [10.1016/j.jep.2005.09.027](https://doi.org/10.1016/j.jep.2005.09.027)
 42. Nilvises, N.; C. K. Some Pharmacological Effects of the Extract of Zygophyllaceae, *Tribulus terrestris*. *Mahidol Univ. Ann. Res Abstr* **1979**, 73–.
 43. Al-Ali, M.; Wahbi, S.; Twaij, H.; Al-Badr, A. *Tribulus terrestris*: Preliminary Study of Its Diuretic and Contractile Effects and Comparison with *Zea mays*. *J. Ethnopharmacol.* **2003**, *85* (2–3), 257–260. DOI: [10.1016/S0378-8741\(03\)00014-X](https://doi.org/10.1016/S0378-8741(03)00014-X)
 44. Khan, S.; K. H. Antihyperlipidemic Potential of Fruits of *Tribulus terrestris* Linn. *Int. J. Biol. Med. Res.* **2011**, *2*, 98–101
 45. Mossa, J. S.; A.-Y. M.-M. Phytochemical and Biological Screening of Saudi Medicinal Plants- Part 5. *Filoterapia* **1983**, *54* (4), 147–152.
 46. Dhar, M. L., D.M.; Dhar, M. M.; Dhawan, B. N.; Mehrotra, B. N.; Ray, C. Screening of Indian Plants for Biological Activity: Part 1. *Indian J. Exp. Biol.* **1968**, *6* (4), 232–247.
 47. Tiwari, A.; S. N. Effect of Five Medicinal Plants Used in Indian System of Medicine on Immune Function in Wistar Rats. *Afr. J. Biotechnol.* **2011**, *10*, 1637–1645.
 48. Li, M.; Qu, W.; Chu, S.; Wang, H.; Tian, C.; Tu, M. Effect of the Decoction of *Tribulus terrestris* on Mice Gluconeogenesis. *Zhong Yao Cai* **2001**, *24* (8), 586–588.
 49. Kemertelidze, E. P., P.T. ‘Tribusponin’ - An Antisclerotic Agent. *Otkrytiya Izobret Prom. Obratsy Tovarnye Znaki* **1977**, *54* (29), 10–.
 50. Al-Yahya, M. A., A.M. I. Biological Studies on Saudi Medicinal Plants. 42nd International Congress of Pharmaceutical Sciences, F.I.P. 82, Copanhegan, Denmark (1982), 1982, p 86–.
 51. Abudayyak, M.; Jannuzzi, A. T.; Özhan, G.; Alpertunga, B. Investigation on the Toxic Potential of *Tribulus terrestris* In Vitro. *Pharm. Biol.* **2015**, *53* (4), 469–476. DOI: [10.3109/13880209.2014.924019](https://doi.org/10.3109/13880209.2014.924019)
 52. Bhuvad, S.; N. K. Assessment of Free Radical Scavenging Activity of Ten Madhuras-kandha Drugs Through UV Spectroscopic and Chromatographic Technique. *J. Pharm. Pharm. Sci.* **2016**, *8* (3), 92–96.
 53. Akhtari, E.; R. F. *Tribulus terrestris* for Treatment of Sexual Dysfunction in Women: Randomized Double-Blind Placebo-Controlled Study. *Daru* **2014**, *20* (1), 40. DOI: [10.1186/2008-2231-22-40](https://doi.org/10.1186/2008-2231-22-40)
 54. GamalEl Din, S. F., A.S.; Abdel Salam, M. A.; Mohamed, M. S.; Ahmed, A. R.; Motawaa, A. T.; Saadeldin, O. A.; Elnabarway, R. R. *Tribulus terrestris* Versus Placebo in the Treatment of Erectile Dysfunction and Lower Urinary Tract Symptoms in Patients with Late-Onset Hypogonadism: A Placebo-Controlled Study. *Urologia* **2019**, *86* (2), 74–78. DOI: [10.1177/0391560318802160](https://doi.org/10.1177/0391560318802160)
 55. Kamenov, Z.; Fileva, S.; Kalinov, K.; Jannini, E. A. Evaluation of the Efficacy and Safety of *Tribulus terrestris* in Male Sexual Dysfunction- A Prospective, Randomized, Double-Blind, Placebo-Controlled Clinical Trial. *Maturitas* **2017**, *99*, 20–26. DOI: [10.1016/j.maturitas.2017.01.011](https://doi.org/10.1016/j.maturitas.2017.01.011)
 56. Samani, N. B.; J. A. Efficacy of the Hydroalcoholic Extract of *Tribulus terrestris* on the Serum Glucose and Lipid Profile of Women with Diabetes Mellitus: A Double-Blind

- Randomized Placebo-Controlled Clinical Trial. *J. Evid. Based Complement. Altern. Med.* **2016**, *21* (4), NP91-NP97. DOI: [10.1177/2156587216650775](https://doi.org/10.1177/2156587216650775)
57. Senguta, G.; H. A. Comparison of MorrayaKoeniggi and Tribulus terrestris Based Oral Formulation Versus Tamsulosin in the Treatment of Benign Prostatic Hyperplasia in Men Aged >50 Years: A Double-Blind, Double-Dummy, Randomized Controlled Trial. *Clin. Ther.* **2011**, *33* (12), 1943–1952. DOI: [10.1016/j.clinthera.2011.11.005](https://doi.org/10.1016/j.clinthera.2011.11.005)
 58. Ramkete, R. S.; T. A. Clinical Efficacy of Gokshura-Punarnava Basti in Management of Microalbuminuria in Diabetes Mellitus. *Ayu* **2012**, *33* (4), 537–541. DOI: [10.4103/0974-8520.110535](https://doi.org/10.4103/0974-8520.110535)
 59. Bhalodia, S. G., B.C.; Bhuyan, C.; Gupta, S. K.; Dudhamal, T. S. Gokshuradi Vati and Dhanyaka-Gokshura Ghrita Matra Basti in the Management of Benign Prostatic Hyperplasia. *Ayu* **2012**, *33* (4), 547–551. DOI: [10.4103/0974-8520.110532](https://doi.org/10.4103/0974-8520.110532)
 60. Sellandi, T. M.; Thakar, A. B.; Baghel, M. S. Clinical Study of Tribulus terrestris Linn. in Oligozoospermia: A Double Blind Study. *Ayu* **2012**, *33* (3), 356–364. DOI: [10.4103/0974-8520.108822](https://doi.org/10.4103/0974-8520.108822)
 61. Fatima, L.; Sultana, A. Efficacy of Tribulus terrestris L. (Fruits) in Menopausal Transition Symptoms: A Randomized, Placebo-Controlled Study. *Adv. Integr. Med.* **2017**, *4* (2), 56–65. DOI: [10.1016/j.aimed.2017.04.005](https://doi.org/10.1016/j.aimed.2017.04.005)
 62. Rahman, M. N., A.M. A Randomized Open Label Clinical Trial of Kar-E-Khasak (Tribulus terrestris) in the Management of Hisat-Ul-Kuliyah (Nephrolithiasis). *Int. J. Adv. Pharm. Biosci.* **2017**, *5* (3), 206–211.
 63. Baburao, B.; R. G. Anti-Inflammatory and Anti-Microbial Activities of Methanolic Extract of Tribulus terrestris Linn. *Plant. Int. J. Chem. Sci.* **2009**, *7*, 1867–1872.
 64. Kandhare, A. D., B.S.; Bodhankar, S. L.; Mohan, V.; Thakurdesai, P. A. Pharmacokinetics, Tissue Distribution and Excretion Study of a Furostanol Glycoside-Based Standardized Fenugreek Seed Extract in Rats. *Ren. Fail.* **2015**, *37* (7), 1208–1218. DOI: [10.3109/0886022X.2015.1057472](https://doi.org/10.3109/0886022X.2015.1057472)

Figure 1: Showing A. Whole Fresh plant of *T. terrestris* Linn. B. Whole Dry plant of *T. terrestris* Linn.

Figure 2: Showing Synonyms of Gokshura A. Chanadruma (Leaves looking like leaves of Gram) B. Kantakaphala (Spiny fruits) C. Vanasringataka (Fruits similar to Trapa fruits)

Table 1: Rasa Panchaka of Gokshura according to different Ayurvedic texts

Table 2: Karma (Therapeutic action) of Gokshura according to various Ayurvedic Classics