

Review Form 1.6

3/1

Journal Name:	Asian Journal of Pregnancy and Childbirth
Manuscript Number:	Ms_AJPCB_76453
Title of the Manuscript:	Demand and Significance of Informal Postnatal Care Support System in Lagos state: A Feasibility Study
Type of the Article	Original Research Article

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

<http://peerreviewcentral.com/page/manuscript-withdrawal-policy>

Review Form 1.6

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Compulsory REVISION comments	<p>1. The discrepancy between the percentages indicated in the text and the percentages indicated in the figure or in the table is unacceptable. When describing a specific research position, the numbers must match. I would like to ask you to eliminate such inconsistencies in: 3.1.4.3. Close to two-third respondents (65%)... Fig. 5. – NO 65% There is 64,95! 3.1.4.6. Only 6%... Fig. 7 – NO 6% There is 5,8%</p> <p>2. There is no link to fig. 8.</p> <p>3. In the part 3.1.4.8. there is a description of willingness to pay, but there are np tables with the certain numbers of the respondents. How was the p value counted?</p> <p>4. Fig. 2 does not carry a semantic load, tk. this ratio is indicated in the text.</p>	
Minor REVISION comments	<p>1. There are some punctuation issues (3.1.4.7 – no dot at the end of a sentence).</p> <p>2. Duplication of information in the text and figures should be eliminated as percentage if given in the figure. 3.1.1. The largest age group was among the young adult women between the ages of 25 – 44 years (90%) which also represent the age group within the childbearing age range. The age group with the least number of respondents-; age group 45 - 64 years (4%) (Fig. 1). 3.1.4. Nine out of ten respondents reported having had some sort of postnatal care (Fig. 2). The informal networks reported having delivered postnatal care services included: Respondent family (52%), Husband and In-Laws (37%), Multiple sources (8%), Other sources – Hired helps, neighbors, and religious designate (3%) (Table4). Close to two-thirds of respondents reported that the informal support they got for postnatal care lasted more than a month. Other respondents reported duration of less than a week (4%), a week (8%) and 2 – 4 weeks (27%) as depicted in Fig.3.</p> <p>3. I recommend that the name of the figures and tables should be given without the word "Percentage": Table 3. Distribution of respondents ... Fig. 5. Distribution of mothers... Fig. 8 Distribution of demand... Fig. 9. Distribution of mothers...</p>	
Optional/General comments	<p>1. Maybe, it is possible to reformulate the (Place and duration of the study) part abstract: Data collection lasted for two weeks Data collection took 14 days: Month day – Month day.</p>	

[Review Form 1.6](#)

PART 2:

	Reviewer's comment	Author's comment <i>(if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)</i>
Are there ethical issues in this manuscript?	<i>(If yes, Kindly please write down the ethical issues here in details)</i>	

Reviewer Details:

Name:	<i>Kateryna Semchenko</i>
Department, University & Country	<i>National University of Pharmacy, Ukraine</i>