

ACCEPTANCE OF COVID-19 VACCINE IN THE UNIVERSITY OF PORT HARCOURT COMMUNITY (LECTURERS AND TEACHERS)

ABSTRACT

Background: Vaccine acceptance is one thing that must be achieved before the masses can volunteer to be vaccinated. Vaccine acceptance is defined as the individual or group's decision to accept or refuse when presented with an opportunity to vaccinate. Acceptance can be active (adherence by an informed public that perceives the benefit of and needs for a vaccine) or passive (compliance by a public that defers to recommendations and social pressure). It will not be out of place to state that the University of Port Harcourt will not be spared in the distribution of the cases as such if no drastic action for vaccination is taken. Therefore, vaccine acceptance is essential. Hence, this study was done to survey the acceptance of the covid-19 vaccine amongst the lecturers and teachers in the University community. **Materials and Methods:** The study was cross-sectional carried out at the University of Port Harcourt in Rivers State. The study population was the public tertiary institutions in Rivers State which comprised only the teaching staff. The sample size used for the study was four hundred and sixty persons calculated using the Taro Yamane formula for a population less than ten thousand; the sampling technique used was simple random sampling. The data collection tool used for the study was a self-structured closed-ended questionnaire. **Results and Discussions:** The results of the study showed that the acceptance rate of COVID 19 vaccine by the UPWA staff members was 7.4%, UNIPORT lecturers was 8.7%, and UDSS staff members were 9.1%. The UDSS staff members had the highest level of acceptance. The total acceptance rate for COVID 19 vaccine in this population was 25.2%. The difference in the proportion is statistically significant at $p < 0.001$. **Conclusions:** The comparison of the variables showed that age category, occupation, sex, marital status, educational level, and insurance were all statistically significant ($p = 0.001$) with the acceptance COVID 19 vaccine by UPWA staff, UNIPORT staff members and UDSS staff. The result showed that about a quarter of the sampled population was willing to take the vaccine. This study recommends the intensification of a campaign that is geared towards enhancing COVID 19 vaccine acceptance and uptake.

Keywords: Acceptance, COVID 19, Vaccine, UNIPORT community, & Teachers.

INTRODUCTION

The coronavirus disease 2019 (COVID-19) is a communicable respiratory disease caused by a new strain of coronavirus that causes illness in humans SARS Cov-2. One of the major solutions to the growing rate of infectivity is vaccination. However, there are factors limiting the mass vaccination of the masses ranging from an improper understanding of the concept of vaccination, fear of side effects, and religious reasons. Vaccine acceptance is one thing that must be achieved before the masses can volunteer to be vaccinated. Vaccine acceptance is defined as the individual

or group's decision to accept or refuse when presented with an opportunity to vaccinate. Acceptance can be active (adherence by an informed public that perceives the benefit of and needs for a vaccine) or passive (compliance by a public that defers to recommendations and social pressure). [1]

In Nigeria, Rivers State, there is a rapidly growing prevalence of COVID 19 cases which have become a great concern to the state government and the nation by extension. As at September 8, 2021, the number of laboratory-confirmed COVID 19 cases in Rivers the state was 10,898, 774 persons on admission, number discharged 9,987, and the number of deaths 137. [2] Currently, Rivers State is the third state with the highest number of cases in Nigeria. This raises a concern on reducing the prevalence and the methods of prevention, and vaccination appears to be a viable option to keeping achieving the reduction in the number of cases and possibly flattening the curve.

The University of Port Harcourt is the first Federal tertiary institution in Rivers State. Rivers State is in the South-South region and a major economic city known for crude oil exploration in the country has had its share of the pandemic. It will not be out of place to state that the University of Port Harcourt will not be spared in the distribution of the cases as such if no drastic action for vaccination is taken. Therefore, vaccine acceptance is essential. Hence, this study was done to survey the acceptance of the covid-19 vaccine amongst the lecturers and teachers in the University community.

There are already existing works of literature on COVID19 vaccine acceptances in Rivers State, Nigeria, Africa. [3-12]

MATERIALS AND METHODS

The study was cross-sectional carried out in the University of Port Harcourt in Rivers State. The study population was the public tertiary institutions in Rivers State which comprised only the teaching staff. The sample size used for the study was four hundred and sixty persons calculated using the Taro Yamane formula for a population less than ten thousand; the sampling technique used was simple random sampling. The data collection tool used for the study was a self-structured closed-ended questionnaire. The tool was structured with the following headings; Section A-socio-demographic characteristics, Section B-Perception of the vaccine and Section C- Vaccine acceptability. The questionnaires were interviewer-administered. The data were analyzed using IBM Statistical Package for Social Sciences (SPSS) version 25. The categorical variables were analyzed using a simple descriptive tool and chi-square to test for the association of variables. The confidence interval was set at 95%, p-value at 0.05. Ethical clearance was obtained from the University of Port Harcourt Research Ethics Committee before commencement of the study.

RESULTS

Table 1: Sociodemographic characteristics

| Variable | Frequency | Per cent |
|---------------------|------------------|-----------------|
| Age category | | |
| 18 – 28 yrs | 28 | 6.1 |

| | | |
|--------------------------------|-----|-------|
| 29 - 39 yrs | 150 | 32.6 |
| 40 – 49 yrs | 151 | 32.8 |
| 50 – 59 yrs | 91 | 19.8 |
| 60 – 69 yrs | 37 | 8.0 |
| ≥70 yrs | 3 | 0.7 |
| Total | 460 | 100.0 |
| Occupation | | |
| UPWA Primary & Secondary staff | 92 | 20.0 |
| UNIPORT lecturers | 213 | 46.3 |
| UDSS staff | 155 | 33.7 |
| Total | 460 | 100.0 |
| Sex | | |
| Male | 252 | 54.8 |
| Female | 200 | 43.5 |
| Don't want to disclose | 8 | 1.7 |
| Total | 460 | 100.0 |
| Marital status | | |
| Married | 314 | 68.3 |
| Single | 130 | 28.3 |
| Don't want to disclose | 16 | 3.4 |
| Total | 460 | 100.0 |
| Religion | | |
| Islam | 44 | 9.6 |
| Christianity | 404 | 87.8 |
| Catholic | 5 | 1.1 |
| Others | 7 | 1.5 |
| Total | 460 | 100.0 |
| Level of Education | | |
| No formal education | 1 | 2.4 |
| Completed primary | 8 | 1.7 |
| Completed junior secondary | 7 | 1.5 |
| Completed senior secondary | 128 | 27.8 |
| Completed tertiary | 306 | 66.5 |
| Total | 460 | 100.0 |
| Health insurance | | |
| Government | 320 | 69.6 |
| Private | 49 | 10.7 |
| No insurance | 91 | 19.8 |
| Total | 460 | 100.0 |

Table 2a: Descriptive statistics on the acceptance of COVID 19 vaccine

| Variable | Frequency | Per cent |
|--------------------------------------------------|-----------|----------|
| Have you heard of vaccination ? | | |
| Yes | 454 | 98.7 |
| No | 6 | 1.3 |
| Total | 460 | 100.0 |
| Have you taken any other vaccine before ? | | |
| Yes | 444 | 96.5 |

| | | |
|-----------------------------------------------------|-----|-------|
| No | 16 | 3.5 |
| Total | 460 | 100.0 |
| Have you, family or neighbour had COVID 19 ? | | |
| Yes | 28 | 6.1 |
| No | 419 | 91.1 |
| Not sure | 13 | 2.8 |
| Total | 460 | 100.0 |
| Availability of COVID 19 vaccine | | |
| Yes | 436 | 94.8 |
| No | 24 | 5.2 |
| Total | 460 | 100.0 |
| Are you willing to be vaccinated ? | | |
| Yes | 116 | 25.2 |
| No | 117 | 25.4 |
| Have been vaccinated | 206 | 44.8 |
| Not decided | 21 | 4.6 |
| Total | 460 | 100.0 |
| Are you willing to pay for the vaccine ? | | |
| Yes | 55 | 12.0 |
| No | 319 | 69.3 |
| Don't know | 86 | 18.7 |
| Total | 460 | 100.0 |
| Reasons for not taking the vaccine | | |
| Not sure of safety | 15 | 3.2 |
| Not sure of effectiveness | 29 | 6.3 |
| Fear of side effects such as fever & pain | 33 | 7.2 |
| No trust in vaccine | 35 | 7.6 |
| Religious belief | 5 | 1.1 |
| Not applicable | 343 | 74.6 |
| Total | 460 | 100.0 |

Table 2b: Descriptive statistics on the acceptance of COVID 19 vaccine cont'd

| Variable | Frequency | Per cent |
|---------------------------------------------------------------------------|------------------|-----------------|
| Who would you consult before taking the vaccine ? | | |
| Family members | 93 | 20.2 |
| Health worker | 243 | 53.9 |
| Religious leader | 49 | 10.7 |
| Community leader | 4 | 0.9 |
| Government officials | 63 | 13.6 |
| Others | 3 | 0.7 |
| Total | 460 | 100.0 |
| Preferable vaccine designated location for vaccination | | |
| General hospital | 261 | 56.7 |
| Private hospital | 106 | 23.0 |
| Home delivery | 50 | 10.9 |
| Primary healthcare centres | 43 | 9.4 |
| Total | 460 | 100.0 |
| Would you like to get further information about COVID 19 vaccine ? | | |
| Yes | 383 | 83.2 |
| No | 56 | 12.2 |
| Don't know | 21 | 4.6 |
| Total | 460 | 100.0 |
| How would you like to get more information about COVID 19 ? | | |
| Social media such as Whatsapp, Facebook, Instagram, Twitter | 49 | 10.7 |
| Telecommunication such as SMS and calls | 18 | 3.9 |
| Online platforms such as zoom, skype | 99 | 21.5 |
| Print and Electronic media, TV, Newspaper | 140 | 30.4 |
| Face to face communication | 154 | 33.5 |
| Total | 460 | 100.0 |

Table 3: Comparison of socio-demographic characteristics with acceptance of COVID 19 vaccine

| Variable | Are you willing to take the COVID-19 Vaccine | | | Total | χ^2 | P-value |
|--------------------------|----------------------------------------------|-----------|-------------|------------|----------|---------|
| Age category | Yes | No | Not decided | | | |
| 18 – 28 yrs | 28(6.1) | 0(0) | (0) | 28(6.1) | | |
| 29 - 39 yrs | 46(10.0) | 36(7.8) | 68(14.8) | 150(32.6) | | |
| 40 – 49 yrs | 29(6.3) | 48(10.4) | 74(16.1) | 151(32.8) | | |
| 50 – 59 yrs | 9(2.0) | 29(6.3) | 53(11.5) | 91(19.8) | 116.328 | 0.001 |
| 60 – 69 yrs | 4(0.9) | 18(3.9) | 15(3.3) | 37(8.0) | | |
| ≥70 yrs | 0(0.0) | 3(0.7) | 0(0) | 3(0.7) | | |
| Total | 116(25.2) | 134(29.1) | 210(45.7) | 460(100.0) | | |
| Occupation | | | | | | |
| UPWA staff | 34(7.4) | 5(1.1) | 53(11.5) | 92(20.0) | | |
| UNIPORT staff | 40(8.7) | 93(20.2) | 80(17.4) | 213(46.3) | | |
| UDSS staff | 42(9.1) | 36(7.8) | 77(16.8) | 155(33.7) | 123.780 | 0.001 |
| Total | 116(25.2) | 134(29.1) | 210(45.7) | 460(100.0) | | |
| Sex | | | | | | |
| Male | 68(14.8) | 52(11.3) | 132(28.7) | 252(54.8) | | |
| Female | 48(10.4) | 82(17.8) | 78(15.2) | 208(43.5) | 33.340 | 0.001 |
| Total | 116(25.2) | 134(29.1) | 210(45.7) | 460(100.0) | | |
| Marital Status | | | | | | |
| Single | 56(12.2) | 34(7.2) | 41(8.9) | 131(28.3) | | |
| Married | 60(13.0) | 100(21.7) | 154(33.5) | 314(68.3) | 43.994 | 0.001 |
| Total | 116(25.2) | 134(29.1) | 210(45.7) | 460(100.0) | | |
| Educational level | | | | | | |
| No formal education | 4(0.9) | 3(0.7) | 4(0.9) | 11(2.5) | | |
| Completed primary | 0(0) | 5(1.1) | 3(0.7) | 8(1.8) | 42.870 | 0.001 |
| Completed junior sec. | 3(0.7) | 0(0) | 4(0.9) | 7(1.6) | | |
| Completed senior sec. | 49(10.7) | 23(5.0) | 56(12.2) | 128(27.8) | | |
| Completed tertiary | 60(13.0) | 103(22.4) | 143(31.1) | 306(66.5) | | |
| Total | 116(25.2) | 134(29.1) | 210(45.7) | 460(100.0) | | |
| Health insurance | | | | | | |
| Government | 68(14.8) | 97(21.1) | 155(33.7) | 320(69.6) | | |
| Private | 39(8.5) | 4(0.9) | 6(1.3) | 49(10.7) | | |
| No insurance | 9(2.0) | 33(7.2) | 49(10.5) | 91(19.7) | 90.923 | 0.001 |
| Total | 116(25.2) | 134(29.1) | 210(45.7) | 460(100.0) | | |

Table 4: Comparison of level of acceptance COVID 19 vaccine by UPWA staff, UNIPORT staff members and UDSS staff members

| Variable | Are you willing to take the COVID-19 Vaccine | | | Total | X ² | P-value |
|-----------------------|----------------------------------------------|-----------|-------------|------------|----------------|---------|
| | Yes | No | Not decided | | | |
| Occupation | | | | | | |
| UPWA staff | 34(7.4) | 5(1.1) | 53(11.5) | 92(20.0) | | |
| UNIPORT staff members | 40(8.7) | 93(20.2) | 80(17.4) | 213(46.3) | 123.780 | 0.001 |
| UDSS staff | 42(9.1) | 36(7.8) | 77(16.8) | 155(33.7) | | |
| Total | 116(25.2) | 134(29.1) | 210(45.7) | 460(100.0) | | |

Table 5: Adverse effects of COVID 19 vaccination seen among participants

| Variable | Frequency | Per cent |
|-----------------------------------------|-----------|----------|
| Post vaccination adverse effects | | |
| High blood pressure & fever | 8 | 1.7 |
| Body weakness & pains | 32 | 7.0 |
| High blood pressure & insomnia | 3 | 0.7 |
| Headache | 10 | 2.2 |
| Heaviness of arm, pains | 15 | 3.3 |
| High blood pressure only | 7 | 1.5 |
| No side effect | 125 | 27.2 |
| Not applicable | 260 | 56.4 |
| Total | 460 | 100.0 |

DISCUSSIONS

Summary of Results

The results of the study showed that the most frequent age category was 40 – 49 yrs with 151(32.8%), while the least was ≥ 70 yrs with 3(0.7%); the males had the highest frequency with 252(54.8), while females had 200(43.5%) and participants that did not want to disclose their sex was 8(1.7%). The married were most frequent with 314(68.3%), Christianity was the most frequent religion with 404(87.8%), educational level with the most frequent value was tertiary education with 306(66.5%). (Table 1)

Comparison of the variables showed that age category, occupation, sex, marital status, educational level, and insurance were all statistically significant ($p=0.001$) with the acceptance COVID 19 vaccine by UPWA staff, UNIPORT staff members, and UDSS staff. (Table 3)

Table 4 showed that the acceptance rate of the COVID 19 vaccine by the UPWA staff members was 7.4%, UNIPORT lecturers were 8.7%, and UDSS staff members were 9.1%. The UDSS staff members had the highest level of acceptance. The difference in the proportion is statistically

significant at $p < 0.001$. The total acceptance rate for COVID 19 vaccine in this population was 25.2%.

The adverse effects of COVID 19 vaccination seen among participants who have already taken the vaccine showed that the most frequent side effect reported was body weakness & pains with 32(7.0%), while the least reported was high blood pressure & insomnia with 3(0.7%). (Table 5)

Implications

The total acceptance rate for COVID 19 vaccine in this population was 25.2%. The study showed that there was a significant difference in the rate of acceptance of COVID 19 vaccine between the various staff members of the schools. UDSS staff members had the highest rate of acceptance, while the least was UPWA staff members. The result in this context did not show that education level had much influence on the rate of acceptance. Otherwise, it is expected that the university lecturers who are much more educated should have had the highest rate of acceptance. This may also mean that the more educated an individual is, the more cautious the person is in doing things especially when there are possibilities of unknown side effects as is the case of the COVID 19 vaccine. These findings agree with the earlier reports by previous authors on vaccine acceptance. [3-7]

The age brackets 29-39yrs were most willing to take the vaccine. This is probably because of their high-risk appetite. It is common knowledge that at a young age, the tendency to take risks is high and diminishes with advancing age. The study showed that participants who were 70years and above were the least willing to take the vaccine, even though they are more vulnerable to contracting COVID 19 because of their relatively weak immune system and the chances of survival minimal as a result of comorbidities that come with increasing age. The older demographics may have probably not have been willing to take the vaccine because of the fear of the unknown. This is because the COVID 19 vaccine is new and the fear of unknown adverse effects may have deterred them from accepting it. The study again showed that there was sexual dimorphism in the rate of acceptance of the vaccine. The males were noted to have accepted the vaccine more than the females. This probably was a result of a higher risk appetite in the males than the females. Participants who have completed tertiary education were more willing to take the vaccine compared to those who did not have a formal education. Education as it were, plays a vital role in understanding and in attitudinal change. Taking the vaccine is considered to be based on the understanding of the individual on the risk and dangers of infection if the person is not vaccinated, this understanding comes with education. The more educated an individual is, the more likely the person would easily understand things better compared to the one who does not have a formal education. Furthermore, the participants who have government insurance were more willing to take the vaccine than those who do not have any insurance. The insurance scheme gave them more courage to take the vaccine knowing that they are insured. These findings corroborate the previous reports by other authors. [8-12]

The most frequent adverse effect recorded among the participants was general body weakness and pains; the least was elevated blood pressure and insomnia.

CONCLUSIONS

The results of the study showed that the most frequent age category was 40 – 49 yrs with 151(32.8%), while the least was ≥ 70 yrs with 3(0.7%); the males had the highest frequency with 252(54.8), while females had 200(43.5%) and participants that did not want to disclose their sex was 8(1.7%). The married were most frequent with 314(68.3%), Christianity was the most frequent religion with 404(87.8%), educational level with the most frequent value was tertiary education with 306(66.5%). Comparison of the variables showed that age category, occupation, sex, marital status, educational level, and insurance were all statistically significant ($p=0.001$) with the acceptance COVID 19 vaccine by UPWA staff, UNIPORT staff members and UDSS staff.

The total acceptance rate for COVID 19 vaccine in this population was 25.2%. The study showed that there was a significant difference in the rate of acceptance of COVID 19 vaccine between the various staff members of the schools. UDSS staff members had the highest rate of acceptance, while the least was UPWA staff members.

The result showed that about a quarter of the sampled population was willing to take the vaccine. This however is not encouraging enough as it does not reflect the anticipated level of awareness about the risk of infection if individuals are not vaccinated. This study recommends intensification of the campaign that is geared towards enhancing COVID 19 vaccine acceptance and uptake.

COMPETING INTERESTS DISCLAIMER:

Authors have declared that no competing interests exist. The products used for this research are commonly and predominantly use products in our area of research and country. There is absolutely no conflict of interest between the authors and producers of the products because we do not intend to use these products as an avenue for any litigation but for the advancement of knowledge. Also, the research was not funded by the producing company rather it was funded by personal efforts of the authors.

REFERENCES

1. Dudley MZ, Privor-Dumm L, Dubé È, MacDonald NE. 2020. Words matter: vaccine hesitancy, vaccine demand, vaccine confidence, herd immunity and mandatory vaccination. *Vaccine* 38:709–11.
2. Nigerian Centre for Disease Control. Confirmed Cases by State. <https://covid19.ncdc.gov.ng/>

3. Malik AA, McFadden SM, Elharake J, Omer SB. Determinants of COVID-19 vaccine acceptance in the US. *EClinicalMedicine*. 2020;26:100495.
4. Lazarus JV, Ratzan SC, Palayew A, Gostin LO, Larson HJ, Rabin K, Kimball S, El-Mohandes A. A global survey of potential acceptance of a COVID-19 vaccine. *Nature medicine*. 2021;27(2):225-8.
5. Harapan H, Wagner AL, Yufika A, Winardi W, Anwar S, Gan AK, Setiawan AM, Rajamoorthy Y, Sofyan H, Mudatsir M. Acceptance of a COVID-19 vaccine in Southeast Asia: a cross-sectional study in Indonesia. *Frontiers in public health*. 2020;8.
6. Shekhar R, Sheikh AB, Upadhyay S, Singh M, Kottewar S, Mir H, Barrett E, Pal S. COVID-19 vaccine acceptance among health care workers in the United States. *Vaccines*. 2021 Feb;9(2):119.
7. Al-Mohaithef M, Padhi BK. Determinants of COVID-19 vaccine acceptance in Saudi Arabia: a web-based national survey. *Journal of multidisciplinary healthcare*. 2020;13:1657.
8. Machida M, Nakamura I, Kojima T, Saito R, Nakaya T, Hanibuchi T, Takamiya T, Odagiri Y, Fukushima N, Kikuchi H, Amagasa S. Acceptance of a COVID-19 Vaccine in Japan during the COVID-19 Pandemic. *Vaccines*. 2021;9(3):210.
9. Yin F, Wu Z, Xia X, Ji M, Wang Y, Hu Z. Unfolding the determinants of COVID-19 vaccine acceptance in China. *Journal of medical Internet research*. 2021;23(1):e26089.
10. Mannan DK, Farhana KM. Knowledge, attitude and acceptance of a COVID-19 vaccine: A global cross-sectional study. *International Research Journal of Business and Social Science*. 2020;6(4).
11. Alqudeimat, Y., Alenezi, D., AlHajri, B., Alfouzan, H., Almokhaizeem, Z., Altamimi, S., Almansouri, W., Alzalalah, S. and Ziyab, A.H., 2021. Acceptance of a COVID-19 vaccine and its related determinants among the general adult population in Kuwait. *Medical Principles and Practice*, 30(3), pp.262-271.
12. Loomba S, de Figueiredo A, Piatek SJ, de Graaf K, Larson HJ. Measuring the impact of COVID-19 vaccine misinformation on vaccination intent in the UK and USA. *Nature human behaviour*. 2021;5(3):337-48.