

Note : The errors have been revised and corrected of what was written the red colored font or yellow

shaded

An evaluation of technical efficiency and Garret ranking technique of paddy and wheat Growers

ABSTRACT

This study is objected an evaluation of technical efficiency and garret ranking technique of paddy and wheat growers has been conducted to identify technical efficiency level and major constraints faced by farmers. Multistage random sampling was used to acquire sample farmer. 20 villages were selected randomly from the Dabra block thereafter, a list of paddy and wheat farmers from each selected village was prepared then classified into five major categories on the basis of their land holding i.e. marginal, small, semi medium, medium, and large. Then a sample of 30 farmers were selected in each category by simple random sampling technique under proportionate allocation from 20 treated as strata thus, 150 paddy and 150 wheat farmers were selected. **The most important results of study were observed that** the likelihood test ratio (LR test) for the inefficiency term on paddy farms was at 32.91 which was significant and suggesting that the inefficiency component is present in the model. In the case of wheat farms, the likelihood test ratio (LR test) was noted 1.02 which was insignificant and suggesting that the inefficiency component is not present in the model. The highest technical efficiency (88%) was found on the paddy farms as comparison to wheat farms (72%). This implied that on an average 12 per cent and 28 per cent of the technical potential was not achieved by paddy and wheat growers respectively. **So the study reached** wheat growers having more opportunity to amplify the yield in comparison to paddy growers by adopting crop management practices.

Key words: Technical efficiency, Allocative efficiency, Garret Ranking, Paddy, Wheat, Constraints

1. Introduction

Paddy and wheat is the India's prominent and most essential food grain crop. The production of paddy and wheat is **represented** an important part of the national economy because paddy and wheat together feed more than half of the country's population. India is the second largest producer of paddy and wheat in the world after china. Paddy is one of the oldest cultivate crop and has been cultivated in India for several thousand years. In India, **the cultivated area of paddy is about** 43.79 million hectare **that are produced about** 112 million tones and **its** productivity 2.578 tonnes/ha, whereas **the cultivated area of** wheat occupies 29.58 million hectare **which produce about** 99.70 million tonnes and **its** productivity are about 3.371 tonnes/ha. In Madhya Pradesh, paddy is grown mainly as an **autumn** crop on 2.04 million hectare with the production of 4.12 million tones and productivity 2.026 tonnes/ha, **but** wheat is grown on 5.32 million hectare which produced about 15.91 million tonnes and **its productivity are** 2.993 tonnes/ha, respectively. Thus rice and wheat production not only makes the country food sufficient nation but also strengthen its agrarian economy. Since agriculture is the major source of income for most of the population of country, rice and wheat **are** the majorly grown crops **which** plays key role in enhancing income of the farmers ^[1].

2. Research Methodology

The present study was confined to Gwalior district of Madhya Pradesh because this district has a remarkable position of paddy and wheat crop in the fixed zone, and also for the convenience of the researcher to get more accurate information. Gwalior district has four blocks namely Bhitwar, Dabra, Morar and Ghatigaon. At the first stage of sampling, Dabra Block was selected purposively, due to comprise maximum cultivated area of paddy and wheat about 37710.03 ha and 47961.20 ha respectively. At the second stage of sampling, a list of the paddy and wheat growing villages were prepared from selected block (Dabra) then 20 villages namely: Akbai Badi, Masudpur, Salaiya, Kardu, Beer Muhana, Lakhiya, Khareya, Girgheda, Patha Panihar, Anat Path, Beru Gawan, Kheri Parashasar, Rampura, Khidwae, Maharajpur, Chomo, Chhimak, Ikona, Patharra, and Ghamad Pura were selected randomly. In the third stage, a list of paddy and wheat growing farmers from each selected village was prepared then classified into five major categories according to their land holding i.e. marginal (less than 1ha) small (1-2 ha), semi medium (2-4 ha), medium (4-10 ha) and large (10 ha or more). Then a sample of 30 farmers were selected in each category by simple random sampling technique under proportionate allocation from twenty villages treated as strata by using the given formula as follow:

$$n_i = \frac{N_i}{N} \times n$$

Where:

n_i = i^{th} stratum sample size.

N_i = i^{th} stratum size.

N = Population size.

n = total sample size.

Thus, in all 300 farmers (150 paddy growers and 150 wheat growers) were selected. After selection of respondent, the primary data (2019-20, kharif and rabi) as regards quantity of input used with their price, yield, gross income etc. were collected through pre-tested interview schedule by survey method. Each selected respondent were approached personally for collecting the relevant data.

2.1 Analytical tools

The potential yield may be interpolated from the yield of research managed plots^[2] or the most efficient farmer in a sample^[3]. The latter approach was adopted for this study to find out potential yield of wheat and paddy farmers. The production function maps the maximum possible output can be achieved for a given quantity of set inputs. Most farmer fail to operate the production surface due to technical inefficiency^[4]. The production technology of each farm was characterized by Cobb Douglas production function and estimated by using ordinary least square method. Experience has shown that it is desirable to use simple function involving as few parameter as is practically feasible and perform best, since convergence problem in the estimation process can occur when there are a large number of independent variable in the estimated equation. The Cobb Douglas function form is a compromise between a complex production process and a complex estimation technique. The estimated equation was used to examine Timmer's measure of technical efficiency and Kopp's^[5] measures of allocative efficiency of inputs utilized in paddy and wheat. The Timmer's measures of technical efficiency of j th farm is the ratio of actual output to potential output, given the level of input use in j th farms. Thus it indicated that how much extra output could be obtained if j th farm are on frontier. The specification of stochastic Cobb Douglas production function in general form is:

$$Y_j = b^i e^{u_j}$$

This can be written in double log linear form as :

$$\ln Y_j = b_0 + \sum_{i=1}^n b_i \ln X_{ij} + U_j$$

where

\ln = Natural logarithm

Y_j = Production of jth crop (qtl/ha).

b_i = Regression coefficient to be estimated.

b_0 = constant.

U = Stochastic error incorporating the effect of unknown and unexpected variable.

e = natural exponent.

$i = 1, 2 \dots 7$.

X_i = inputs like: quantity of seed (kg/ha), quantity of fertilizer (kg/ha), human labour (man days/ha), machinery labor (hours/ha), plant protection chemical (liter/ha), quantity of manure ton/ha, number of irrigation /ha.

The random distribution U_i are assumed to follow a one side distribution (e.g. truncated normal, gamma, exponential, etc) and independent and identically distributed. In addition, the sets of inputs (X_i) are assumed to be independent of disturbances. Therefore, the frontier function takes the form: [6]

$$\ln Y^* = b_0^* + \sum_{i=1}^n b_i \ln X_{ij} + U_j$$

Where:

$\ln Y_i^*$ = Frontier level of production.

b_0^* = Corrected intercept estimate.

$$\text{Technical efficiency (TE)} = \frac{\ln Y_j}{\ln Y_j^*} < 1$$

$\ln Y_j$ = Actual production of j^{th} crop.

$\ln Y_j^*$ = Potential production of j^{th} crop

The stochastic frontier production has been specified as follows:

$$\ln Y = b_0 + b_1 \ln X_1 + b_2 \ln X_2 + b_3 \ln X_3 + b_4 \ln X_4 + b_5 \ln X_5 + b_6 \ln X_6 + b_7 \ln X_7 + (v_i - u_i)$$

Where,

Y = Output (quintal/ha)

X_1 = Quantity of seed (kg/ha)

X_2 = Quantity of fertilizer (kg/ha)

X_3 = Human labour (man days/ha)

X_4 = Machinery labour (hrs/ha)

X_5 = Plant protection chemical (liter/ha)

X_6 = Quantity of manure tone/ha

X_7 = Number of irrigation /ha

a = Constant

$b_1 \dots b_7$ Regression coefficient of respective inputs

$v_i - u_i$ = Random error

\ln = Natural logarithm

The model was estimated by using STATA software.

2.2 Allocative efficiency

Allocative efficiency is a marginal condition for profit maximization i.e. for efficient resources allocation one should use more of the resources as long as the value of the added product is greater than the cost of the added amount of resources in producing it. The resources are to be considered efficiently used and profit will be maximum when the ratio of MVP (marginal value production) to MFC (marginal fixed cost) are equal one or in other word, MVP and MFC for each input are equal. When the marginal physical product (MPP) is measured in monetary term it is called MVP. MFC is the price of one additional unit of input, the MVP of particular resources represents the additional to gross return in the value terms caused by an addition of one unit of that resources while other input are held constant. The most reliable and perhaps the most useful estimate of MVP was obtained by taking resources (Xi) as well as gross return (Y) and their geometric means. MVP which was computed by multiplying the production coefficient of given resources with the ratio of geometric mean of gross return to the geometric mean of the given resources i.e. [7, 8]

Note : ECONOMICALLY , we can determine:

- Marginal production (MP) is the change in the total product when one more unit is added to the variable factor is known as the marginal product.
- Value of Marginal production (VMP): is the product of a multiplication of the marginal production (mp) and price of one unit of production (p_y) .

$$\ln Y = \ln a + \sum b_i \ln X_i$$

$$\frac{dY}{dX_i} = b_i \frac{Y}{X_i}$$

$$\text{Therefore, MVP } X_i = b_i \frac{\bar{Y}_{(GM)}}{\bar{X}_{i(GM)}}$$

Where:

Y = Mean value (GM) of gross output

X_i = Mean value of the ith variable input

ln = Natural logarithm and i = 1, 2...7

GM = Geometric mean

$$\frac{dY}{dY_i} = \text{Slope of the production function as well MVP of } i^{\text{th}} \text{ input}$$

2.3 Garret ranking technique

Garret ranking technique was used to find out most prominent constraints faced by paddy and wheat growers in the study area. This technique helps in converting the changes of

orders of constraints in to numerical scores ^[9]. Several constraints were noted and enlisted in tabular form based on prevailing conditions in the selected area. During the survey, respondents were requested to rank the constraints without any bias. The obtained ranks were then converted to the per cent position by using the formula shown below. ^[10]

$$\text{Per cent position} = 100 \times (R_{ij} - 0.5) / N_j$$

Where, R_{ij} = Rank given for the i^{th} factor by j^{th} farmer.

N_j = No. of constraints ranked by the j^{th} person.

Using Garrett's conversion table, the calculated per cent positions were converted to Garrett score. The sum and mean value of Garrett scores were worked out from the scores attributed to each constraint by the individual respondents. Mean score obtained for each constraint were arranged in the ascending order and the constraint with the maximum mean score was identified as the serious problem faced by the paddy and wheat farmers in the research area.

3. Results and discussion

As it was shown in table (1), The stochastic Cobb Douglas production function was used to evaluate the parameter of the frontier model individually for both the crop (paddy and Wheat). It is depicted from the table 1 that the estimated value of the variance of parameters under both the crops was observed statistically significantly. ^[11] It indicates that the technical efficiency parameter has an important impact on the yield of paddy and wheat production. Further, the result shows that the estimated value of λ (lambda) and sigma square were observed to be significant in both the crops (paddy and wheat) implying that the selected model was characterized by better goodness of fit, and the distributional assumption of the inefficiency /efficiency term was acceptable. Further, the table revealed the value of lambda was observed 3.30, and 0.84 in the paddy and wheat crop respectively for the half-normal model which implying that the one-sided error term "U" dominated implying that variation in the yield in the study area was due to the variation in farm-characteristics like, age, learning, experiences, cultural practices, knowledge, training, and technology, etc. The likelihood test ratio (LR test) for the inefficiency term on paddy farms was observed at 32.91 which was significant and suggesting that the inefficiency component is present in the model. In the case of wheat farms, the likelihood test ratio (LR test) was noted 1.02 which was insignificant and suggesting that the inefficiency component is not present in the model. On the paddy farms, all the independent factors have positive coefficient and all were observed statistically insignificant, except X_1 (seed) X_2 (fertilizer), and X_3 (human labour) which were positive and significant indicating that the efficiency of paddy farms could be enhanced by optimum use of significant of factors namely X_1 (seed), X_2 (fertilizer) and X_3 (human labour). As regarding wheat farms, the estimated value of coefficients X_2 (fertilizer) X_4 (machinery), and X_7 (irrigation) were observed positive and statistically highly significant indicating that the efficiency of wheat farms could be augmented by rational use of these factors in the production. The estimated value of X_1 (seed) ^[12] X_3 (machinery) and X_5 (plant protection) were observed negative, and non-significant except X_1 indicating overuse of these factor in the production.

Table 1: Estimated parameters of the stochastic frontier normal/ half Normal model of paddy and wheat production


| Factors | Paddy (N= 150) | | | | Wheat (N =150) | | | |
|---|-----------------|------------|--------|-------|----------------|------------|-------|-------|
| | Coefficient | Std. Error | Z | P> z | Coefficient | Std. Error | z | P> z |
| X ₁ =Quantity of seed (kg/ha) | 0.0487** | 0.0230 | 2.12 | 0.034 | -0.7645*** | 0.1774 | -4.31 | 0.000 |
| X ₂ = Quantity of fertilizer(kg/ha) | 0.7933*** | 0.0357 | 22.49 | 0.000 | 1.110*** | 0.2058 | 5.40 | 0.000 |
| X ₃ =Human Labour (man days /ha) | 0.6285** | 0.0327 | 1.92 | 0.055 | -0.2024 | 0.1307 | -1.55 | 0.121 |
| X ₄ = Machinery Labour(hrs/ha) | 0.0194 | 0.0162 | 1.20 | 0.231 | 0.3762*** | 0.1575 | 2.39 | 0.01 |
| X ₅ =Plant protection chemical(liter/ha) | 0.1533 | 0.3205 | 0.48 | 0.632 | -0.0935 | 0.214 | -0.44 | 0.663 |
| X ₆ = Quantity of manure (tone/ha) | 0.2189 | 0.0325 | 0.67 | 0.501 | 0.2684 | 0.1695 | 1.58 | 0.113 |
| X ₇ = Number of irrigation(/ha) | 0.3024 | 0.02760 | 1.10 | 0.273 | 0.4865*** | 0.2035 | 2.39 | 0.01 |
| Constant | -1.4274*** | 0.0110 | -12.89 | 0.000 | -0.2555 | 0.8449 | 0.30 | 0.762 |
| /lnsig2v | -6.147*** | 0.2948 | -20 | 0.000 | -1.0948*** | 0.2056 | -5.32 | 0.000 |
| /lnsig2u | -3.7537*** | 0.1661 | 22.59 | 0.000 | -1.4279** | 0.7078 | 2.02 | 0.044 |
| Sigma_ v | 0.04624 | 0.0068 | | | 0.5784 | 0.0594 | | |
| Sigma_ u | 0.15307 | 0.0127 | | | 0.4896 | 0.1733 | | |
| Sigma2 | 0.02556 | 0.0037 | | | 0.5743 | 0.1291 | | |
| Lambda | 3.30980 | 0.0164 | | | 0.8465 | 0.2201 | | |
| Log likelihood | 135.74 | | | | -147.99 | | | |
| Prob > chi2 | 0.000 | | | | 0.000 | | | |
| Wald chi2 (7) | 21476.47 | | | | 438.00 | | | |
| LR test of sigma_u=0 : chibar2(01) | 32.91 | | | | 1.02 | | | |

Source: Author computation by STATA software. Note asterisks (*, ** ***) indicate significance at the 10, 5, and 1% levels respectively

3.1 Efficiency wise distribution of paddy and wheat growers

The Technical Efficiency (TE) scores have been worked out from the stochastic frontier production model for paddy and wheat growers and presented in table 2 and fig 1. It was evident from the results that there were wide variations in the level of technical efficiency between paddy and wheat farmers in the study area due to farm characteristics. The average level of technical efficiency was found to be highest (88%)^[13] on the paddy farms as compared to wheat (72%)^[14]. This implied that on average 12 per cent and 28 per cent of the technical potential was not achieved by paddy and wheat growers respectively. Therefore wheat growers having more opportunities to amplify the yield as compared to paddy growers by adopting crop management practices without having to increase the level of application of inputs. 61 per cent majority of the paddy farmers operated under technical efficiency levels of more than 90 per cent. About 26 per cent of farmers lied between 80-90 per cent level of technical efficiency, 7 per cent farms lied between 70-80 per cent of technical efficiency level, and reaming 6 per cent farmer lied below 60 per cent level of technical efficiency. In essence, around 87 per cent of farmers were operating in the zone of (80 – MORE THAN 90) (NOT 70-90 per cent) technical efficiency level. As regarding wheat farms 55 per cent majority of the wheat farmers operated under technical efficiency levels 70-80 per cent, about 29 per cent wheat farmers lied between 60-70 per cent of technical efficiency level, 6 per cent wheat farmer lied 80-90 per cent technical efficiency level, 5 per cent wheat farmers lied more than 90 per cent of technical efficiency level and reaming 5 per cent farmer lied below 60 per cent level of technical efficiency. In essence, around 84 per cent of farmers were operating in the zone of 60-80 per cent technical efficiency level.

Fig: 1 Efficiency wise distributions of paddy and wheat growers



SOURCE: Data in table 2

Table 2 Efficiency wise, distribution of paddy and wheat growers

| Technical Efficiency level (in per cent) | Paddy | | Wheat | |
|--|-------------------|-------------------|-------------------|------------------|
| | Number of farmers | Per cent to total | Number of farmers | Percent to total |
| Less than 50 | 1 | 1% | 2 | 1% |
| 50-60 | 3 | 2% | 6 | 4% |
| 60-70 | 4 | 3% | 44 | 29% |
| 70-80 | 11 | 7% | 82 | 55% |
| 80-90 | 39 | 26% | 9 | 6% |
| More than 90 | 92 | 61% | 7 | 5% |
| Total farmers | 150 | 100% | 150 | 100% |
| Mean Technical Efficiency | 88 % | | 72 % | |

Source: STATA software

3.2 Allocative efficiency

The allocative efficiency of each input was calculated separately for both the crops (paddy and wheat) production at the overall farm level. The multiplicative regression model was used to calculate the elasticity of each input. The elasticity of input multiplied with the ratio of a geometric mean of output to the geometric mean of respective inputs for calculating MVP if marginal value product (MVP) and marginal Cost (MC) ratio are equal to 1 implied the optimum use of that resource, more than one indicates output may be enhanced by extra using of that resources and value of less than one inferred that the unprofitable level of resource use which should be decreased to minimize losses. The estimated MVP of different inputs are presented in table 3. It is observed from the table that MVP all the inputs except machinery and manure in paddy production were observed less than unity whereas in wheat production the MVP of all inputs less than unity except irrigation, manure, and machinery. Hence it is concluded that more profit can be obtained by increasing the use of machinery and manure in both the crop and increasing the number of irrigation is profitable only for wheat production. Finally, considering farmers of paddy and wheat production in the study area had scope to increase the productivity of both the crop by attaining full efficiency through reallocating the resources. Thus the use of resources is to be adjusted to unity depending upon the ratio to achieve full efficiency.

Table 3: Factor wise allocative efficiency in paddy and wheat production

| Factors | Paddy | | | | Wheat | | | |
|--------------------------------------|-------|----|--------------|-----------------------|-------|----|--------------|----------------------|
| | MVP | MC | MVP/MC Ratio | Allocative Efficiency | MVP | MC | MVP/MC Ratio | Allocative Efficient |
| X ₁ (Seed) | 0.09 | 1 | 0.09 | Not achieved | -0.17 | 1 | -0.17 | Not achieved |
| X ₂ (Fertilizer) | 0.07 | 1 | 0.07 | Not achieved | 0.10 | 1 | 0.10 | Not achieved |
| X ₃ (Human labour) | 0.067 | 1 | 0.067 | Not achieved | -1.40 | 1 | -1.40 | Not achieved |
| X ₄ (Machinery labour) | 1.24 | 1 | 1.24 | Not achieved | 1.08 | 1 | 1.08 | Not achieved |
| X ₅ (Plant protection) | 0.33 | 1 | 0.33 | Not achieved | -2.74 | 1 | -2.74 | Not achieved |
| X ₆ (Manure) | 1.28 | 1 | 1.28 | Not achieved | 1.34 | 1 | 1.34 | Not achieved |
| X ₇ (irrigation) | 0.20 | 1 | 0.20 | Not achieved | 3.32 | 1 | 3.32 | Not achieved |

Source: calculated from data of Field survey (Primary data 2019-20)

Note* - MVP and MC indicates marginal value product and marginal cost respectively.

MVP/MIC Ratio = 1 (Allocative Efficiency Achieved)

MVP/MIC Ratio = Greater than 1 or Less than 1 (Allocative Efficiency not Achieved)

3.4 Major constraints faced by paddy and wheat growers in the study area

Several constraints have been identified in the cultivation of paddy and wheat crops in the study area which is presented in table 4 which revealed, the major constraints such as unavailability of water/electricity, unavailability of credit, unavailability labour during peak period, unavailability of machinery during peak period, crop insurance, high cost of inputs, lack of knowledge of improved variety, balanced dose of fertilizer, lack of marketing facility, lack of soil testing and product quality, lack of training, **MSP (what is the meaning of msp)**, price fluctuation, processing, and transportation were reported by paddy and wheat cultivators. So a total of 15 general constraints in the paddy and wheat crop were selected and asked to farmers to give rank for each factor based on its severity in their area. Then constraint analysis carried out using Garrett's ranking technique. The results depicted that the major constraint faced by most of the majority of the paddy farmers were high input cost^[15] with garret score of 64.90 followed by unavailability of water/electricity during peak period^[16] (57.80), balance dose of fertilizer (53.77), unavailability of credit (53.00), unavailability of labour during peak period (51.60), lack of transportation facility (49.60), unavailability of machinery during peak period (49.57), crop insurance (48.97), lack of soil testing and product quality (48.80), lack of marketing facility (47.57), lack of training (47.57), price fluctuation (46.53), processing (46.07), MSP (43.60) and lack of knowledge


of improved variety (43.34). As regarding wheat crop, the major constraints were reported by the majority of wheat cultivators **were**. unavailability of water and electricity during peak period with a maximum garret mean score (65.41), followed by high input cost (65.31), balance dose of fertilizer (54.52), unavailability of credit (53.81), lack of knowledge of improved variety (51.58), crop insurance (49.50), price fluctuation (49.19), **Lack of Transportation facility** (47.55), lack of marketing facility (47.05), processing (44.81), lack of training (44.55), **Un-availability** of machinery (44.21), MSP (43.88), **Un-availability of Labor during peak** (43.79) and lack of soil testing and product quality (42.22).

Table 4: Major constraints faced by the majority of paddy and wheat growers

| Crop Constraints | Paddy (N = 150) | | Wheat (N = 150) | |
|---|--------------------|------|--------------------|------|
| | Mean garrets Score | Rank | Mean garrets Score | Rank |
| Un-availability of water/electricity | 57.80 | II | 65.41 | I |
| Un-availability of credit | 53.00 | IV | 53.81 | IV |
| Un-availability of machinery during peak period | 49.57 | VII | 44.21 | XII |
| Crop insurance | 48.97 | VIII | 49.50 | VI |
| High cost of inputs | 64.90 | I | 65.31 | II |
| Un-availability of Labor during peak | 51.60 | V | 43.79 | XIV |
| Lack of knowledge of an improved variety | 43.34 | XIV | 51.58 | V |
| Balance dose of fertilizer | 53.77 | III | 54.52 | III |
| Lack of marketing facility | 47.57 | X | 47.05 | IX |
| Lack of soil testing and product quality | 48.80 | IX | 42.22 | XV |
| Lack of training | 47.57 | XI | 44.55 | X |
| MSP | 43.60 | XIV | 43.88 | XIII |
| Price fluctuation | 46.53 | XII | 49.19 | VII |
| Processing | 46.07 | XIII | 44.41 | XI |
| Lack of Transportation facility | 49.60 | VI | 47.55 | VIII |

Source: Field survey (Primary data 2019-20)

Fig 2: Major constraints faced by paddy and wheat growers in the study area



Source: data in table 4

4. Conclusion

It is concluded that the likelihood test ratio (LR test) for the inefficiency term on paddy farms was observed at 32.91 which was significant and suggesting that the inefficiency component is present in the model. In the case of wheat farms, the likelihood test ratio (LR test) was noted 1.02 which was insignificant and suggesting that the inefficiency component is not present in the model. In stochastic frontier model factor X_1 (seed), X_2 (fertilizer) and X_3 (human labour) were observed significant indicating that the efficiency of paddy farms could be enhanced by using high yield variety and rationally use of fertilizer and human labour. While on the wheat farms factor X_2 (fertilizer) X_4 (machinery) and X_7 (irrigation) were observed statistically significant indicating that the efficiency of wheat farms could be augmented by optimally use of these factors in the wheat production. The average level of technical efficiency was found to be highest (88%) on the paddy farms in comparison to wheat (72%). This implied that on an average 12 per cent and 28 per cent of the technical potential was not achieved by paddy and wheat growers respectively. Therefore wheat growers having more opportunity to amplify the yield in comparison to paddy growers by adopting crop management practices, providing training on input use without having increasing the level of inputs. Around 87 per cent of paddy farmers were operating in the zone of 70-90 per cent technical efficiency level and around 84 per cent of wheat farmers were operating in the zone of 60-80 per cent technical efficiency level. The major five constraint faced by most of the majority of paddy farmers were high input cost, unavailability of water/electricity, lack of balance dose of fertilizer, unavailability of credit unavailability of labour during peak period, in case of wheat major five constraints were reported by the majority of wheat cultivators viz. unavailability of water and electricity during peak period, high input cost, lack of knowledge of nutrient dose, and unavailability of credit.

Reference

1. Kumar,Rahul, Jaulkar.A.M, Srivastava,S.C. and Singh Sudhir. (2021) A study on growth and instability of Paddy and Wheat crops in Gwalior District (Madhya Pradesh). *The Pharma Innovation Journal* 2021; SP-10(5): 745-748. <https://www.thepharmajournal.com/archives/2021/vol10issue5S/PartK/S-10-5-94-122.pdf>
2. Herdt, R.W. and Mandac, A.M.(1981).Modern Technology and Economic Efficiency of Philippine Rice Farmers Economic Development and Cultural Change, 29 (2), 375-98. <https://ideas.repec.org/a/ucp/ecdecc/v29y1981i2p375-99.html>
- 3 Kalirajan, K.P. and Flinn, J.C. (1983).The Measurement of Farm Specific Technical Efficiency", *Pakistan Journal of Applied Economics*, 2(2), 167-180. <https://ideas.repec.org/a/pje/journal/article1983winii.html>
- 5 Kopp, R.J. (1981). "The Measurement of Productivity Efficiency: A Reconsideration". *Quarterly Journal of Economics*, Vol. 97, pp. 477-503. <https://doi.org/10.2307/1882683>
- 6 Bakh, M. Elahi and Islam ,M. Serajul (2005). Technic al and allocative efficiency of growing wheat in northwest districts of Bangladesh .*Bangladesh J. Agric. Economicss XXVIII*, 1&2 (2005) 73-83 file:///C:/Users/DELL/Downloads/Resear_01%20Vol-XXVIII.pdf
- 7 Reddy, E. Lokanadha and Reddy D. Radhakrishna (2013) A study on resource use efficiency of input factors with reference to farm size in paddy cultivation in Nellore District. *Journal Of Humanities And Social Science (IOSR-JHSS)* Volume 17, Issue 1 (Nov. - Dec. 2013), PP 48-55 e-ISSN: 2279-0837, p-ISSN: 2279-0845.<https://www.iosrjournals.org/iosr-jhss/papers/Vol17-issue1/H01714855.pdf>
- 8 Sapkota Mahesh and Bajracharya Mahima (2018). Resource use efficiency analysis for potato production in Nepal *Journal of Nepal Agricultural Research Council* Vol. 4: 54-59, April 2018.https://www.researchgate.net/publication/325041452_Resource_Use_Efficiency_Analysis_for_Potato_Production_in_Nepal
9. Zalkuwi, J; Singh, R; Bhattarai, M ; Singh, OP; Rao ,D (2015). Analysis of constraints influencing sorghum farmers using Garrett's Ranking Technique; A comparative study of India and Nigeria. *Int. J Sci. Res. Manag.* 2015; 3(3):2435-2440. <http://oar.icrisat.org/id/eprint/8638>
10. Nithin , K Raj; T Paul, Lazarus, Aswathy ; Vijayan, Durga ,AR; B ,Aparna; Brigit, Joseph and Roy Stephen (2020). Constraints in paddy cultivation faced by the farmers in upper Kuttanad: A study in Alappuzha district of Kerala *Journal of Pharmacognosy and Phytochemistry* 2020; Sp 9(4): 370-373. <https://www.phytojournal.com/archives/2020/vol9issue4S/PartF/S-9-4-16-368.pdf>
11. Lema, tadesse zenebe, tessema solomon amare and fentahun addis abebe analysis of the technical efficiency of rice production in Fogera district of ethiopia: a stochastic frontier approach. *Ethiopian journal of economics* vol. Xxvi no 2, october 2017.

[file:///C:/Users/DELL/Downloads/177741-Article%20Text-454116-1-10-20180925%20\(1\).pdf](file:///C:/Users/DELL/Downloads/177741-Article%20Text-454116-1-10-20180925%20(1).pdf)

12. Hussain abid, Saboor Abdul, Khan Muhammad Azeem , Mohsin Abdul Qayyum and Hassan fayyaz ul. Technical efficiency of wheat production in rain-fed areas: a case study of punjab, pakistan *pak. J. Agri. Sci.*, vol. 49(3), 411-417; 2012 issn (print) 0552-9034, issn (online) 2076-0906 <http://www.pakjas.com.pk>.
13. <file:///C:/Users/DELL/Downloads/ICFAI.pdf>
14. Gautam, Madhur , Nagarajan Hari K. and Pradhan Kailash C. (2012) Technical, economic and allocative efficiency and its determinants of Indian agricultural farmers using ARIS/REDS panel data. *National council of applied economic research* https://www.ncaer.org/publication_details.php?PID=218
15. Nithin , K Raj; T Paul, Lazarus, Aswathy ; Vijayan, Durga ,AR; B ,Aparna; Brigit, Joseph and Roy Stephen (2020). Constraints in paddy cultivation faced by the farmers in upper Kuttanad: A study in Alappuzha district of *Kerala Journal of Pharmacognosy and Phytochemistry* 2020; Sp 9(4): 370-373. <https://www.phytojournal.com/archives/2020/vol9issue4S/PartF/S-9-4-16-368.pdf>
16. Gedam Kunika, Gauraha AK and Chaudhary VK (2021) An economic analysis of production and marketing of major crops in KhairagarhRajnandgaon District of Chhattisgarh . *Journal of Pharmacognosy and Phytochemistry*; Sp 10(3): 01-03. <https://www.phytojournal.com/archives/2021/vol10issue3S/PartA/S-10-3-15-157.pdf>