

Comment [U1]: Framers. This work should indicate the place to give its scope

ABSTRACT

Objective: An evaluation of technical efficiency and garret ranking technique of paddy and wheat growers has been conducted to identify technical efficiency level and constraints faced by farmers. Methods: Multistage random sampling was used to acquire sample farmer. 20 villages were selected randomly from the Dabra block thereafter, a list of paddy and wheat farmers from each selected village was prepared then classified into five major categories on the basis of their land holding i.e. marginal, small, semi medium, medium, and large. Then a sample of 30 farmers were selected in each category by simple random sampling technique under proportionate allocation from 20 treated as strata thus, 150 paddy and 150 wheat farmers were selected. Finding: The likelihood test ratio (LR test) for the inefficiency term on paddy farms was observed at 32.91 which was significant and suggesting that the inefficiency component is present in the model. In the case of wheat farms, the likelihood test ratio (LR test) was noted 1.02 which was insignificant and suggesting that the inefficiency component is not present in the model. The highest technical efficiency (88%) was found on the paddy farms as comparison to wheat farms (72%). This implied that on an average 12 per cent and 28 per cent of the technical potential was not achieved by paddy and wheat growers respectively. Novelty: The studies establish that wheat growers having more opportunity to amplify the yield in comparison to paddy growers by adopting crop management practices.

Comment [U2]: making a total sample size of six-hundred respondents

Comment [U3]: who have opportunity and adopt modern crop management practices produce more yield compared to paddy framers in the study area

Comment [U4]: are

Comment [U5]: crops

Comment [U6]: these food crops

Comment [U7]: source, year??

Comment [U8]: Source, Year??

Comment [U9]: cultivated grain crops

Comment [U10]: hectares

Comment [U11]: of 2, 578kg/ha

Comment [U12]: comma

Comment [U13]: about

Comment [U14]: hectares

Comment [U15]: Source, Year??

Comment [U16]: arable land

Comment [U17]: of 2,026

Comment [U18]: semi-colon

Comment [U19]: about

Comment [U20]: hectares

Comment [U21]: 2,993

Comment [U22]: Sources???, year??? The references suppose to be here. Figures, amounts and other quantitative elements in a research are supposed to be work by other scientists, so the supposed to be cited in the work

Comment [U23]: remove the s

Comment [U24]: a

Comment [U25]: comma

Comment [U26]: strengthens

Key words- Technical, allocative efficiency, Garret Ranking, Paddy, Wheat, Constraints

Paddy and Wheat Technical efficiency Garret ranking technique

1. Introduction

Paddy and wheat is the India's prominent and most essential food grain crop. The production of paddy and wheat is an important part of the national economy because paddy and wheat together feed more than half of the country's population. India is the second largest producer of paddy and wheat in the world after china. Paddy is one of the oldest cultivate crop and has been cultivated in India for several thousand years. In India paddy is cultivated under 43.79 million hectare with the production of 112 million tones and productivity 2578 Kg/ha whereas wheat occupies an area of 29.58 million hectare with a production and productivity of 99.70 million tonnes and 3371 kg/ha. In Madhya Pradesh, paddy is grown mainly as a kharif crop on 2.04 million hectare with the production of 4.12 million tones and productivity 2026 kg/ha while wheat is grown on area of 5.32 million hectare with a production and productivity of 15.91 million tonnes and 2993 kg/ha, respectively. Thus rice and wheat production not only makes the country food sufficient nation but also strengthen its agrarian economy. Since agriculture is the major source of income for most of the population of country, rice and wheat being the majorly grown

crops plays key role in enhancing income of the farmers [1] keeping the above importance of both the crop in agriculture economy a study was conducted on an evaluation of technical efficiency and garret ranking technique of paddy and wheat growers.

## 2. Research Methodology

The present study was confined to Gwalior district of Madhya Pradesh because this district has remarkable position under paddy and wheat crop in the gird zone, and also for the convenience of the researcher to get more accurate information. Gwalior district has four blocks namely Bhitwar, Dabra, Morar and Ghatigaon. At the first stage of sampling, Dabra Block was selected purposively, due to comprise maximum area under paddy and wheat cultivation (37710.03 ha and 47961.20 ha respectively), at the second stage of sampling, a list of the paddy and wheat growing villages were prepared from selected block (Dabra) then 20 villages namely Akbai Badi, Masudpur, Salaiya, Kardu, Beer Muhana, Lakhiya, Khareya, Girgheda, Patha Panihar, Anat Path, Beru Gawan, Kheri Parashasar, Rampura, Khidwae, Maharajpur, Chomo, Chhimak, Ikona, Patharra, and Ghamad Pura were selected randomly, and the third stage of sampling, a list of paddy and wheat growing farmers from each selected village was prepared then classified into five major categories on the basis of their land holding i.e. marginal (less than 1ha) small (1-2 ha), semi medium (2-4 ha), medium (4-10 ha) and large (10 ha or above). Then a sample of 30 farmers were selected in each category by simple random sampling technique under proportionate allocation from twenty villages treated as strata with the help of given formula.

$$n_i = \frac{N_i}{N} \times n$$

Where,  $n_i = i^{\text{th}}$  stratum sample size,  $N_i = i^{\text{th}}$  stratum size,  
 $N =$  Population size and  $n =$  total sample size.

Thus, in all 300 farmers (150 paddy growers and 150 wheat growers) were selected. After selection of respondent the primary data (2019-20, kharif and rabi) as regards quantity of input used with their price, yield, gross income etc. were collected through pre-tested interview schedule by survey method. Each selected respondent were approached personally for collecting the relevant data.

### 2.1 Analytical tools

The yield potential may be interpolated from yield of research managed plots [2] or the most efficient farmer in a sample [3]. The latter approach was adopted for this study to find out yield potential of wheat and paddy farmers. The production function maps the maximum possible output can be achieved for a given quantity of set a inputs. Most farmer fail to operate on the production surface due to technical inefficiency [4]. The production technology of each farm was characterized by Cobb Douglas production function and estimated by using ordinary least square method. Experience has shown that it is desirable to use simple function involving as few parameter as is practically feasible and perform best, since convergence problem in the estimation process can occur when there are a large number of independent variable in the estimated equation. The Cobb Douglas function form is a compromise between a complex production process and a complex estimation technique. The estimated equation was used to examine Timmer's measure of technical efficiency and Kopp's [5] measures of allocative efficiency of inputs utilized in paddy and wheat. The Timmer's measures of technical efficiency of  $j^{\text{th}}$  farm is the ratio of actual output to potential output, given the level of input use in  $j^{\text{th}}$  farms. Thus

- Comment [U27]: remove the s
- Comment [U28]: Based on the
- Comment [U29]: crops
- Comment [U30]: the Indian agricultural
- Comment [U31]: to evaluate the
- Comment [U32]: of paddy and weat product
- Comment [U33]: It is a nice one but, the mai
- Comment [U34]: remove
- Comment [U35]: s
- Comment [U36]: remove
- Comment [U37]: colon
- Comment [U38]: because of its
- Comment [U39]: , about 37,710.03 ha and
- Comment [U40]: the
- Comment [U41]: comma
- Comment [U42]: colon
- Comment [U43]: comma
- Comment [U44]: and
- Comment [U45]: thirty (30) Wheat and Paddy
- Comment [U46]: a formular given by..., year
- Comment [U47]: Italicize
- Comment [U48]: a total of
- Comment [U49]: for ths study
- Comment [U50]: respondents,
- Comment [U51]: in production, lsbour,
- Comment [U52]: list all the parameters here
- Comment [U53]: face-to-face interview were
- Comment [U54]: Herdt, R.W. and Mandac,
- Comment [U55]: Kalirajan, K.P. and Flinn, J.C.
- Comment [U56]: in ....area
- Comment [U57]: a
- Comment [U58]: of
- Comment [U59]: farmers
- Comment [U60]: on their
- Comment [U61]: remove
- Comment [U62]: the
- Comment [U63]: Ordinary Least Suare
- Comment [U64]: a
- Comment [U65]:
- Comment [U66R65]: parameters
- Comment [U67]: is the best-fit
- Comment [U68]: variables
- Comment [U69]: production
- Comment [U70]: italicize
- Comment [U71]: italicize

it indicated that how much extra output could be obtained if jth farm are on frontier. The specification of stochastic Cobb Douglas production function in general form is:

$$b^i e^{u_j}$$

This can be written in double log linear form as

$$\ln Y_j = b_0 + \sum_{i=1}^n b_i \ln X_{ij} + U_j$$

where:

$\ln$  = Natural logarithm

$Y_j$  = Production of jth crop (qt/ha)

$b_i$  = Regression coefficient to be estimated

$b_0$  = constant

$U_j$  = Stochastic error incorporating the effect of unknown and unexpected variable,  $e$  = natural exponent, and  $i = 1, 2 \dots 7$

$X_i$  = inputs like, quantity of seed (kg/ha), quantity of fertilizer (kg/ha), human labour (man days/ha), machinery labour (hrs/ha), plant protection chemical (liter/ha), quantity of manure (tone/ha), number of irrigation /ha.

The random distribution  $U_j$  are assumed to follow a one side distribution (e.g. truncated normal, gamma, exponential, etc) and independent and identically distributed. In addition, the sets of inputs ( $X_i$ ) are assumed to be independent of disturbances. Therefore, the frontier function takes the form: [6]

$$\ln Y_j^* = b_0 + \sum_{i=1}^n b_i \ln X_{ij} + U_j$$

Where,  $\ln Y_j^*$  = Frontier level of production.

$b_0$  = Corrected intercept estimate.

$$\text{Technical efficiency (TE)} = \frac{\ln Y_j}{\ln Y_j^*} < 1$$

$\ln Y_j$  = Actual production of j<sup>th</sup> crop

$\ln Y_j^*$  = Potential production of j<sup>th</sup> crop

The stochastic frontier production has been specified as follows:

$$\ln Y = b_0 + b_1 \ln X_1 + b_2 \ln X_2 + b_3 \ln X_3 + b_4 \ln X_4 + b_5 \ln X_5 + b_6 \ln X_6 + b_7 \ln X_7 + (v_i - u_i)$$

Where,

$Y$  = Output (quintal/ha)

$X_1$  = Quantity of seed (kg/ha)

$X_2$  = Quantity of fertilizer (kg/ha)

$X_3$  = Human labour (man days/ha)

$X_4$  = Machinery labour (hrs/ha)

$X_5$  = Plant protection chemical (liter/ha)

$X_6$  = Quantity of manure (tone/ha)

$X_7$  = Number of irrigation /ha

$a$  = Constant

$b_1 \dots b_7$  Regression coefficient of respective inputs

$v_i - u_i$  = Random error

$\ln$  = Natural logarithm

The model was estimated by using STATA software

Comment [U72]: indicates

Comment [U73]: remove

Comment [U74]: italicize

Comment [U75]: qty/ha

Comment [U76]: tons

Comment [U77]: among others

Comment [U78]: Identically-distributed

Comment [U79]: the

Comment [U80]: where

Comment [U81]: j<sup>th</sup>

Comment [U82]: j<sup>th</sup>

Comment [U83]: colon

Comment [U84]: where

Comment [U85]: litres

Comment [U86]: ton

## 2.2 Allocative efficiency

Allocative efficiency is a marginal condition for profit maximization i.e. for efficient resources allocation one should use more of the resources as long as the value of the added product is greater than the cost of the added amount of resources in producing it. The resources are to be considered efficiently used and profit will be maximum when the ratio of MVP to MFC approach one or in other word, MVP and MFC for each input are equal. When the marginal physical product (MPP) is measured in monetary term it is called MVP. MFC is the price of one additional unit of input, the MVP of particular resources represents the additional to gross return in the value terms caused by an addition of one unit of that resources while other input are held constant. The most reliable and perhaps the most useful estimate of MVP was obtained by taking resources (Xi) as well as gross return (Y) and their geometric means. MVP which was computed by multiplying the production coefficient of given resources with the ratio of geometric mean of gross return to the geometric mean of the given resources i.e. [7, 8]

$$\ln Y = \ln a + b_i \ln X_i$$

$$\frac{dY}{dX_i} = b_i \frac{Y}{X_i}$$

$$\text{Therefore, MVP } X_i = b_i \frac{\bar{Y}_{(GM)}}{\bar{X}_{i(GM)}}$$

Y = Mean value (GM) of gross output  
 Xi = Mean value of the *i*th variable input  
 ln = Natural logarithm and *i* = 1, 2...7

GM = Geometric mean

$\frac{dY}{dY_i}$  = Slope of the production function as well MVP of *i*th input

## 2.3 Garret ranking technique

Garret ranking technique was used to find out most prominent constraints faced by paddy and wheat growers in the study area. This technique helps in converting the changes of orders of constraints in to numerical scores [9]. Several constraints were noted and enlisted in tabular form based on prevailing conditions in the selected area. During the survey, respondents were requested to rank the constraints without any bias. The obtained ranks were then converted to the per cent position by using the formula shown below. [10]

$$\text{Per cent position} = 100 \times (R_{ij} - 0.5) / N_j$$

Where,  $R_{ij}$  = Rank given for the *i*th factor by *j*th farmer.

$N_j$  = No. of constraints ranked by the *j*th person.

Comment [U87]: comma

Comment [U88]: Marginal value product (MVP)

Comment [U89]: Marginal Factor Cost (MFC) ...

Comment [U90]: comma

Comment [U91]: a

Comment [U92]: remove the s

Comment [U93]: ;

Comment [U94]: inputs

Comment [U95]: MVP,

Comment [U96]: *i*th

Comment [U97]: *i*th

Comment [U98]: remove

Comment [U99]: obtained

Comment [U100]: where

Comment [U101]: *j*th

Comment [U102]: *j*th

Using Garrett's conversion table, the calculated per cent positions were converted to Garrett score. The sum and mean value of Garrett scores were worked out from the scores attributed to each constraint by the individual respondents. Mean score obtained for each constraint were arranged in the ascending order and the constraint with the maximum mean score was identified as the serious problem faced by the paddy and wheat farmers in the research area.

### 3. Results and discussion

The stochastic Cobb Douglas production function was used to evaluate the parameter of the frontier model individually for both the crop (paddy and Wheat) which are presents in table. It is depicted from the table 1 that the estimated value of the variance parameters under both the cops was observed statistically significantly.<sup>[11]</sup> It indicates that the technical efficiency parameter has an important impact on the yield of paddy and wheat production. Further, the result shows that the estimated value of  $\lambda$  (lambda) and sigma square were observed to be significant in both the crops (paddy and wheat) implying that the selected model was characterized by better goodness of fit, and the distributional assumption of the inefficiency/efficiency term was acceptable. Further, the table revealed the value of lambda was observed 3.30, and 0.84 in the paddy and wheat crop respectively for the half-normal model which implying that the one-sided error term "U" dominated implying that variation in the yield in the study area was due to the variation in farm-characteristics like, age, learning, experiences, cultural practices, knowledge, training, and technology, etc. The likelihood test ratio (LR test) for the inefficiency term on paddy farms was observed at 32.91 which was significant and suggesting that the inefficiency component is present in the model. In the case of wheat farms, the likelihood test ratio (LR test) was noted 1.02 which was insignificant and suggesting that the inefficiency component is not present in the model. On the paddy farms, all the independent factors have positive coefficient and all were observed statistically insignificant, except  $X_1$  (seed)  $X_2$  (fertilizer), and  $X_3$  (human labour) which were positive and significant indicating that the efficiency of paddy farms could be enhanced by optimum use of significant factors namely  $X_1$  (seed),  $X_2$  (fertilizer) and  $X_3$  (human labour). As regarding wheat farms, the estimated value of coefficients  $X_2$  (fertilizer)  $X_4$  (machinery), and  $X_7$  (irrigation) were observed positive and statistically highly significant indicating that the efficiency of wheat farms could be augmented by rational use of these factors in the production. The estimated value of  $X_1$ (seed)<sup>[12]</sup>  $X_3$  (machinery) and  $X_5$  (plant protection) were observed negative, and non-significant except  $X_1$  indicating overuse of these factor in the production.

Comment [U103]: percent

Comment [U104]: values

Comment [U105]: the

Comment [U106]: an

Comment [U107]: study

Comment [U108]: remove

Comment [U109]: crops

Comment [U110]: comma

Comment [U111]: presented in Table 1

Comment [U112]: remove

Comment [U113]: shows

Comment [U114]: Cap

Comment [U115]: remove

Comment [U116]: comma

Comment [U117]: that

Comment [U118]: as

Comment [U119]: production

Comment [U120]: comma

Comment [U121]: yields of the two crops

Comment [U122]: such as:

Comment [U123]: comma

Comment [U124]: For the

Comment [U125]: sentence case Likelihood test Ratio

Comment [U126]: remove

Comment [U127]: comma

Comment [U128]: comma

Comment [U129]: remove

Comment [U130]: to be

Comment [U131]: comma

Comment [U132]: comma

Comment [U133]: the

Comment [U134]: comma

Comment [U135]: colon

Comment [U136]: In the case of

Comment [U137]: comma

Comment [U138]: remove this comma

Comment [U139]: to be

Comment [U140]: remove

Comment [U141]: comma

Comment [U142]: comma

Comment [U143]: as

Comment [U144]: comma

Comment [U145]: factors

Table 1: Estimated parameters of the stochastic frontier normal/ half Normal model of paddy and wheat production

Factors	Paddy (N= 150)				Wheat (N=150)			
	Coefficient	Std. Error	Z	P>  z	Coefficient	Std. Error	z	P>  z
X <sub>1</sub> = Quantity of seed (kg/ha)	0.0487**	0.0230	2.12	0.034	-0.7645***	0.1774	-4.31	0.000
X <sub>2</sub> = Quantity of fertilizer( kg/ha)	0.7933***	0.0357	22.49	0.000	1.110***	0.2058	5.40	0.000
X <sub>3</sub> =Human Labour (man days /ha)	0.6285**	0.0327	1.92	0.055	-0.2024	0.1307	-1.55	0.121
X <sub>4</sub> = Machinery Labour(hrs/ha)	0.0194	0.0162	1.20	0.231	0.3762***	0.1575	2.39	0.01
X <sub>5</sub> = Plant protection chemical(liter/ha)	0.1533	0.3205	0.48	0.632	-0.0935	0.214	-0.44	0.663
X <sub>6</sub> = Quantity of manure (tone/ha)	0.2189	0.0325	0.67	0.501	0.2684	0.1695	1.58	0.113
X <sub>7</sub> = Number of irrigation(/ha)	0.3024	0.02760	1.10	0.273	0.4865***	0.2035	2.39	0.01
Constant	-1.4274***	0.0110	-12.89	0.000	-0.2555	0.8449	0.30	0.762
/lnsig2v	-6.147***	0.2948	-20	0.000	-1.0948***	0.2056	-5.32	0.000
/lnsig2u	-3.7537***	0.1661	22.59	0.000	-1.4279**	0.7078	2.02	0.044
Sigma_ v	0.04624	0.0068			0.5784	0.0594		
Sigma_ u	0.15307	0.0127			0.4896	0.1733		
Sigma2	0.02556	0.0037			0.5743	0.1291		
Lambda	3.30980	0.0164			0.8465	0.2201		
<b>Log likelihood</b>	<b>135.74</b>				<b>-147.99</b>			
<b>Prob &gt; chi2</b>	<b>0.000</b>				<b>0.000</b>			
<b>Wald chi2 (7)</b>	<b>21476.47</b>				<b>438.00</b>			
<b>LR test of sigma_u=0 : chibar2(01)</b>	<b>32.91</b>				<b>1.02</b>			

Source: Author computation by STATA software. Note asterisks (\*, \*\* \*\*\*) indicate significance at the 10, 5, and 1% levels respectively

Comment [U151]: Stochastic Frontier

Comment [U146]: n

Comment [U147]: n: because this is not the total population of the observation but the sample population, which is normally identified with a small n

Comment [U148]: tons

Comment [U149]: Chi-Square is written as:  $\chi^2$  or  $\text{Chi}^2$

Comment [U150]:  $\chi^2$

Comment [U152]: Year???

Comment [U153]: comma

### 3.1 Efficiency wise distribution of paddy and wheat growers

The Technical Efficiency (TE) scores have been worked out from the stochastic frontier production model for paddy and wheat growers and presented in table 2 and fig 1. It was evident from the results that there were wide variations in the level of technical efficiency between paddy and wheat farmers in the study area due to farm characteristics. The average level of technical efficiency was found to be highest (88%)<sup>[13]</sup> on the paddy farms as compared to wheat (72%)<sup>[14]</sup>. This implied that on average 12 per cent and 28 per cent of the technical potential was not achieved by paddy and wheat growers respectively. Therefore wheat growers having more opportunities to amplify the yield as compared to paddy growers by adopting crop management practices without having to increase the level of application of inputs. 61 per cent majority of the paddy farmers operated under technical efficiency levels of more than 90 per cent. About 26 per cent of farmers lied between 80-90 per cent level of technical efficiency, 7 per cent farms lied between 70-80 per cent of technical efficiency level, and remaining 6 per cent farmer lied below 60 per cent level of technical efficiency. In essence, around 87 per cent of farmers were operating in the zone of 70-90 per cent technical efficiency level.

**Comment [U154]:** Efficiency-wise

**Comment [U155]:** derived

**Comment [U156]:** is

**Comment [U157]:** fullstop

**Comment [U158]:** it

**Comment [U159]:** This suppose to be the author's observations and not other peoples' data. Why the Reference source? Did the author use secondary data or primary data??. If the data obtained is from primary data, then this reference is not necessary, except for supporting the observation

**Comment [U160]:** Same as in U158

**Comment [U161]:** the

**Comment [U162]:** comma

**Comment [U163]:** efficiency

**Comment [U164]:** farmers.

**Comment [U165]:** remove

**Comment [U166]:** increase

**Comment [U167]:** modern or recommended

**Comment [U168]:** About

**Comment [U169]:** percent, that is,

**Comment [U170]:** operated

**Comment [U171]:** percent

**Comment [U172]:** percent

**Comment [U173]:** remove

**Comment [U174]:** percent

**Comment [U175]:** remove

**Comment [U176]:** remove

**Comment [U177]:** percent of the farmers

**Comment [U178]:** operated

**Comment [U179]:** remove

**Comment [U180]:** About

**Comment [U181]:** percent

**Comment [U182]:** the

**Comment [U183]:** between

**Comment [U184]:** remove

As regarding wheat farms 55 per cent majority of the wheat farmers operated under technical efficiency levels 70-80 per cent, about 29 per cent wheat farmers lied between 60-70 per cent of technical efficiency level, 6 per cent wheat farmer lied 80-90 per cent technical efficiency level, 5 per cent wheat farmers lied more than 90 per cent of technical efficiency level and reaming 5 per cent farmer lied below 60 per cent level of technical efficiency. In essence, around 84 per cent of farmers operated between 60-80 per cent technical efficiency level.

**Comment [U185]:** Majority of the wheat farmers

**Comment [U186]:** 55 percent

**Comment [U187]:** Fullstop

**Comment [U188]:** remove

**Comment [U189]:** where is this figure from? If the figure is relevant modify the sentence as: About .....

**Comment [U190]:** also,

**Comment [U191]:** percent

**Comment [U192]:** operated

**Comment [U193]:** percent

**Comment [U194]:** remove

**Comment [U195]:** percent of the

**Comment [U196]:** farmers operatedbetween

**Comment [U197]:** percent

**Comment [U198]:** remove

**Comment [U199]:** while

**Comment [U200]:** percent of the

**Comment [U201]:** operated

**Comment [U202]:** percent

**Comment [U203]:** remove

**Comment [U204]:** remove

**Comment [U205]:** remove

**Comment [U206]:** percent of the farmers operated

**Comment [U207]:** percent

**Comment [U208]:** About


**Comment [U209]:** percent of the

**Comment [U210]:** percent

**Comment [U211]:** remove

UNDER PEER REVIEW

**Fig: 1 Efficiency wise distributions of paddy and wheat growers**



**Source: Year**

**Comment [U212]:** Source/Year

**Table 2** Efficiency wise, distribution of paddy and wheat growers

Technical Efficiency level (in per cent)	Paddy		Wheat	
	Number of farmers	Per cent to total	Number of farmers	Percent to total
Less than 50	1	1%	2	1%
50-60	3	2%	6	4%
60-70	4	3%	44	29%
70-80	11	7%	82	55%
80-90	39	26%	9	6%
More than 90	92	61%	7	5%
<b>Total farmers</b>	<b>150</b>	<b>100%</b>	<b>150</b>	<b>100%</b>
<b>Mean Technical Efficiency</b>	<b>88 %</b>		<b>72 %</b>	

Source: STATA software

### 3.2 Allocative efficiency

The allocative efficiency of each input was calculated separately for both the crops (paddy and wheat) production at the overall farm level. The multiplicative regression model was used to calculate the elasticity of each input. The elasticity of input multiplied with the ratio of a geometric mean of output to the geometric mean of respective inputs for calculating MVP if marginal value product (MVP) and marginal Cost (MC) ratio are equal to 1 implied the optimum use of that resource, more than one indicates output may be enhanced by extra using of that resources and value of less than one inferred that the unprofitable level of resource use which should be decreased to minimize losses. The estimated MVP of different inputs are presented in table 3. It is observed from the table that MVP all the inputs except machinery and manure in paddy production were observed less than unity whereas in wheat production the MVP of all inputs less than unity except irrigation, manure, and machinery. Hence it is concluded that more profit can be obtained by increasing the use of machinery and manure in both the crop and increasing the number of irrigation is profitable only for wheat production. Finally, considering farmers of paddy and wheat production in the study area had scope to increase the productivity of both the crop by attaining full efficiency through reallocating the resources. Thus the use of resources is to be adjusted to unity depending upon the ratio to achieve full efficiency.

- Comment [U213]: Colon :
- Comment [U214]: Efficiency-wise
- Comment [U215]: Year??
- Comment [U216]: of both respondents' grou...
- Comment [U217]: Multiplicative Regression (...)
- Comment [U218]: by
- Comment [U219]: the
- Comment [U220]: the
- Comment [U221]: the
- Comment [U222]: comma
- Comment [U223]: that
- Comment [U224]: that the
- Comment [U225]: unit,
- Comment [U226]: U
- Comment [U227]: remove
- Comment [U228]: same
- Comment [U229]: comma
- Comment [U230]: the
- Comment [U231]: remove
- Comment [U232]: resource-use,
- Comment [U233]: as
- Comment [U234]: shows
- Comment [U235]: the
- Comment [U236]: of
- Comment [U237]: comma
- Comment [U238]: to be
- Comment [U239]: ;
- Comment [U240]: comma
- Comment [U241]: is
- Comment [U242]: comma
- Comment [U243]: remove
- Comment [U244]: comma
- Comment [U245]: acieved
- Comment [U246]: quantity of
- Comment [U247]: in the production of both (...)
- Comment [U248]: but
- Comment [U249]: times
- Comment [U250]: remove
- Comment [U251]: only.
- Comment [U252]: it was observed that
- Comment [U253]: have the potentials
- Comment [U254]: remove
- Comment [U255]: crops
- Comment [U256]: and can attain
- Comment [U257]: rational and optimal (...)
- Comment [U258]: can
- Comment [U259]: comma
- Comment [U260]: on
- Comment [U261]: which ratio? Correct this

**Table 3: Factor wise allocative efficiency in paddy and wheat production**

**Comment [U262]:** Factor-wise

Factors	Paddy				Wheat			
	MVP	MI C	MVP/MI C Ratio	Allocative Efficiency	MVP	MC	MVP/MI C Ratio	Allocative Efficient
X <sub>1</sub> (Seed)	0.09	1	0.09	Not achieved	-0.17	1	-0.17	Not achieved
X <sub>2</sub> (Fertilizer)	0.07	1	0.07	Not achieved	0.10	1	0.10	Not achieved
X <sub>3</sub> (Human labour)	0.067	1	0.067	Not achieved	-1.40	1	-1.40	Not achieved
X <sub>4</sub> (Machinery labour)	1.24	1	1.24	Not achieved	1.08	1	1.08	Not achieved
X <sub>5</sub> (Plant protection)	0.33	1	0.33	Not achieved	-2.74	1	-2.74	Not achieved
X <sub>6</sub> (Manure)	1.28	1	1.28	Not achieved	1.34	1	1.34	Not achieved
X <sub>7</sub> (irrigation)	0.20	1	0.20	Not achieved	3.32	1	3.32	Not achieved

**Comment [U263]:** Irrigation

**Comment [U264]:** Indicate the source and year. If it is field survey, say so, if it is a secondary data, cite the authority and year

**Comment [U265]:** represents

**Comment [U266]:** This is 12 points New Roman, Reduce it to 10 points

**Comment [U267]:** farmers. the author should be consistent in reporting his or her research report. If farmers was used at the beginning of the work and was captured in the specific objectives of the study, then that should be used throughout, not mixing farmers growers, producers together. In research, words and variables mean different things in the conceptual perspective and can distort research interpretations.

**Comment [U268]:** production

**Comment [U269]:** mention the area by name then comma

**Comment [U270]:** remove

**Comment [U271]:** The table revealed

**Comment [U272]:** colon

**Comment [U273]:** and

**Comment [U274]:** remove

**Comment [U275]:** farm credit

**Comment [U276]:** Recast as: inadequate water/electricity, credit, inadequate labour and machinery during peak periods, unavailability of crop insurance and high cost of farm inputs

**Comment [U277]:** Other constraints include: inadequate knowledge of improved rice and wheat varieties, optimum dose of manure and fertilizer use, lack of storage and processing facilities, produce price fluctuation and transportation challenges were reported by paddy and wheat producing farmers in the study area

**Comment [U278]:** Remove this because it is believed that the author has captured this aspect in the methodology, scientifically.

**Comment [U279]:** How does the author use a model to analyze constraints? It is ridiculous! Constraints are discussed and backed-up with relevant contemporary literature to support or debunk a case or cases.

**Comment [U280]:** unfortunately, this model was not captured in the methodology of the work!

**Comment [U281]:** citing authorities at this level mean that the work is a literature and not an empirical work as it was stated from the onset.

**Comment [U282]:** This look like a secondary data as observed in U 280

**Note\*** - MVP and MC indicates marginal value product and marginal cost respectively.

MVP/MIC Ratio = 1 (Allocative Efficiency Achieved)

MVP/MIC Ratio = Greater than 1 or Less than 1(Allocative Efficiency not Achieved)

### 3.4 Major constraints faced by paddy and wheat growers in the study area

Several constraints have been identified in the cultivation of paddy and wheat crops in the study area which is presented in table 4 which revealed, the major constraints such as unavailability of water/electricity, unavailability of credit, unavailability labour during peak period, unavailability of machinery during peak period, crop insurance, high cost of inputs, lack of knowledge of improved variety, balanced dose of fertilizer, lack of marketing facility, lack of soil testing and product quality, lack of training, MSP, price fluctuation, processing, and transportation were reported by paddy and wheat cultivators. So a total of 15 general constraints in the paddy and wheat crop were selected and asked to farmers to give rank for each factor based on its severity in their area. Then constraint analysis carried out using **Garrett's ranking technique**. The results depicted that the major constraint faced by most of the majority of the paddy farmers were high input cost<sup>[15]</sup> with garret score of 64.90 followed by unavailability of water/electricity during peak period<sup>[16]</sup> (57.80), balance dose of fertilizer (54.52), unavailability of credit (53.00), unavailability of labour during peak period (51.60), lack of transportation facility (47.60), unavailability of machinery during peak period (49.57), crop insurance (48.97), lack of soil testing and product quality (48.80), lack of marketing facility (47.57), lack of training (47.57), price fluctuation (46.53), processing (46.07), MSP (43.60) and lack of knowledge of improved variety (43.34). As

regarding wheat crop, the major constraints were reported by the majority of wheat cultivators viz. unavailability of water and electricity during peak period with a maximum garret mean score (65.41), followed by high input cost (65.31), balance dose of fertilizer (54.52), unavailability of credit (53.81), lack of knowledge of improved variety (51.58), crop insurance (49.50), price fluctuation (49.19), transportation (47.55), lack of marketing facility (47.05), processing (44.81), lack of training (44.55), availability of machinery (44.21), MSP (43.88), labour (43.79) and lack of soil testing and product quality (42.22).

**Table 4: Major constraints faced by the majority of paddy and wheat growers**

Crop Constraints	Paddy (N = 150)		Wheat (N = 150)	
	Mean garrets Score	Rank	Mean garrets Score	Rank
Un-availability of water/electricity	57.80	II	65.41	I
Un-availability of credit	53.00	IV	53.81	IV
Un-availability of machinery during peak period	49.57	VII	44.21	XII
Crop insurance	48.97	VIII	49.50	VI
High cost of inputs	64.90	I	65.31	II
Labour	51.60	V	43.79	XIV
Lack of knowledge of an improved variety	43.34	XIV	51.58	V
Balance dose of fertilizer	53.77	III	54.52	III
Lack of marketing facility	47.57	X	47.05	IX
Lack of soil testing and product quality	48.80	IX	42.22	XV
Lack of training	47.57	XI	44.55	X
MSP	43.60	XIV	43.88	XIII
Price fluctuation	46.53	XII	49.19	VII
Processing	46.07	XIII	44.41	XI
Transportation	49.60	VI	47.55	VIII

**Source:** Field survey (Primary data 2019-20)

**Comment [U283]:** the research report seems as it is a Literature Review or a secondary data source See [15], [16].

**Comment [U286]:** n = 150

**Comment [U287R286]:** n= 150

**Comment [U284]:** Constraints to Paddy and Wheat Production in.....

**Comment [U285R284]:** Constraints to Paddy and Wheat Production in..... India

**Comment [U288]:** there is no community that there is no water. Use the word: insufficient

**Comment [U289]:** Use the word: insufficient

**Comment [U290]:** Use the word: insufficient

**Comment [U291]:** Use the word: lack of...

**Comment [U292]:** Use the word: high costs of .....

**Comment [U293]:** Insufficient

**Comment [U294]:** Remove

**Comment [U295]:** remove or add Storage, processing facilities and logistics!


**Comment [U296]:** insufficient

**Comment [U297]:** The author has not explained this in the Literature, or the methodology

**Comment [U298]:** How did the author condense and measured this aspect? w. as it included in the literature and the other aspects of the work??? it the specific objectives, there could have been something like;

**Comment [U299]:** Good

**Fig 2: Major constraints faced by paddy and wheat growers in the study area**



#### 4. Conclusion

It is concluded that the likelihood test ratio (LR test) for the inefficiency term on paddy farms was observed at 32.91 which was significant and suggesting that the inefficiency component is present in the model. In the case of wheat farms, the likelihood test ratio (LR test) was noted 1.02 which was insignificant and suggesting that the inefficiency component is not present in the model. In Stochastic frontier model factor of  $X_1$  (seed),  $X_2$  (fertilizer) and  $X_3$  (human labour) were observed significant indicating that the efficiency of paddy farms could be enhanced by using high yield variety and rationally use of fertilizer and human labour.

While on the wheat farms factor  $X_2$  (fertilizer)  $X_4$  (machinery) and  $X_7$  (irrigation) were observed statistically significant indicating that the efficiency of wheat farms could be augmented by optimally use of these factors in the wheat production. The average level of technical efficiency was found to be highest (88%) on the paddy farms in comparison to wheat (72%). This implied that on an average 12 per cent and 28 per cent of the technical potential was not achieved by paddy and wheat growers respectively. Therefore wheat growers having more opportunity to amplify the yield in comparison to paddy growers by adopting crop management practices, providing training on input use without having increasing the level of inputs. Around 87 per cent of paddy farmers were operating in the zone of 70-90 per cent technical efficiency level and around 84 per cent of wheat farmers were operating in the zone of 60-80 per cent technical efficiency level. The major five constraint faced by most of the majority of paddy farmers were high input cost, unavailability of water/electricity, lack of balance dose of fertilizer, unavailability of credit un availability of labour during peak period, in case of wheat major five constraints were reported by the majority of wheat cultivators viz. unavailability of water and electricity during peak period, high input cost, lack of knowledge of nutrient dose, and unavailability of credit.

After an empirical work like this, it is expected that the researcher should suggest some recommendations based the objectives of the study and his or her findings. So endeavour to suggest some remedies and interventions to the constraints so identified. it be tailored to capture policy in the country of study. - **Reviewer**

- Comment [U300]: Likelihood Test Ratio
- Comment [U301]: remove
- Comment [U302]: farmers
- Comment [U303]: remove
- Comment [U304]: comma
- Comment [U305]: , thus
- Comment [U306]: of wheat and rice farmers (...)
- Comment [U307]: The result of the Likelihood (...)
- Comment [U308]: as
- Comment [U309]: fertilizer and , manure and
- Comment [U310]:
- Comment [U311]: to be
- Comment [U312]: comma
- Comment [U313]: optimal use
- Comment [U314]: remove
- Comment [U315]: the
- Comment [U316]: comma
- Comment [U317]: comma
- Comment [U318]: the
- Comment [U319]: comma
- Comment [U320]: comma
- Comment [U321]: farmers
- Comment [U322]: increase
- Comment [U323]: of wheat
- Comment [U324]: compared
- Comment [U325]: farmers
- Comment [U326]: recommended or modern
- Comment [U327]: about
- Comment [U328]: at
- Comment [U329]: remove
- Comment [U330]: about
- Comment [U331]: at
- Comment [U332]: remove
- Comment [U333]: remove
- Comment [U334]: constraints
- Comment [U335]: remove
- Comment [U336]: colon
- Comment [U337]: inadequate knowledge
- Comment [U338]: and high cost of
- Comment [U339]: periods.
- Comment [U340]: Also, the major constraint (...)
- Comment [U341]: remove
- Comment [U342]: inadequate
- Comment [U343]: agricultural or farm credits
- Comment [U344]: Suggestions or (...)

## Reference

1. Kumar,Rahul, Jaulkar.A.M, Srivastava,S.C. and Singh Sudhir. (2021 A study on growth and instability of Paddy and Wheat crops in Gwalior District (Madhya Pradesh). *The Pharma Innovation Journal* 2021; SP-10(5): 745-748.  
<https://www.thepharmajournal.com/archives/2021/vol10issue5S/PartK/S-10-5-94-122.pdf>
2. Herdt, R.W. and Mandac, A.M.(1981).Modern Technology and Economic Efficiency of Philippine Rice Farmers Economic Development and Cultural Change, 29 (2), 375-98.  
<https://ideas.repec.org/a/ucp/ecdecc/v29y1981i2p375-99.html>
3. Kalirajan, K.P. and Flinn, J.C. (1983).The Measurement of Farm Specific Technical Efficiency", *Pakistan Journal of Applied Economics*, 2(2), 167-180.  
<https://ideas.repec.org/a/pje/journal/article1983winii.html>
- 5 Kopp, R.J. (1981). "The Measurement of Productivity Efficiency: A Reconsideration". *Quarterly Journal of Economics*, Vol. 97, pp. 477-503. <https://doi.org/10.2307/1882683>
- 6 Bakh, M. Elahi and Islam ,M. Serajul (2005). Technic al and allocative efficiency of growing wheat in northwest districts of Bangladesh .*Bangladesh J. Agric. Economicss XXVIII*, 1&2 (2005) 73-83  
[file:///C:/Users/DELL/Downloads/Resear\\_01%20Vol-XXVIII.pdf](file:///C:/Users/DELL/Downloads/Resear_01%20Vol-XXVIII.pdf)
- 7 Reddy, E. Lokanadha and Reddy D. Radhakrishna (2013) A study on resource use efficiency of input factors with reference to farm size in paddy cultivation in Nellore District. *Journal Of Humanities And Social Science (IOSR-JHSS)* Volume 17, Issue 1 (Nov. - Dec. 2013), PP 48-55 e-ISSN: 2279-0837, p-ISSN: 2279-0845.<https://www.iosrjournals.org/iosr-jhss/papers/Vol17-issue1/H01714855.pdf>
- 8 Sapkota Mahesh and Bajracharya Mahima (2018). Resource use efficiency analysis for potato production in Nepal *Journal of Nepal Agricultural Research Council* Vol. 4: 54-59, April 2018.[https://www.researchgate.net/publication/325041452\\_Resource\\_Use\\_Efficiency\\_Analysis\\_for\\_Potato\\_Production\\_in\\_Nepal](https://www.researchgate.net/publication/325041452_Resource_Use_Efficiency_Analysis_for_Potato_Production_in_Nepal)
9. Zalkuwi, J; Singh, R; Bhattarai, M ; Singh, OP; Rao ,D (2015). Analysis of constraints influencing sorghum farmers using Garrett's Ranking Technique; A comparative study of India and Nigeria. *Int. J Sci. Res. Manag*, 2015; 3(3):2435-2440.  
<http://oar.icrisat.org/id/eprint/8638>
10. Nithin , K Raj; T Paul, Lazarus, Aswathy ; Vijayan, Durga ,AR; B ,Aparna; Brigit, Joseph and Roy Stephen (2020). Constraints in paddy cultivation faced by the farmers in upper Kuttanad: A study in Alappuzha district of *Kerala Journal of Pharmacognosy and Phytochemistry* 2020; Sp 9(4): 370-373.  
<https://www.phytojournal.com/archives/2020/vol9issue4S/PartF/S-9-4-16-368.pdf>
11. Lema, tadesse zenebe, tessema solomon amare and fentahun addis abebe analysis of the technical efficiency of rice production in Fogera district of ethiopia: a stochastic frontier approach. *Ethiopian journal of economics* vol. Xxvi no 2, october 2017.  
[file:///C:/Users/DELL/Downloads/177741-Article%20Text-454116-1-10-20180925%20\(1\).pdf](file:///C:/Users/DELL/Downloads/177741-Article%20Text-454116-1-10-20180925%20(1).pdf)

Comment [U345]: indent correctly

Comment [U346]: italicize

12. Hussain abid, Saboor abdul, Khan Muhammad Azeem , Mohsin Abdul Qayyum and Hassan fayyaz ul. Technical efficiency of wheat production in rain-fed areas: a case study of punjab, pakistan *pak. J. Agri. Sci.*, vol. 49(3), 411-417; 2012 issn (print) 0552-9034, issn (online) 2076-0906 <http://www.pakjas.com.pk>.
13. <file:///C:/Users/DELL/Downloads/ICFAI.pdf>
14. Gautam, Madhur , Nagarajan Hari K. and Pradhan Kailash C. (2012) Technical, economic and allocative efficiency and its determinants of Indian agricultural farmers using ARIS/REDS panel data. *National council of applied economic research* [https://www.ncaer.org/publication\\_details.php?pid=218](https://www.ncaer.org/publication_details.php?pid=218)
15. Nithin , K Raj; T Paul, Lazarus, Aswathy ; Vijayan, Durga ,AR; B ,Aparna; Bigit, Joseph and Roy Stephen (2020). Constraints in paddy cultivation faced by the farmers in upper Kuttanad: A study in Alappuzha district of *Kerala Journal of Pharmacognosy and Phytochemistry* 2020; Sp 9(4): 370-373. <https://www.phytojournal.com/archives/2020/vol9issue4S/PartF/S-9-4-16-368.pdf>
16. Gedam Kunika, Gauraha AK and Chaudhary VK (2021) An economic analysis of production and marketing of major crops in KhairagarhRajnandgaon District of Chhattisgarh . *Journal of Pharmacognosy and Phytochemistry*; Sp 10(3): 01-03. <https://www.phytojournal.com/archives/2021/vol10issue3S/PartA/S-10-3-15-157.pdf>

**Comment [U347]:** find out the authors. You can goggle using the link as this citing is not properly done This link mat come from the author's computer erroneously.