

## **Original Research Article**

### **KNOWLEDGE, ATTITUDE AND AWARENESS OF COVID VACCINES AMONG SENIOR CITIZENS IN CHENNAI**

#### **ABSTRACT**

**INTRODUCTION:** The Covid-pandemic is caused by SARS-CoV-2. It first originated from Wuhan, China. It has caused many effects on each and every part of people all over the world. So many pharmaceutical companies have tried to find vaccines against. India found one of its kinds, named Covaxin and Covishield. The awareness of vaccines is needed to people of all age groups. This study is aimed to create awareness and knowledge about Covid vaccines among senior citizens.

**METHODS AND MATERIALS:** Online based, cross-sectional survey was conducted for a period of one week among 136 senior citizens aged between 55-100 years. The survey questions were created using [google](#) forms and sent via whatsapp and email to their family members to translate them. The survey consists of 13 questions in which two were demographic details and the rest were questionnaires. Statistical analysis was done using SPSS software. Chi-square test was done to [analyse](#) the correlations p value less than 0.05 was considered significant.

**RESULTS:** 136 senior citizens responded to the survey. The majority of the [population](#) [were](#) females (62.5%) within the age group 60-70 years in Chennai. Out of 136, 91.8% were aware of covid pandemic, 81.6% were aware covid vaccine, 74.2% think vaccine is necessary for corona, 69.1% weren't aware of types of vaccine available for coronavirus in India, 73.5% answered it's an important tool to stop pandemic and 66.1% were willing to get vaccinated. 60-80 showed better awareness about the benefits of vaccines when compared to other age groups (p value 0.028)

**CONCLUSION:** The survey showed the senior citizens of Chennai were more aware (81.6%) about Covid vaccine and Covid-pandemic. Females (62.5%) had better awareness when compared to males (37.5%).

**KEYWORDS:** Knowledge; Attitude; Awareness; Covid vaccine; Chennai; innovative technology; Senior citizens

**RUNNING TITLE:** Knowledge, awareness and attitude of Covid vaccine among Senior citizens in Chennai.

## INTRODUCTION

The Covid-19 pandemic is a ~~world-wide~~worldwide fall caused by SARS-CoV-2 (Severe acute respiratory syndrome coronavirus-2). The first case of corona was reported in Wuhan, China, with clusters of acute respiratory illness on december of 2019. This spread to over 198 countries within ~~a-month~~a month(1). The first case of corona in India was reported on 27th january 2020 in Kerala. Currently India is reported with the highest covid positive cases in Asian continent with over 10M tested positive and 156K deaths. However with 10.7M recovered cases, India showed a great resistance against novel coronavirus, but it is still a threat to weak or vulnerable peoples (senior citizens and children below age 10 years) (2,~~3~~,3).

On 19th march, 2020 the government of India has ordered the closing of all public ~~soeialisings~~socializing places like theatres, parks, restaurants, schools, colleges and even temples, by implementing section 144 all over India (4). Only essential goods like medicine, food, and the communication sector were allowed to remain open. This lockdown lasted over several months of 2020 (5).

The last four months of 2020 (i.e., from August) top biomedical and pharmaceutical companies in every part of the world tried to invent a vaccine against novel coronavirus. The vaccines are serum which has a specific disease causing pathogens in a ~~deactivated-inactivated form, that~~form that activate the immune response against this pathogen to build natural immunity. So when the

body gets a contact with this pathogen after vaccination, the white blood cell in the blood destroys it and saves us from ~~it's~~ effects (6)

Several companies all over the world have found several types of vaccine against coronavirus. Even India tried and found ~~it's~~ ~~kind,~~ they are called Covaxin and Covishield. Covaxin is developed using Whole- Virion Inactivated Vero ~~Cell~~ ~~(Cell~~ ~~—uses~~ ~~(uses~~ killed coronavirus) technology and Covishield is developed using Non-Replicating Viral Vector ~~(—uses~~ ~~(uses~~ ~~deactivated-inactivated~~ coronavirus) technology (7,8). These were under certification and testing by ICMR ( Indian Council of Medical Research), which was started supplying on 12th of January 2021.

The vaccination in India was the largest inoculation effort taken in the world. India has vaccinated more than 20 million people and aims to cover 300 million by the end of ~~July~~ ~~July~~ (9). So far the prior people- healthcare workers, people between 45-60 years were vaccinated followed by the general public. India has also supplied vaccines to other countries, with tens of thousands of free doses in what is being widely described as “vaccine diplomacy”(10). India makes over 60% of the world's overall vaccine.(11)

Both the vaccines need to be taken as two doses, but the time interval is different (Covaxin after 4 weeks and Covishield after 12 weeks). Some socialists consider vaccines to be the 21st century's greatest invention and many historical moments where it saved the entire human race. Vaccines for polio, malaria, hepatitis-B, measles, mumps, ~~rabies, etc,~~ ~~rabies, etc.~~ (12)

Even with these improved technologies, people still fear and hesitate to get vaccinated for them as well as for their child(13). The reason may vary from age to age, gender to gender, place to place. Even developed countries like the USA, Europe, Australia, etc refuse to get vaccinated(14). They fear that getting vaccinated, might cause the specific disease and side effects like paralysis, reduced immune response, fevers, constipation, vomit, etc. which is true from their point of view but this might cause a great problem to weak people around them (14,15).

This refusal of vaccination may be due to lack of awareness and knowledge about vaccines, that they might have heard from any ~~rumours~~ ~~rumors~~ from social media, ~~neighbours~~ ~~neighbors~~,

colleagues, etc.(16). Our team has extensive knowledge and research experience that has translated into high quality publications (17–36). The experience from our previous studies on covid 19 have led us to focus on the current topic (37–39) . The main aim of the study is to create awareness and knowledge about Covid vaccine among senior citizens and to stop the pandemic.

## MATERIALS AND METHODS

This study was ~~Online~~[online based](#); a cross-sectional survey was conducted for a period of one week among 136 senior citizens aged between 55-100 years. The survey questions were created using ~~google~~[Google](#) forms ~~and sent~~[and sent](#) via whatsapp and email to their family members to translate them. The survey consists of 13 questions in which two were demographic details and the rest were questionnaires. The study used ~~SPSS~~[SPSS](#) (statistical package of social science) ~~Version~~[Version](#) 23 IBM to process and ~~analyse~~[analyze](#) the data collected from the survey. The survey was ~~summarised~~[summarized](#) using a chi-square test in the form of logistic regression analysis.

The questionnaire comprised a series of questions including the demographic details like age and gender of the participants. The other questions include awareness of covid pandemic and vaccines and its benefits, types, its supply and willingness to get vaccinated, whether it is a safer way to build protection against coronavirus, is vaccine necessary and had any side effects of the vaccine previously.

All statistical analysis was performed using ~~SPSS~~(statistical package of social science) ~~Version~~ 23 IBM. The information was tabulated and extracted from ~~google~~[Google](#) in a form of EXCEL sheet. The ~~datas~~[data's](#) were verified for completeness and entered manually in SPSS software. The information was ~~analysed~~[analyzed](#) by comparing demographic details with questionnaires using the chi-square test or fisher's exact test in the form of binary logistic regression designed models. P value less than 0.05 is considered significant.


## RESULTS

The study had 136 participants aged between 55-100 years. So the study was conducted online-based to avoid the spread of coronavirus and its effect on weak people through aerosols and inanimate objects via contact or touch. These weak people tend to be non-resistant against the disease causing microbes that make them vulnerable to diseases.


Out of 136 responders 62.5% were females and 37.5% were male (**Figure 1**). Among them 42.6% were aged between 60-70, 30.1% were between 70-80, 14.7% were between 80-90, 9.7% were between 55-60 and 2.9% were above 90 (**Figure 2**). The awareness of Covid pandemic is there for 91.2% of senior citizens—(citizens (**Figure 3**). Among them 81.6% had ~~an awareness~~awareness about Covid vaccines. ~~But—18.3~~But 18.3% were not aware about Covid vaccines. 79.4% of senior citizens were aware that vaccines have started supplying. Around 74.2% of participants think vaccines are necessary for coronavirus as it is a major threat to vulnerable sector peoples like them. When asked whether vaccines can stop global covid pandemic 73.5% responded yes. And 73.5% thought vaccines will improve their immune system against coronavirus. But only 53.6% had ~~an awareness~~awareness about the benefits of vaccines and only 30.8% were aware of the types of Covid vaccines available in India. Therefore around 66.1% of senior citizens were willing to get vaccinated. But vaccine hesitancy is caused because of side effects they had from previous vaccination, around 33.1% responded they had side effects of vaccines previously. From all this knowledge they gained from the survey 67.6% of senior citizens were willing to recommend vaccines to their family members to make them and their family safe from coronavirus.

The females had better awareness when compared to male about covid ~~vaccines~~vaccines (p value 0.142). The females think about covid vaccines providing protection against coronavirus when compared to male (p value 0.027) (**Figure 4**). ~~awareness~~Awareness of the benefit of vaccines is more among females (p value 0.824) (**Figure 5**). Age group between 60-80 had more awareness of covid ~~vaccines~~vaccines (p value 0.001). 60-80 age group peoples think vaccines could provide protection against coronavirus (p value 0.001). 60-80 showed better awareness about the benefits of vaccines when compared to other age groups (p value 0.028).


In the study, demographic details were compared with questionnaires using a chi-square test in the form of logistic regression to [analyse](#) the correlations. Pearson value less than 0.05 is considered significant.




**Figure 1** : This pie chart represents the percentage distribution of gender of participants. 62.5% of respondents were female (pink) and 37.5% were male (grey).




**Figure 2 :** Pie chart represents percentage distribution of age group. 9.56% of respondents aged between 50-60 years (maroon), 42.65% were aged between 60-70 years (orange), 30.15% were aged between 70-80 years (sandal colour), 14.71% were aged between 80-90 years (purple) and 2.94% were aged 90 years and above(yellow).



**Figure 3:** This pie chart represents the percentage distribution of awareness of covid pandemic. 91.18% of respondents said yes (green) and 8.82% said no (blue).



**Figure 4:** The graph depicts the association between gender and awareness of covid vaccines. X-axis represents gender and Y-axis represents percentage of response. Green bar represents yes and blue bar is no. Females had better awareness than males. Chi square test was done. P value - 0.142 ( $p < 0.05$ ). Hence it is statistically not significant.



**Figure 5 :** The graph depicts the association between gender and awareness of covid vaccine providing protection against coronavirus. X-axis represents gender and Y-axis represents percentage of responses. Green bar represents yes and blue bar is no. Females had better awareness than males. Chi square test was done. P value - 0.027 ( $p < 0.05$ ). Hence it is considered statistically significant.

## DISCUSSION

Some socialist consider vaccines as one of the greatest public health inventions of the 21st century (40). It has forced us to study more deeply about microorganisms and their genetic materials (41). The knowledge of Covid of Covid vaccines are well known among adolescence and middle aged peoples but it is lacking among senior citizens as they don't socialisesocialize enough because of their health issues. As a result this survey fulfilled that gap.

The results of our study were similar to other studies of (42–44) and studies done in the USA, Iran, China and Saudi arabiaArabia. When it comes to awareness of covid pandemic 91.2% of senior citizens in India were aware that it agrees with the studies done previously (Iran- 90%, China- 90%, USA- 89% were aware of covid pandemic). 66.8% were willing to get vaccinated in India which agrees with other studies (USA- 80%, China- 72.5% and Saudi arabiaArabia-

64.7% were willing to get vaccinated). But 81.6% of participants are aware of Covid vaccine which opposes the result of Mannan KA, et al. (45). But when asked whether the vaccine will protect them from coronavirus, 73.5% think it can, which is similar to Rahma et al (46) who also stated that 85.6% were aware of the Covid 19 vaccine .

The respondents were well educated and from high economic status with good awareness and knowledge about Covid pandemic and vaccines. So the results can comprehend only with high socio economic people in Chennai. And since the study was done in a small sample size, future studies need to be done in a large sample size and people from all economic status. Also, due to Covid pandemic and its fear of spreading through aerosols and inanimate objects, an online based survey was chosen, which can affect the accuracy and the result of the study. Hope the future studies done are free of these limitations and help socialist to analyse and take steps towards spreading awareness and knowledge about covid vaccine among elders to make themselves protective against corona.

## **CONCLUSION**

The study showed the senior citizens in Chennai had better awareness and knowledge of Covid pandemic and vaccine. Female senior citizens (62.5%) had a better awareness when compared to males senior citizens (37.5%). Also the study might have educated about the importance of vaccines and its effects to stop the spread of Covid 19.

## COMPETING INTERESTS DISCLAIMER:

Authors have declared that no competing interests exist. The products used for this research are commonly and predominantly use products in our area of research and country. There is absolutely no conflict of interest between the authors and producers of the products because we do not intend to use these products as an avenue for any litigation but for the advancement of knowledge. Also, the research was not funded by the producing company rather it was funded by personal efforts of the authors.

## REFERENCE

1. Terri R, Angela V, Taylor AR. Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-Cov-2) and the COVID-19 Pandemic: The Early Months [Internet]. Vol. 3, Journal of Nursing and Practice. 2020. Available from: <http://dx.doi.org/10.36959/545/385>
2. Hisaka A, Yoshioka H, Hatakeyama H, Sato H, Onouchi Y, Anzai N. Global Comparison of Changes in the Number of Test-Positive Cases and Deaths by Coronavirus Infection (COVID-19) in the World [Internet]. Available from: <http://dx.doi.org/10.20944/preprints202004.0374.v1>
3. Gupta S. Coronavirus and Rising Threat of Malnutrition among Children in India [Internet]. Vol. 10, Asian Journal of Research in Social Sciences and Humanities. 2020. p. 1. Available from: <http://dx.doi.org/10.5958/2249-7315.2020.00013.1>
4. Gupta H. The Current Outbreak of COVID-19 with reference to India [Internet]. Vol. 01, Coronaviruses. 2020. Available from: <http://dx.doi.org/10.2174/2666796701999201026203911>
5. Chauhan A, Singh RP. Effect of Lockdown on HCHO and Trace Gases over India during March 2020 [Internet]. Vol. 21, Aerosol and Air Quality Research. 2021. p. 200445. Available from: <http://dx.doi.org/10.4209/aaqr.2020.07.0445>
6. Gahan C. Specific immune mechanisms of defence against foodborne pathogens [Internet]. Food consumption and disease risk. 2006. Available from: <http://dx.doi.org/10.1201/9781439824580.ch9>
7. Atkinson S. DuPont uses virtual exhibitions and Webinars to highlight its recently developed technology and products [Internet]. Vol. 2021, Membrane Technology. 2021. p. 7–8. Available from: [http://dx.doi.org/10.1016/s0958-2118\(21\)00012-4](http://dx.doi.org/10.1016/s0958-2118(21)00012-4)
8. Koester V. Coronavirus Entering and Replicating in a Host Cell [Internet]. ChemViews. 2020. Available from: <http://dx.doi.org/10.1002/chemv.202000018>

9. Dasgupta S. India needs more transparency in its COVID-19 vaccine trials, critics say [Internet]. *Science*. 2020. Available from: <http://dx.doi.org/10.1126/science.abf8691>
10. Ozair A, Singh KK. Delivering High-Quality, Equitable Care in India: An Ethically-Resilient Framework for Healthcare Innovation After COVID-19. *Front Public Health*. 2021 Feb 18;9:640598.
11. Sharma A, Baldi A, Kumar Sharma D. How to spot Covid-19 patients: speech & sound audio analysis for preliminary diagnosis of SARS-COV-2 corona patients. *Int J Clin Pract*. 2021 Mar 8;e14134.
12. Blumenthal KG, Robinson LB, Camargo CA Jr, Shenoy ES, Banerji A, Landman AB, et al. Acute Allergic Reactions to mRNA COVID-19 Vaccines. *JAMA* [Internet]. 2021 Mar 8; Available from: <http://dx.doi.org/10.1001/jama.2021.3976>
13. Princeton B, Santhakumar P, Prathap L. Awareness on Preventive Measures taken by Health Care Professionals Attending COVID-19 Patients among Dental Students [Internet]. Vol. 14, *European Journal of Dentistry*. 2020. p. S105–9. Available from: <http://dx.doi.org/10.1055/s-0040-1721296>
14. Reverby SM. Racism, disease, and vaccine refusal: People of color are dying for access to COVID-19 vaccines. *PLoS Biol*. 2021 Mar 8;19(3):e3001167.
15. Commissioners of the Lancet Commission on Vaccine Refusal, Acceptance, and Demand in the USA. Announcing the Lancet Commission on Vaccine Refusal, Acceptance, and Demand in the USA. *Lancet* [Internet]. 2021 Feb 24; Available from: [http://dx.doi.org/10.1016/S0140-6736\(21\)00372-X](http://dx.doi.org/10.1016/S0140-6736(21)00372-X)
16. Ramasubramanian S, Preetha S, Premavathy D, Prathap L. Awareness on Spread of Misinformation and its Effect on Public with Regard to COVID-19 [Internet]. Vol. 12, *International Journal of Current Research and Review*. 2020. p. 66–73. Available from: <http://dx.doi.org/10.31782/ijcrr.2020.sp08>
17. Barabadi H, Mojab F, Vahidi H, Marashi B, Talank N, Hosseini O, et al. Green synthesis, characterization, antibacterial and biofilm inhibitory activity of silver nanoparticles compared to commercial silver nanoparticles [Internet]. Vol. 129, *Inorganic Chemistry Communications*. 2021. p. 108647. Available from: <http://dx.doi.org/10.1016/j.inoche.2021.108647>
18. Bharath B, Perinbam K, Devanesan S, AlSalhi MS, Saravanan M. Evaluation of the anticancer potential of Hexadecanoic acid from brown algae *Turbinaria ornata* on HT–29 colon cancer cells [Internet]. Vol. 1235, *Journal of Molecular Structure*. 2021. p. 130229. Available from: <http://dx.doi.org/10.1016/j.molstruc.2021.130229>
19. Clarizia G, Bernardo P. Diverse Applications of Organic-Inorganic Nanocomposites: Emerging Research and Opportunities: Emerging Research and Opportunities. IGI Global; 2019. 237 p.
20. Egbuna C, Mishra AP, Goyal MR. Preparation of Phytopharmaceuticals for the

Management of Disorders: The Development of Nutraceuticals and Traditional Medicine. Academic Press; 2020. 574 p.

21. Ezhilarasan D. Critical role of estrogen in the progression of chronic liver diseases. *Hepatobiliary Pancreat Dis Int.* 2020 Oct;19(5):429–34.
22. Gowhari Shabgah A, Ezzatifar F, Aravindhana S, Olegovna Zekiy A, Ahmadi M, Gheibihayat SM, et al. Shedding more light on the role of Midkine in hepatocellular carcinoma: New perspectives on diagnosis and therapy. *IUBMB Life.* 2021 Apr;73(4):659–69.
23. J PC, Marimuthu T, C K, Devadoss P, Kumar SM. Prevalence and measurement of anterior loop of the mandibular canal using CBCT: A cross sectional study. *Clin Implant Dent Relat Res.* 2018 Aug;20(4):531–4.
24. Kamath SM, Manjunath Kamath S, Jaison D, Rao SK, Sridhar K, Kasthuri N, et al. In vitro augmentation of chondrogenesis by Epigallocatechin gallate in primary Human chondrocytes - Sustained release model for cartilage regeneration [Internet]. Vol. 60, *Journal of Drug Delivery Science and Technology.* 2020. p. 101992. Available from: <http://dx.doi.org/10.1016/j.jddst.2020.101992>
25. Mudigonda SK, Murugan S, Velavan K, Thulasiraman S, Krishna Kumar Raja VB. Non-suturing microvascular anastomosis in maxillofacial reconstruction- a comparative study. *J Craniomaxillofac Surg.* 2020 Jun;48(6):599–606.
26. Nambi G, Kamal W, Es S, Joshi S, Trivedi P. Spinal manipulation plus laser therapy versus laser therapy alone in the treatment of chronic non-specific low back pain: a randomized controlled study. *Eur J Phys Rehabil Med.* 2018 Dec;54(6):880–9.
27. Prakash AKS, Devaraj E. Cytotoxic potentials of *S. cumini* methanolic seed kernel extract in human hepatoma HepG2 cells [Internet]. Vol. 34, *Environmental Toxicology.* 2019. p. 1313–9. Available from: <http://dx.doi.org/10.1002/tox.22832>
28. Rajakumari R, Volova T, Oluwafemi OS, Rajesh Kumar S, Thomas S, Kalarikkal N. Grape seed extract-soluplus dispersion and its antioxidant activity. *Drug Dev Ind Pharm.* 2020 Aug;46(8):1219–29.
29. R H, Hannah R, Ramani P, Ramanathan A, Jancy MR, Gheena S, et al. CYP2 C9 polymorphism among patients with oral squamous cell carcinoma and its role in altering the metabolism of benzo[a]pyrene [Internet]. Vol. 130, *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology.* 2020. p. 306–12. Available from: <http://dx.doi.org/10.1016/j.oooo.2020.06.021>
30. Santhakumar P, Roy A, Mohanraj KG, Jayaraman S, Durairaj R. Ethanolic Extract of *Capparis decidua* Fruit Ameliorates Methotrexate-Induced Hepatotoxicity by Activating Nrf2/HO-1 and PPAR $\gamma$  Mediated Pathways [Internet]. Vol. 55, *Indian Journal of Pharmaceutical Education and Research.* 2021. p. s265–74. Available from: <http://dx.doi.org/10.5530/ijper.55.1s.59>

31. Saraswathi I, Saikarthik J, Senthil Kumar K, Srinivasan KM, Ardhanaari M, Gunapriya R. Impact of COVID-19 outbreak on the mental health status of undergraduate medical students in a COVID-19 treating medical college: a prospective longitudinal study [Internet]. Vol. 8, PeerJ. 2020. p. e10164. Available from: <http://dx.doi.org/10.7717/peerj.10164>
32. Sridharan G, Ramani P, Patankar S, Vijayaraghavan R. Evaluation of salivary metabolomics in oral leukoplakia and oral squamous cell carcinoma. *J Oral Pathol Med.* 2019 Apr;48(4):299–306.
33. Viebahn R. The use of ozone in medicine. *Medicina Biologica*; 1994. 187 p.
34. Vivekanandhan K, Shanmugam P, Barabadi H, Arumugam V, Daniel Raj Daniel Paul Raj D, Sivasubramanian M, et al. Emerging Therapeutic Approaches to Combat COVID-19: Present Status and Future Perspectives. *Front Mol Biosci.* 2021 Mar 8;8:604447.
35. Wadhwa R, Paudel KR, Chin LH, Hon CM, Madheswaran T, Gupta G, et al. Anti-inflammatory and anticancer activities of Naringenin-loaded liquid crystalline nanoparticles in vitro. *J Food Biochem.* 2021 Jan;45(1):e13572.
36. Wahab PUA, Madhulaxmi M, Senthilnathan P, Muthusekhar MR, Vohra Y, Abhinav RP. Scalpel Versus Diathermy in Wound Healing After Mucosal Incisions: A Split-Mouth Study. *J Oral Maxillofac Surg.* 2018 Jun;76(6):1160–4.
37. Kallivayalil JG, Preetha S, Kavitha S, Prathap L. COVID-19 and its Psychological Impact among General Population - A Questionnaire Survey [Internet]. Vol. 12, *International Journal of Current Research and Review.* 2020. p. 49–54. Available from: <http://dx.doi.org/10.31782/ijcr.2020.sp06>
38. Mahalingam NV, Preetha S, Kavitha S, Prathap L. Effects of COVID-19 Outbreak and Lockdown - A Questionnaire Based Study [Internet]. Vol. 12, *International Journal of Current Research and Review.* 2020. p. 27–33. Available from: <http://dx.doi.org/10.31782/ijcr.2020.sp03>
39. Website [Internet]. Available from: Swetha Ramasubramanian, Preetha S2, Dinesh Premavathy3, Lavanya Prathap , Awareness On Spread Of Misinformation And Its Effect On Public With Regard To Covid-19, *International Journal Of Current Research And Review Survey* , Vol 12, Issue 19 , October 2020, <Http://Dx.Doi.Org/10.31782/Ijcr.2020.Sp08>
40. Killeen RM. Vaccines — One of the Greatest Medical Advances of Modern Times [Internet]. Vol. 140, *Canadian Pharmacists Journal / Revue des Pharmaciens du Canada.* 2007. p. S2–S2. Available from: <http://dx.doi.org/10.3821/1913-701x-140-sp2.s2>
41. Klein E. Micro-organisms and disease. An introduction to the study of specific micro-organisms [Internet]. 1896. Available from: <http://dx.doi.org/10.5962/bhl.title.54189>
42. Sallam M. COVID-19 Vaccine Hesitancy Worldwide: A Systematic Review of Vaccine Acceptance Rates [Internet]. Available from:

<http://dx.doi.org/10.20944/preprints202012.0717.v1>

43. García LY, Cerda AA. Acceptance of a COVID-19 vaccine: A multifactorial consideration [Internet]. Vol. 38, Vaccine. 2020. p. 7587. Available from: <http://dx.doi.org/10.1016/j.vaccine.2020.10.026>
44. Suvurov A. Development of Mucosal Vaccine Against COVID-19 [Internet]. Available from: <http://dx.doi.org/10.26226/morressier.5f884462c267945095ea79ed>
45. Mannan KA, Farhana KM. Knowledge, Attitude and Acceptance of a COVID-19 Vaccine: A Global Cross-Sectional Study [Internet]. SSRN Electronic Journal. Available from: <http://dx.doi.org/10.2139/ssrn.3763373>
46. Rahma A. Knowledge, Attitude, And Behaviour Towards Human Papilloma Virus (Hpv) Vaccine Among Women In Ciracas Community Health Care [Internet]. Available from: <http://dx.doi.org/10.26226/morressier.59f838b6a874c6001b34ea67>