

## Original Research Article

### Heavy metals analysis and Estimation of Aflatoxin, pesticide residue, microbial content of Siddha poly herbal formulation

#### *Veppampoo Mathirai*

Formatted: Font: Italic

#### Abstract

The polyherbal siddha formulation *veppampoomathirai* is effective in regulating blood pressure but its quality assessment like heavy metal content, aflatoxin, pesticide residue, microbial content have not been evaluated so far. The current study evaluated the above parameters.

Formatted: Font: Italic

**Aim:** The polyherbal siddha formulation *veppampoo mathirai* is effective in regulating blood pressure but its safety is not known. The heavy metal, aflatoxin, pesticide residue, microbial content have not been evaluated so far. The current study evaluated the above parameters. The present study was aimed to evaluate the safety parameters (heavy metal, aflatoxin, pesticide residue and microbial profile) of polyherbal Siddha formulation, *Veppampoo Mathirai* used for hypertension to regulate blood pressure.

Formatted: Font: Italic

**Materials and methods:** According to AYUSH [Ayurveda, yoga, unani, siddha, naturopathy] Pharmacopoeial laboratory for Indian medicine guidelines, the formulation was evaluated for its safety parameters at Noble research solutions, kolathur, Chennai, ~~accredited~~ accredited with ISO 9001: 2015.

**Results:** The study revealed presence of heavy metals: mercury, arsenic, lead and cadmium within the recommended limit as per AYUSH Pharmacopoeial Laboratory of Indian Medicine Guidelines whereas presence of Aflatoxin, pesticide residue and microbial content were absent in the sample which showed the formulation *Veppampoo Mathirai* was free from toxicity.

**Key words :** aflatoxin, Heavy metal analysis, microbial content, *Veppampoo Mathirai*,

#### 1. Introduction

Traditional medicine is widely used for the prevention and treatment of many diseases and are also used to boost energy and improve immunity system<sup>1</sup>. Large sections of population in developing countries still rely on herbal medicines for their primary care<sup>2</sup>. The limits of toxic metals in the form of impurities depend on the nature of the sample and the contaminants or residues<sup>3</sup>. Plants are the main link in the transfer of heavy metals from the contaminated soil to humans. Heavy metals have low excretion rates through the kidney which could result in damaging effects on humans even at very low concentrations<sup>4</sup>. Besides heavy metals, Aflatoxins are mycotoxins produced mainly by *Aspergillus parasiticus* and *Aspergillus flavus* and, though rarely, by *Aspergillus nomius*<sup>5</sup>. Aflatoxins are well known as one of the most powerful carcinogens and mutagens. Other toxic effects of aflatoxins include immunosuppression, teratogenicity and genotoxicity. Its contamination in foodstuff and animal feed is controlled by legal limits<sup>6</sup>.

Pesticides are used to protect crops against insects, weeds, fungi and other pests. Pesticides are potentially toxic to humans and can have both acute and chronic health effects, depending on the quantity and ways in which a person is exposed. Some of the older, cheaper pesticides can remain for years in soil and water<sup>7</sup>. Medicinal herbal products have been reported to be contaminated with microorganisms

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

indigenous to the soil and plants where they are grown<sup>8</sup>. Poor conditions during harvesting and postharvest handling of the herbs and herbal products predispose them to contamination<sup>9</sup>.

The national limit for toxic metals and microbial contaminants in various types of herbal products are different for each country and depend on herb type and whether it is raw material or a finished product<sup>3</sup>. In the current study, according to AYUSH Pharmacopeial laboratory for Indian medicine guidelines, the formulation was evaluated for its safety parameters.

The Siddha polyherbal formulation *Veppampoo Mathirai* (VPM) is indicated for regulating blood pressure, as per siddha classical text, Noigaluku siddha parigaaram, part I, by Dr.M.Shanmugavelu. It contains fourteen herbal ingredients which is presented in tablet form grounded with lime juice. The herbal ingredients are *Azadirachta indica*, *Phyllanthus amarus*, *Solanum trilobatum*, *Eclipta prostate*, *Zingiber officinalis*, *Piper nigrum*, *Piper longum*, *Terminalia chebula*, *Terminalia bellerica*, *Emblica officinalis*, *Eugenia caryophyllata*, *Cinnamom zeylanicum*, *Elatteria cardamomum*, *Coeusvettiveroides*<sup>10</sup>.

Formatted: Font: Italic

## 2. Materials and methods

### 2.1 Sample preparation

The herbal ingredients were procured from reputed indigenous raw drug store Chennai, in the Month of February 2021 and were identified and authenticated by the Botanist, Government siddha medical college, Chennai (voucher number GSMC/MB-89/21 -- 100/21). The herbals were purified according to the siddha classical text sikitcharathnadeepamsarakusuthimuraigal. Each of the herbal ingredients was made in to fine powder separately. All the powdered drugs were mixed in the stone mortar and grounded with required quantity of lime juice for about 72 hours and made in to 500-gram 500-gram tablets<sup>10</sup>. The tablets were dried well in shade and stored in a clean dry air tight container. The medicine was prepared at pharmacology department, Government siddha medical college, Chennai. The above sample was studied to evaluate heavy metal content, aflatoxins, pesticide residues, microbial content at Noble research solutions, kolathur, Chennai, accredited with ISO 9001: 2015.

### 2.2 Heavy metals

Atomic Absorption Spectrometry (AAS) is a very common and reliable technique for detecting metals and metalloids in environmental samples. The total heavy metal content of the sample VPM was performed by Atomic Absorption Spectrometry (AAS) Model AA 240 Series in order to determine the heavy metals such as mercury, arsenic, lead and cadmium concentrations in the test sample VPM. The sample VPM was digested with 1mol/L HCl for determination of arsenic and mercury. Similarly, for the determination of lead and cadmium the sample was digested with 1 mol/L of HNO<sub>3</sub>.

Formatted: Subscript

### 2.3 Aflatoxins

Standard samples was dissolved in a mixture of chloroform and acetonitrile (9.8:0.2) to obtain solution having concentrations of 0.5 µg per ml each of aflatoxin B<sub>1</sub> and aflatoxin G<sub>1</sub> and 0.1 µg per ml each of aflatoxin B<sub>2</sub> and aflatoxin G<sub>2</sub>. Test solution concentration was 1µg per ml. Standard aflatoxin was applied on to the surface to pre coated TLC plate in the volume of 2.5 µL, 5µL, 7.5 µL and 10 µL. Similarly, the test sample was placed and allowed the spots to dry and develop the chromatogram in an unsaturated chamber containing a solvent system consisting of a mixture of chloroform, acetone and isopropyl alcohol (85:-10:-5) until the solvent front has moved not less than 15 cm from the origin. The plate was removed from the developing chamber, the solvent was marked and the plate was allowed to air-dry. The spots were located on the plate by examination under UV light at 365 nm<sup>11</sup>.

Formatted: Subscript

Formatted: Subscript

## 2.4 Pesticide residues

About 10 g of test ~~substance sample~~ were extracted with 100 ml of acetone ~~and~~ followed by homogenization for brief period. Further, filtration was allowed and subsequent addition of acetone other test mixture. Heating of test sample was performed using a rotary evaporator at a temperature not exceeding 40°C until the solvent has almost completely evaporated. To the residue added a few milliliters of toluene R and heated again until the acetone is completely removed. Resultant residue was dissolved using toluene and filtered through membrane filter<sup>12</sup>.

## 2.5 Microbial content count

The pour plate techniques were adopted to determine the sterility of the product. Contaminated / unsterile sample (formulation) when come in contact with the nutrition rich medium it promotes the growth of the organism and after stipulated period of incubation the growth of the organism was identified by characteristic pattern of colonies. The colonies are referred to as Colony Forming Units (CFUs). Test sample was inoculated in sterile petri dish to which about 15 mL of molten agar 45°C were added. Agar and sample were mixed thoroughly by tilting and swirling the dish. Agar was allowed to completely gel, without disturbing it. (about 10 minutes). Plates were then inverted and incubated at 37° C for 24-48 hours and further extended for 72 hrs for fungal growth observation. Grown colonies of organism was then counted and calculated for CFU.

## 2.6 Test for Specific Pathogen

Test sample was directly inoculated in to the specific pathogen medium (EMB, DCC, Mannitol, Cetrimide) by pour plate method. The plates were incubated at 37°C for 24 - 72h for observation. Presence of specific pathogen identified by their characteristic colour with respect to pattern of colony formation in each differential media.

## 3. Results

The results of this study demonstrated that heavy metals, as listed in Table 1 were found below the recommended limit as per AYUSH guidelines. ~~Aflatoxins~~ Aflatoxins as shown in Table 2 were not detected at all. Pesticide residue as depicted in Table 3, were found below quantification limit (BQL), while microbial content depicted in Table 4, (Bacterial, yeast and Mould) and test for specific pathogens in Table 5 as listed were not found at all.

Table 1. Heavy metal content in Veppampoo Mathirai

Name of the Heavy Metal	Absorption Max (λmax)	Result Analysis	Maximum Limit
Mercury	253.7 nm	0.4667 ppm	1 ppm
Lead	217.0 nm	0.9769 ppm	10 ppm
Arsenic	193.7 nm	0.0593 ppm	3 ppm
Cadmium	228.8 nm	0.0195 ppm	0.3 ppm

**Table 2. ~~Aflotoxinin~~ ~~Aflatoxin~~, Veppampoo Mathirai**

Formatted: Font: Italic

Aflatoxin	Sample VPM	AYUSH Limit	Specification
B1	Not_Detected- <del>Absent</del>	0.5ppm	
B2	Not_Detected- <del>Absent</del>	0.1ppm	
G1	Not_Detected- <del>Absent</del>	0.5ppm	
G2	Not_Detected- <del>Absent</del>	0.1ppm	

Ayush – Ayurveda, yoga, unani, siddha, naturopathy. ppm – parts per million.

**Table 3. Pesticide residue in Veppampoo Mathirai**

Formatted: Font: Italic

Pesticide Residue	Sample VPM	AYUSH Limit(mg/kg)
<b>1.Organo chlorine pesticides</b>		
AlphaBHC	BQL	0.1_mg/kg
BetaBHC	BQL	0.1_mg/kg
GammaBHC	BQL	0.1_mg/kg
DeltaBHC	BQL	0.1_mg/kg
DDT	BQL	1_mg/kg
Endosulphan	BQL	3_mg/kg
<b>11.Organophosphoruspesticides</b>		
Malathion	BQL	1_mg/kg
Chlorpyriphos	BQL	0.2_mg/kg
Dichlorovos	BQL	1_mg/kg
<b>III. Pyrethroid</b>		
Cypermethrin	BQL	1_mg/kg

BQL - below quantification limit

**Table 4. Microbial content in Veppampoo Mathirai**

Formatted: Font: Italic

Test	Result	Specification	As per AYUSH/WHO
Total Bacterial Count	Absent	NMT 10 <sup>5</sup> CFU/g	As per AYUSH specification
Total Fungal Count	Absent	NMT 10 <sup>3</sup> CFU/g	

Formatted: Font: Not Italic

Formatted: Font: Not Italic

CFU/g: colony-forming units per gram

**Table 5. Test for specific pathogen in *Veppampoo Mathirai***

Formatted: Font: Italic

Organism	Specification	Result	Medium	Method
<i>E.-coli</i>	Absent	Absent	<i>EMB Agar</i>	
<i>Salmonella</i>	Absent	Absent	Deoxycholate agar	As per AYUSH specification
<i>Staphylococcus Aureus</i>	Absent	Absent	Mannitol salt agar	
<i>Pseudomonas aeruginosa</i>	Absent	Absent	Cetrimide aAgar	

Formatted: Font: Not Italic

Formatted: Font: Not Italic

Formatted: Font: Not Italic

Formatted: Font: Not Italic

Formatted: Font: Not Italic

EMB Agar – Eosin methylene blue agar

#### 4. Discussion

Quality and safety parameters of herbal medicines based on the heavy metal contents and microbial load have been an important concern for health authorities and health professionals. The contamination of these herbal products reduces their effectiveness and also poses serious health hazards to consumers<sup>13</sup>. It is very important to standardize Siddha medicines using scientific techniques to prove its safety and quality which might help in building confidence for their possible use as a therapeutic medicine, among people and for their global acceptance. The current study had been done as a measure of the above purpose to prove the safety of the polyherbal formulation *Veppampoo Mathirai*.

Formatted: Font: Italic

#### 5. Conclusion

The Heavy metal content (mercury, arsenic, cadmium, lead) and pesticide residue of VPM showed within recommended limit as per AYUSH guidelines whereas the aflatoxins (B1, B2, G1 and G2), microbial content and specific pathogens (*E.-coli*, *Salmonella*, *Staphylococcus Aureus aureus*, *Pseudomonas Aeruginosa aeruginosa*) were not detected at all. The present study ensures the polyherbal siddha formulation *Veppampoo Mathirai* may be safe for use in the treatment of blood pressure.

#### Consent

It is not applicable.

#### Ethical approval

It is not applicable.

#### COMPETING INTERESTS DISCLAIMER:

Authors have declared that no competing interests exist. The products used for this research are commonly and predominantly use products in our area of research and country. There is absolutely no conflict of interest between the authors and producers of the products because we do not intend to use these products as an avenue for any litigation but for the advancement of knowledge. Also, the research was not funded by the producing company rather it was funded by personal efforts of the authors.

#### NOTE:

*The study highlights the efficacy of " Siddha, AYUSH " which is an ancient tradition, used in some parts of India. This ancient concept should be carefully evaluated in the light of modern medical science and can be utilized partially if found suitable.*

## References

1. IFF BSWG Herbal medicine, Bimolecular and clinical aspects second edition, CRC press/Taylor & Francis 2011.
2. Benzie IF, Wachtel-Galor Herbal medicine, bimolecular and clinical aspects 2<sup>nd</sup> edition, CRC press 2011.
3. WHO Guidelines for assessing quality of herbal medicines with reference to contaminants and residues ,WHO Geneva,2007.
- 4.Rania Dghaim, Safa Al Khatib, HusnaRasool, and Munawwar Ali KhanDetermination of Heavy Metals Concentration in Traditional Herbs Commonly Consumed in the United Arab Emirates,Volume 2015 [Article ID 973878 | <https://doi.org/10.1155/2015/973878>
5. Ashiq S, Hussain M, Ahmad B. Natural occurrence of mycotoxins in medicinal plants: a review, Fungal Genet Biol, 2014 ;66:1-10.
6. RangspanuratnW ,Kammarnjassadakul P ., Janwithayanuchitl ,Paungmoung P , Ngamurulert S , Sriprapun M ,et al.. Detection of microbes, aflatoxin and toxic heavy metals in Chinese medicinal herbs commonly consumed,Pharm Sci Asia 2017; 44 (3): 162-171
- 7.Pesticide residues in food, WHO 19, February 2018.
8. Govender S, Plessis-Stoman D, Downing T.G, Van De Venter M. Traditional herbal medicines: microbial contamination, consumer safety and the need for standards. South African Journal of Science. 2006;102(5):253–255. [[Google Scholar](#)]
9. Candlish A. A. G., Pearson S. M., Aidoo K. E., Smith J. E., Kelly B., Irvine H. A survey of ethnic foods for microbial quality and aflatoxin content. Food Additives and Contaminants. 2001;18(2):129–136. doi: 10.1080/02652030010021404. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)]
10. Dr.M.Shanmugavelu, HPIM, Noigaluku Siddha parigaaram, Part I,venkateshwara pub, 2012; pg. 146-147.
11. Luciana de CASTRO . Determining Aflatoxins B1, B2, G1 And G2 In Maize Using Florisil Clean Up With Thin Layer Chromatography And Visual And Densitometric Quantification. Ciênc.Tecnol.Aliment.vol.21 no.1 Campinas. 2001.
12. Lohar. D.R. Protocol for testing of ASU medicines.Pharmacopieal Laboratory for Indian Medicines. Ministry of AYUSH. 2007
13. [Bernard K. Turkson](#), [Merlin L. K. Mensah](#), [George H. Sam](#), [Abraham Y. Mensah](#), [Isaac K. Amponsah](#), [Edmund Ekuadzi](#) et al, Evaluation of the Microbial Load and Heavy Metal Content of Two Polyherbal Antimalarial Products on the Ghanaian Market Evidence based complementary and alternative medicine 2020; 2020: 1014273.Published online 2020 May 15. doi: [10.1155/2020/1014273](https://doi.org/10.1155/2020/1014273)

UNDR PEER REVIEW

