

Original Research Article

INVITRO ANTI INFLAMMATORY ACTIVITY OF *ABIES WEBBIANA* USING ALBUMIN DENATURATION ASSAY

Running Title: Invitro anti inflammatory activity of *Abies webbiana* using albumin denaturation assay

ABSTRACT

Background :

In ayurveda, many natural plant components are used to treat inflammatory conditions for centuries with less side effects. Different parts of *Abies Webbiana* plant are used in ayurveda for many diseases. However, very few studies have been conducted to evaluate pharmacological effects of *Abies Webbiana*.

Aim:

The objective of this in vitro study was to analyze and compare the anti-inflammatory properties of *A. webbiana* at various concentrations using albumin denaturation assay.

Methodology:

A ready made powder of *A.webbiana* was mixed with 100 ml of distilled water and boiled for 10 mins the extract was obtained by filtration. The anti-inflammatory activity was done using albumin denaturation assay and Diclofenac sodium was used as a positive control. Serial dilution from 10 μ l, 20 μ l, 30 μ l, 40 μ l and 50 μ l was performed for *A.webbiana* and for the reference drug; reaction mixture was prepared for albumin denaturation assay. All the data was analysed statistically using SPSS version 23 (IBM). Unpaired t test was used for comparison with the positive control and one-way Anova followed by Tukey's post hoc test were used for the comparison between different concentrations.

Results:

The current study revealed that *A. webbiana* extract had anti-inflammatory activity at all the tested concentrations but was significantly lesser when compared to the standard ($p < 0.05$). It was also evident that the absorbance rate of *A.webbiana* significantly increased with the increase in concentration of the extract ($p < 0.05$). However, the absorbance rate at 50 μ l of both standard and *A.webbiana* were almost similar .

Conclusion:

It can be concluded from the present findings that the leaves of *Abies A. webbiana* possess ~~concentration-concentration~~-dependent anti-inflammatory property but is comparatively lesser than Diclofenac sodium

Key words: Albumin, denaturation assay, anti inflammatory activity, Abies Webbiana

INTRODUCTION

Inflammation is a protective mechanism that ~~enables the body to protect itself~~protects the body against infections from toxic chemical allergens or any other harmful stimuli (1,2). At the same time when it is unrestrained, it can lead to damage, disease or destruction portrayed by redness, pain, swelling and disturbed psychological functions(3). It is the physiological response to a variety of injuries or insults, including heat, chemical agents and even bacterial infection. In the acute phase of inflammation, the response is very rapid and ~~of~~-short duration (4). ~~If~~ However, if the insult or injury is not resolved, the response becomes chronic, which is considered as a ~~non-non~~-physiologic or pathologic condition(5). In the presence of chronic inflammation, the adaptive immune response is activated with the involvement of the cellular and non-cellular mechanisms of acquired immunity (6).

Knowledge of how immune mechanisms and inflammatory responses are regulated is important for understanding the pathogenesis of complex diseases, such as periodontitis (7). The pathogenesis of periodontal diseases is mediated by the inflammatory response to bacteria in the dental biofilm (8). The two common diseases affecting the periodontium are gingivitis and periodontitis (9). Gingivitis is defined as the inflammation of the gingiva in which the connective tissue attachment to the tooth remains at its original level. The disease is limited to the soft-tissue compartment of the gingival epithelium and connective tissue(10) . Periodontitis is the inflammation of the supporting tissues of the teeth with progressive attachment loss and bone destruction (4).

Chronic inflammation and oxidative stress can have both systemic and local effects(11). For example, in atherosclerosis where thickening of the arteries ,chronic inflammation of blood vessel walls can result in plaque buildup in the arteries, arterial or vascular blockages, and heart

disease (12). Chronic inflammation also plays a significant role in other diseases and conditions such as chronic pain, poor sleep quality, obesity, physical impairment, and overall decreased quality of life. Inflammation can often be treated with nonsteroidal anti-inflammatory drugs (NSAIDs) such as aspirin and ibuprofen and corticosteroids like cortisol. However, there are potential risks associated with chronic use of NSAIDs including Gastrointestinal, renal, cerebrovascular, and Central nervous system adverse effects (13). On the other hand the adverse effects of corticosteroids are extensive and can involve many organ systems. Short-term use of corticosteroids is associated with mild side effects and long-term use can result in severe adverse effects, some of which are irreversible (14). Recently, plants as a source of medicine are gaining popularity because of their natural origin, availability in local communities, cheaper to purchase, ease of administration, and perhaps have less side effects. Herbal medicine may also be useful alternative treatment in case of numerous side effects and drug resistance.(15,16),(17)

Abies Webbiana is called thalisa pathri in Tamil, thalisapathra or patradhham in Sanskrit and yew or Himalayan silver in English(18,19). This lofty fir is widely distributed on higher ranges of Himalayan regions from kashmir to Assam states in India(20,21). It is a tall evergreen coniferous tree grown up to 60m with strong brown hair. A.Webbiana leaf has been reported to exhibit antibacterial, antifungal, mast cell stabilizing, anxiolytic, antitumour, anti inflammatory, antitussive anti fertility, antispasmodic properties, central nervous system depressant activity and effective against hypoglycemia rheumatism (18,20,22). Bronchodilation and antiplatelet activities of A. Webbiana were investigated and evaluated for the antioxidant and antimicrobial activity of A. Webbiana extract (23,24). [Effect-In addition, effect](#) of A.Webbiana leaf extract on bleeding time and inflammation was analysed(18,22,25).

Our team has extensive knowledge and research experience that has translate into high quality publications.(26–38),(39–43) (44) (45)This study was designed to determine anti-inflammatory activity of Abies Webbiana and also compare the same with a known non steroidal anti inflammatory drug at different concentrations(46) (47) (48) (49).

MATERIALS AND METHODS

COLLECTION OF PLANTS MATERIALS AND EXTRACT PREPARATION

A.webbiana powder was obtained ready made. It was mixed with 100 ml of distilled water in a conical flask and kept on a stirrer for 2-3 days for the extract preparation. The conical flask was then kept at room temperature for 15 minutes and later kept at 80°C for 20 minutes. The extract was filtered using a filter paper. Thereafter, it was stored in the refrigerator.

PREPARATION OF REFERENCE DRUGS (POSITIVE CONTROL/ STD)

NSAID (Diclofenac) was used as a reference drug. Diclofenac was crushed into fine powder. About 0.2g of Diclofenac sodium drug powder was measured using a digital analytical balance

and was added to 20 ml of distilled water respectively. The solution was mixed well using a vortex.

Sample preparation

The different concentrations of 10 μ l, 20 μ l, 30 μ l, 40 μ l and 50 μ l were prepared for A.webbiana and for the reference drug, the reaction mixture was prepared ~~prepared~~ formulated for albumin denaturation assay.

INHIBITION OF PROTEIN DENATURATION

In this study, we have used albumin denaturation assay as an indirect measure against inflammation. Reaction mixture ~~were~~ was incubated in the water bath at 37°C \pm 2°C for 15-20 minutes and kept ~~in~~ at room temperature for 10 minutes. ~~Absorption of reaction mixture before and after denaturation was measured for each concentration (10 μ l, 20 μ l, 30 μ l, 40 μ l and 50 μ l) at 680 nm using a colorimeter~~ colourimeter measured the absorption of the reaction mixture before and after denaturation was measured for each concentration (10 μ l, 20 μ l, 30 μ l, 40 μ l and 50 μ l) at 680 nm. Each test was repeated thrice, and the mean absorbance was recorded

STATISTICAL ANALYSIS

All the data were analysed statistically using SPSS version 23 (IBM). ~~Unpaired~~ An unpaired t test was done to compare the mean absorbance of the plant extract (A. webbiana) with the reference drug (Diclofenac sodium). One Way Anova test followed by Tukey's post hoc test were done to compare the efficacy of A.webbiana at different concentrations. The difference ~~were~~ was considered to be statistically significant when $p < 0.05$

RESULTS

The current study showed that the anti-inflammatory activity of A. webbiana was significantly lesser when compared to the standard (Figure 1) . ANOVA test was done to compare A.webbiana and the standard and ~~results~~ showed statistical significance ($p < 0.05$). The comparison of different concentrations revealed that the efficacy of A.webbiana significantly increased with an increase in the concentration of the extract (Figure 2). The post hoc test was done to compare the mean absorbance rate of the extract at different concentrations, and the results were found to be statistically significant ($p < 0.05$).

DISCUSSION

In this study ~~we had,~~ we evaluated the anti-inflammatory activity of A. webbiana at different concentrations such as 10 μ l, 20 μ l, 30 μ l, 40 μ l and 50 μ l. We had also compared the anti-inflammatory activity of A.webbiana with an NSAID (diclofenac), which was used as a standard. The current study showed that the anti-inflammatory activity of A. webbiana was comparatively lesser than the standard (diclofenac). However, as the ~~concentration of the extract increased~~ the anti-inflammatory activity also increased in a concentration extract concentration increased, the anti-inflammatory activity also increased in a concentration-dependent manner.

The current study has used diclofenac as the standard to compare the anti-inflammatory of A.webbiana with. Diclofenac sodium is one of the most common choices of medication for treating acute inflammatory conditions and pain(50) . It works by inhibiting the cyclooxygenase (COX) pathway and thus preventing the synthesis of prostaglandin and other eicosanoids(51) . Diclofenam acts as a potent anti-inflammatory agent and as an analgesic, but the requirement for frequent dosing due to the rapid elimination rate was anticipated to potentially compromise the tolerability of diclofenac (52).

The study shows the efficacy of A.webbiana as an anti-inflammatory agent at different concentrations. The results showed that A.webbiana was less potent than diclofenac but its efficacy increases when the concentration of the extract increases. Similar studies were done on various other plants that exhibited anti-inflammatory properties of its leaves and fruit extracts. From phytochemical investigation, ~~the presence of biologically active principles such as flavonoids, tannins, phenolic compounds and phytosterols in plants is~~ biologically active principles such as flavonoids, tannins, phenolic compounds, and phytosterols in plants are revealed. It is suggested that one of the above constituents or a combination is responsible for producing the analgesic and (53) anti-inflammatory effects. Few studies show that the anti-inflammatory property of A.webbiana might be due to flavonoids or even steroids that are present in them ~~(54,55).~~ (54,55).


Further studies are in progress to isolate and characterize the active principle from the leaves and even other parts of A.webbiana (56,57). Researchers suggested that these plant extracts may have a reasonable safety margin with regard to acute toxicity hence justifying that it can be widely used for various purposes (58). Anti inflammatory activity of A.webbiana has not been reported in many studies in literature. It was only studied on rats (53). There are several other properties of A.webbiana such as antimicrobial and antitumor agents as well used in ayurveda (59)

In the present study the anti inflammatory effect was evaluated using albumin denaturation assay. ~~There are several other assays such as membrane lysis assay and lipoxigenase inhibition assay to~~ Several other assays, such as membrane lysis assay and lipoxigenase inhibition assay, confirm the anti-inflammatory activity of any plant extracts (60). Albumin denaturation assay is a cheap , easy yet effective method to find out the anti-inflammatory

activity of plant extracts. Similar studies were done on various other plants such as *F. racemosa* and *M. scandens* and they have shown similar results (61). The efficacy of the plant extract always increases with the increase in the concentration of the extract. Studies have also used different NSAIDs such as ibuprofen as standards (62,63). The same study can be done using different methods of extract preparation, different assays as well as by using different NSAIDs as standard to obtain more value to this study(64) (65) (66) (67) (68) (69) (70) (71) (72) (73) (74) ((74,75) (76) (77). Since many chronic inflammatory conditions demand long term usage of [anti-anti](#)-inflammatory agents the herbal formulation will be a viable alternative to long term non steroidal [anti-anti](#)-inflammatory therapy. Further research on isolating different components may be undertaken and may be incorporated into existing anti-inflammatory herbal compositions to improve their efficacy. Promising results regarding the [anti-anti](#)-inflammatory effect of [Abies-A.](#) webbiana can be further validated with future in vivo studies to find the safe and effective concentration for clinical usage.

CONCLUSION

From the study, it can be concluded that the anti-inflammatory property of *A.webbiana* is not as efficient as Diclofenac, but it can be more efficient when its concentration is raised to safe levels.



Error Bars: +/- 1 SD

FIGURE 1: The bar graph ~~shows the comparison of compares~~ the mean absorbance of the standard and Abbies webbina at various concentrations. The X-axis represents the concentration in units of μL and the Y-axis represents the mean absorbance. Blue represents the standard and green represents A.webbina. The graph shows that the mean absorbance of A. webbiana is significantly lesser when compared to the standard at all the concentrations even though the magnitude of difference was lesser at higher concentrations ($p < 0.05$) (unpaired t test)




FIGURE 2 : The figure shows the mean absorbance of A. webbiana at different concentrations. The X-axis represents the group (different concentrations of A.webbiana) and the Y-axis represents the mean absorbance. There is a significant increase in the mean absorbance from lower concentration to higher concentrations. ($p < 0.05$) (One Way anova followed by Tukey's post hoc test was done to compare the mean absorbance of A.webbiana at different concentrations).

COMPETING INTERESTS DISCLAIMER:

Authors have declared that no competing interests exist. The products used for this research are commonly and predominantly used ~~products in our area of research~~ in our research area and country. There is absolutely no conflict of interest between the authors and producers of the products because we do not intend to use these products as an avenue for any litigation but for the advancement of knowledge. Also, the research was not funded by the producing company rather it was funded by personal efforts of the authors.

REFERENCES

1. Teja KV, Ramesh S, Priya V. Regulation of matrix metalloproteinase-3 gene expression in inflammation: A molecular study. *J Conserv Dent*. 2018 Nov;21(6):592–6.
2. Tricamo MB, Rees TD, Hallmon WW, Wright JM, Cueva MA, Plemons JM. Periodontal status in patients with gingival mucous membrane pemphigoid. *J Periodontol*. 2006 Mar;77(3):398–405.
3. Yoshimoto T, Yoshimoto T. *Cytokine Frontiers: Regulation of Immune Responses in Health and Disease*. Springer Science & Business Media; 2013. 396 p.
4. Page RC, Schroeder HE. Pathogenesis of inflammatory periodontal disease. A summary of current work. *Lab Invest*. 1976 Mar;34(3):235–49.
5. BECK, JD. Epidemiology of gingival and periodontal diseases. *Clinical Periodontology*. 2002;74–94.
6. Novak KF, Novak MJ. *Clinical periodontology*. 2006;
7. Zadeh HH, Nichols FC, Miyasaki KT. The role of the cell-mediated immune response to *Actinobacillus actinomycetemcomitans* and *Porphyromonas gingivalis* in periodontitis. *Periodontol 2000*. 1999 Jun;20(1):239–88.
8. Fiorellini JP, Kim DM, Ishikawa SO. Clinical features of gingivitis. *Carranza's clinical periodontology Philadelphia: Saunders, Elsevier*. 2006;362–72.
9. Ryan ME, Gu Y. Host Modulation [Internet]. *Carranza's Clinical Periodontology*. 2012. p. 492–501. Available from: <http://dx.doi.org/10.1016/b978-1-4377-0416-7.00048-2>
10. Newman MG, Takei H, Klokkevold PR, Carranza FA. *Newman and Carranza's Clinical Periodontology E-Book*. Elsevier Health Sciences; 2018. 944 p.

11. Ramesh A, Varghese SS, Doraiswamy J, Malaiappan S. Role of sulfiredoxin in systemic diseases influenced by oxidative stress [Internet]. Vol. 2, Redox Biology. 2014. p. 1023–8. Available from: <http://dx.doi.org/10.1016/j.redox.2014.09.002>
12. Slavich GM, Irwin MR. From stress to inflammation and major depressive disorder: a social signal transduction theory of depression. *Psychol Bull.* 2014 May;140(3):774–815.
13. American Geriatrics Society Panel on Exercise and Osteoarthritis. Exercise prescription for older adults with osteoarthritis pain: consensus practice recommendations. A supplement to the AGS Clinical Practice Guidelines on the management of chronic pain in older adults. *J Am Geriatr Soc.* 2001 Jun;49(6):808–23.
14. Strehl C, Buttgereit F. [Long-term glucocorticoid therapy : Is there a safe dosage?]. *Internist* . 2016 Sep;57(9):934–9.
15. Sasidharan S, Chen Y, Saravanan D, Sundram KM, Yoga Latha L. Extraction, isolation and characterization of bioactive compounds from plants' extracts. *Afr J Tradit Complement Altern Med.* 2011;8(1):1–10.
16. Kritika Jangid , Jayakumar ND, Sheeja S Varghese. Achievable therapeutic effect of *Myristica Fragrans* (NUTMEG) on Periodontitis A short Review. *Int J Pharm Pharm Sci.* 2014 May 15;6(5):591–4.
17. Anitha R, Aneesa N, Varghese S. Antidiabetic activity of ajwain oil in different in vitro models [Internet]. Vol. 11, *Journal of Pharmacy And Bioallied Sciences.* 2019. p. 142. Available from: http://dx.doi.org/10.4103/jpbs.jpbs_128_18
18. Yasin M, Hussain Janbaz K, Imran I, Gilani A-U-H, Bashir S. Pharmacological studies on the antispasmodic, bronchodilator and anti-platelet activities of *Abies webbiana*. *Phytother Res.* 2014 Aug;28(8):1182–7.
19. Ghosh AK, Bhattacharya S. Planar chromatographic studies on *Abies webbiana* leaves. *International Journal of Chem Tech Research.* 2009;1(4):807.
20. Ghosh AK, Sanjib B, Others. A nitrogenous compound isolated from *Abies webbiana* leaf. *Der Pharma Chemica.* 2010;2(3):205–8.
21. Parkash O, Kumar D, Kumar S. Screening of Methanol Extract and Ethyl Acetate Fraction of *Abies webbiana* Lindl. for Neuropharmacological Activities. *Indian J Pharm Sci.* 2015 Sep;77(5):536–41.
22. Vadivel V, Anand P, Manijkumar S, Rajalakshmi P, Brindha P. Chemical fingerprints of an india traditional herbal drug talisapatra (*Abies webbiana*) and comparison with English yew (*Taxus baccata*). *Int J Pharmcog Phytochem Res.* 2018;10(2):84–91.
23. Benli M, Bingol U, Geven F, Guney K, Yigit N. An Investigation on the antimicrobial activity of some endemic plant species from Turkey. *Afr J Biotechnol* [Internet]. 2008 [cited 2021 Jul 16];7(1). Available from: <https://www.ajol.info/index.php/ajb/article/view/58289>
24. Yadav DK, Ali M, Ghosh AK, Kumar B. Isolation of flavonoid from *Abies webbiana* leaves and its activity. *Pharmacogn j.* 2016 Jul 1;8(4):341–5.
25. Analgesic, anti-inflammatory, and anti-pyretic activity. In: SpringerReference [Internet].

Berlin/Heidelberg: Springer-Verlag; 2012. Available from:
http://www.springerreference.com/index/doi/10.1007/SpringerReference_143752

26. Ramesh A, Varghese S, Jayakumar ND, Malaiappan S. Comparative estimation of sulfiredoxin levels between chronic periodontitis and healthy patients - A case-control study. *J Periodontol*. 2018 Oct;89(10):1241–8.
27. Paramasivam A, Priyadharsini JV, Raghunandhakumar S, Elumalai P. A novel COVID-19 and its effects on cardiovascular disease. *Hypertens Res*. 2020 Jul;43(7):729–30.
28. S G, T G, K V, Faleh A A, Sukumaran A, P N S. Development of 3D scaffolds using nanochitosan/silk-fibroin/hyaluronic acid biomaterials for tissue engineering applications. *Int J Biol Macromol*. 2018 Dec;120(Pt A):876–85.
29. Del Fabbro M, Karanxha L, Panda S, Bucchi C, Nadathur Doraiswamy J, Sankari M, et al. Autologous platelet concentrates for treating periodontal infrabony defects. *Cochrane Database Syst Rev*. 2018 Nov 26;11:CD011423.
30. Paramasivam A, Vijayashree Priyadharsini J. MitomiRs: new emerging microRNAs in mitochondrial dysfunction and cardiovascular disease. *Hypertens Res*. 2020 Aug;43(8):851–3.
31. Jayaseelan VP, Arumugam P. Dissecting the theranostic potential of exosomes in autoimmune disorders. *Cell Mol Immunol*. 2019 Dec;16(12):935–6.
32. Vellappally S, Al Kheraif AA, Divakar DD, Basavarajappa S, Anil S, Fouad H. Tooth implant prosthesis using ultra low power and low cost crystalline carbon bio-tooth sensor with hybridized data acquisition algorithm. *Comput Commun*. 2019 Dec 15;148:176–84.
33. Vellappally S, Al Kheraif AA, Anil S, Assery MK, Kumar KA, Divakar DD. Analyzing Relationship between Patient and Doctor in Public Dental Health using Particle Memetic Multivariable Logistic Regression Analysis Approach (MLRA2). *J Med Syst*. 2018 Aug 29;42(10):183.
34. Varghese SS, Ramesh A, Veeraiyan DN. Blended Module-Based Teaching in Biostatistics and Research Methodology: A Retrospective Study with Postgraduate Dental Students. *J Dent Educ*. 2019 Apr;83(4):445–50.
35. Venkatesan J, Singh SK, Anil S, Kim S-K, Shim MS. Preparation, Characterization and Biological Applications of Biosynthesized Silver Nanoparticles with Chitosan-Fucoidan Coating. *Molecules* [Internet]. 2018 Jun 12;23(6). Available from: <http://dx.doi.org/10.3390/molecules23061429>
36. Alsubait SA, Al Ajlan R, Mitwalli H, Aburaisi N, Mahmood A, Muthurangan M, et al. Cytotoxicity of Different Concentrations of Three Root Canal Sealers on Human Mesenchymal Stem Cells. *Biomolecules* [Internet]. 2018 Aug 1;8(3). Available from: <http://dx.doi.org/10.3390/biom8030068>
37. Venkatesan J, Rekha PD, Anil S, Bhatnagar I, Sudha PN, Dechsakulwatana C, et al. Hydroxyapatite from Cuttlefish Bone: Isolation, Characterizations, and Applications. *Biotechnol Bioprocess Eng*. 2018 Aug 1;23(4):383–93.

38. Vellappally S, Al Kheraif AA, Anil S, Wahba AA. IoT medical tooth mounted sensor for monitoring teeth and food level using bacterial optimization along with adaptive deep learning neural network. *Measurement*. 2019 Mar 1;135:672–7.
39. PradeepKumar AR, Shemesh H, Nivedhitha MS, Hashir MMJ, Arockiam S, Uma Maheswari TN, et al. Diagnosis of Vertical Root Fractures by Cone-beam Computed Tomography in Root-filled Teeth with Confirmation by Direct Visualization: A Systematic Review and Meta-Analysis. *J Endod*. 2021 Aug;47(8):1198–214.
40. R H, Ramani P, Tilakaratne WM, Sukumaran G, Ramasubramanian A, Krishnan RP. Critical appraisal of different triggering pathways for the pathobiology of pemphigus vulgaris-A review. *Oral Dis* [Internet]. 2021 Jun 21; Available from: <http://dx.doi.org/10.1111/odi.13937>
41. Ezhilarasan D, Lakshmi T, Subha M, Deepak Nallasamy V, Raghunandhakumar S. The ambiguous role of sirtuins in head and neck squamous cell carcinoma. *Oral Dis* [Internet]. 2021 Feb 11; Available from: <http://dx.doi.org/10.1111/odi.13798>
42. Sarode SC, Gondivkar S, Sarode GS, Gadbail A, Yuwanati M. Hybrid oral potentially malignant disorder: A neglected fact in oral submucous fibrosis. *Oral Oncol*. 2021 Jun 16;105390.
43. Kavarthapu A, Gurumoorthy K. Linking chronic periodontitis and oral cancer: A review. *Oral Oncol*. 2021 Jun 14;105375.
44. Vellappally S, Abdullah Al-Kheraif A, Anil S, Basavarajappa S, Hassanein AS. Maintaining patient oral health by using a xeno-genetic spiking neural network. *J Ambient Intell Humaniz Comput* [Internet]. 2018 Dec 14; Available from: <https://doi.org/10.1007/s12652-018-1166-8>
45. Aldhuwayhi S, Mallineni SK, Sakhamuri S, Thakare AA, Mallineni S, Sajja R, et al. Covid-19 Knowledge and Perceptions Among Dental Specialists: A Cross-Sectional Online Questionnaire Survey. *Risk Manag Healthc Policy*. 2021 Jul 7;14:2851–61.
46. An experimental analysis on the influence of fuel borne additives on the single cylinder diesel engine powered by *Cymbopogon flexuosus* biofuel. *J Energy Inst*. 2017 Aug 1;90(4):634–45.
47. Campeau PM, Kasperaviciute D, Lu JT, Burrage LC, Kim C, Hori M, et al. The genetic basis of DOORS syndrome: an exome-sequencing study. *Lancet Neurol*. 2014 Jan;13(1):44–58.
48. Sathish T, Karthick S. Wear behaviour analysis on aluminium alloy 7050 with reinforced SiC through taguchi approach [Internet]. Vol. 9, *Journal of Materials Research and Technology*. 2020. p. 3481–7. Available from: <http://dx.doi.org/10.1016/j.jmrt.2020.01.085>
49. Krishnaswamy H, Muthukrishnan S, Thanikodi S, Arockiaraj G, Venkatraman V. Investigation of air conditioning temperature variation by modifying the structure of passenger car using computational fluid dynamics [Internet]. Vol. 24, *Thermal Science*. 2020. p. 495–8. Available from: <http://dx.doi.org/10.2298/tsci190409397k>
50. McGettigan P, Henry D. Cardiovascular risk with non-steroidal anti-inflammatory drugs:

systematic review of population-based controlled observational studies. *PLoS Med.* 2011 Sep;8(9):e1001098.

51. Warner TD, Giuliano F, Vojnovic I, Bukasa A, Mitchell JA, Vane JR. Nonsteroid drug selectivities for cyclo-oxygenase-1 rather than cyclo-oxygenase-2 are associated with human gastrointestinal toxicity: a full in vitro analysis. *Proc Natl Acad Sci U S A.* 1999 Jun 22;96(13):7563–8.
52. Patrignani P, Tacconelli S, Bruno A, Sostres C, Lanas A. Managing the adverse effects of nonsteroidal anti-inflammatory drugs. *Expert Rev Clin Pharmacol.* 2011 Sep;4(5):605–21.
53. Sahoo DN, Sahoo N. ANTI-INFLAMMATORY ACTIVITY OF BENZENE EXTRACT OF ABIES WEBBIANA LINDL. (FAM-PINACEAE) LEAVES [Internet]. *World Journal of Pharmacy and Pharmaceutical Sciences.* 2017. p. 990–5. Available from: <http://dx.doi.org/10.20959/wjpps20179-9951>
54. Lee SJ, Son KH, Chang HW, Do JC, Jung KY, Kang SS, et al. Antiinflammatory activity of naturally occurring flavone and flavonol glycosides. *Arch Pharm Res.* 1993 Mar 1;16(1):25.
55. Gupta M, Nath R, Srivastava N, Shanker K, Kishor K, Bhargava K. Anti-Inflammatory and Antipyretic Activities of β -Sitosterol [Internet]. Vol. 39, *Planta Medica.* 1980. p. 157–63. Available from: <http://dx.doi.org/10.1055/s-2008-1074919>
56. Chatterjee A, Kotoky J, Das KK, Banerji J, Chakraborty T. Abiesin, a biflavonoid of abies webbiana. *Phytochemistry.* 1984 Jan 1;23(3):704–5.
57. Soukup A. Selected Simple Methods of Plant Cell Wall Histochemistry and Staining for Light Microscopy [Internet]. *Methods in Molecular Biology.* 2019. p. 27–42. Available from: http://dx.doi.org/10.1007/978-1-4939-9469-4_2
58. Sharma N, Patni V. In vivo and in vitro qualitative phytochemical screening of *Grewia* species. *Int J Biol Pharm Res.* 2013;4(9):634–9.
59. Winter CA, Risley EA, Nuss GW. Carrageenin-Induced Edema in Hind Paw of the Rat as an Assay for Antiinflammatory Drugs. *Proc Soc Exp Biol Med.* 1962 Dec 1;111(3):544–7.
60. Okoli CO, Akah PA, Onuoha NJ, Okoye TC, Nwoye AC, Nworu CS. *Acanthus montanus*: an experimental evaluation of the antimicrobial, anti-inflammatory and immunological properties of a traditional remedy for furuncles. *BMC Complement Altern Med.* 2008 Jun 6;8:27.
61. Gunathilake K, Ranaweera K, Rupasinghe H, Perera O, Jayaweera H. Response Surface Optimization of Extraction of Polyphenols and Carotenoids from *Sesbania grandiflora* Leaves with Ethanol-water System [Internet]. Vol. 2, *Asian Journal of Biotechnology and Bioresource Technology.* 2017. p. 1–10. Available from: <http://dx.doi.org/10.9734/ajb2t/2017/38282>
62. Dharmadeva S, Galgamuwa LS, Prasadinie C, Kumarasinghe N. In vitro anti-inflammatory activity of *Ficus racemosa* L. bark using albumin denaturation method. *Ayu.* 2018 Oct;39(4):239–42.
63. Vasudevan K, Sophia D, Balakrishnan S, Manoharan S. Antihyperglycemic and

antilipidperoxidative effects of *Ficus racemosa* (Linn.) bark extracts in alloxan induced diabetic rats. *J Med Sci.* 2007;7(3):330–8.

64. Danda AK. Comparison of a single noncompression miniplate versus 2 noncompression miniplates in the treatment of mandibular angle fractures: a prospective, randomized clinical trial. *J Oral Maxillofac Surg.* 2010 Jul;68(7):1565–7.
65. Robert R, Justin Raj C, Krishnan S, Jerome Das S. Growth, theoretical and optical studies on potassium dihydrogen phosphate (KDP) single crystals by modified Sankaranarayanan–Ramasamy (mSR) method [Internet]. Vol. 405, *Physica B: Condensed Matter.* 2010. p. 20–4. Available from: <http://dx.doi.org/10.1016/j.physb.2009.08.015>
66. Krishnan V, Lakshmi T. Bioglass: A novel biocompatible innovation. *J Adv Pharm Technol Res.* 2013 Apr;4(2):78–83.
67. Soh CL, Narayanan V. Quality of life assessment in patients with dentofacial deformity undergoing orthognathic surgery—A systematic review [Internet]. Vol. 42, *International Journal of Oral and Maxillofacial Surgery.* 2013. p. 974–80. Available from: <http://dx.doi.org/10.1016/j.ijom.2013.03.023>
68. Lekha L, Kanmani Raja K, Rajagopal G, Easwaramoorthy D. Schiff base complexes of rare earth metal ions: Synthesis, characterization and catalytic activity for the oxidation of aniline and substituted anilines [Internet]. Vol. 753, *Journal of Organometallic Chemistry.* 2014. p. 72–80. Available from: <http://dx.doi.org/10.1016/j.jorgchem.2013.12.014>
69. Dhinesh B, Isaac Joshua Ramesh Lalvani J, Parthasarathy M, Annamalai K. An assessment on performance, emission and combustion characteristics of single cylinder diesel engine powered by *Cymbopogon flexuosus* biofuel [Internet]. Vol. 117, *Energy Conversion and Management.* 2016. p. 466–74. Available from: <http://dx.doi.org/10.1016/j.enconman.2016.03.049>
70. PradeepKumar AR, Shemesh H, Jothilatha S, Vijayabharathi R, Jayalakshmi S, Kishen A. Diagnosis of Vertical Root Fractures in Restored Endodontically Treated Teeth: A Time-dependent Retrospective Cohort Study. *J Endod.* 2016 Aug;42(8):1175–80.
71. Vijayakumar GNS, Nixon Samuel Vijayakumar G, Devashankar S, Rathnakumari M, Sureshkumar P. Synthesis of electrospun ZnO/CuO nanocomposite fibers and their dielectric and non-linear optic studies [Internet]. Vol. 507, *Journal of Alloys and Compounds.* 2010. p. 225–9. Available from: <http://dx.doi.org/10.1016/j.jallcom.2010.07.161>
72. Kavitha M, Subramanian R, Narayanan R, Udhayabanu V. Solution combustion synthesis and characterization of strontium substituted hydroxyapatite nanocrystals [Internet]. Vol. 253, *Powder Technology.* 2014. p. 129–37. Available from: <http://dx.doi.org/10.1016/j.powtec.2013.10.045>
73. Sahu D, Kannan GM, Vijayaraghavan R. Size-Dependent Effect of Zinc Oxide on Toxicity and Inflammatory Potential of Human Monocytes [Internet]. Vol. 77, *Journal of Toxicology and Environmental Health, Part A.* 2014. p. 177–91. Available from: <http://dx.doi.org/10.1080/15287394.2013.853224>
74. Neelakantan P, Cheng CQ, Mohanraj R, Sriraman P, Subbarao C, Sharma S. Antibiofilm

activity of three irrigation protocols activated by ultrasonic, diode laser or Er:YAG laser in vitro [Internet]. Vol. 48, International Endodontic Journal. 2015. p. 602–10. Available from: <http://dx.doi.org/10.1111/iej.12354>

75. Lekha L, Kanmani Raja K, Rajagopal G, Easwaramoorthy D. Synthesis, spectroscopic characterization and antibacterial studies of lanthanide(III) Schiff base complexes containing N, O donor atoms [Internet]. Vols. 1056-1057, Journal of Molecular Structure. 2014. p. 307–13. Available from: <http://dx.doi.org/10.1016/j.molstruc.2013.10.014>
76. Gopalakannan S, Senthilvelan T, Ranganathan S. Modeling and Optimization of EDM Process Parameters on Machining of Al 7075-B4C MMC Using RSM [Internet]. Vol. 38, Procedia Engineering. 2012. p. 685–90. Available from: <http://dx.doi.org/10.1016/j.proeng.2012.06.086>
77. Parthasarathy M, Isaac Joshua Ramesh Lalvani J, Dhinesh B, Annamalai K. Effect of hydrogen on ethanol-biodiesel blend on performance and emission characteristics of a direct injection diesel engine. Ecotoxicol Environ Saf. 2016 Dec;134(Pt 2):433–9.

UNDER PEER REVIEW