

ANTI-MICROBIAL AND WOUND HEALING PROPERTIES OF LEAF EXTRACTS OF *SPERMACOCE VERTICILLATA*

L. INN

Abstract

The Rubiaceae family is one of the most important medicinal families that are found in the tropical region of the world. There are many species under the Rubiaceae family such as *Coffea arabica*, *Cinchona officinalis*, *Spermacoce verticillata*, and many more. There are several plant parts used to extract the metabolites from, such as the leaf, bark, root, seed, or fruit and many more. The leaf of *Spermacoce verticillata* has many medicinal values as it contains metabolites that which help to reduce microbial activity and help to heal the wound. The microbial activity can lead to many skin infections and, internal disease, and so on. The plant metabolites can act on some of the factors such as via inhibition of cell wall formation or, inhibition of protein synthesis, and many more.

Wound healing is referred to as the repair of cuts and infections on the human skin. Leaf extracts may help to increase the fibrin formation that helps to clot the blood, and except fibrin formation the metabolic compounds may also help to reduce the microbial load from in the wound itself to reduce the chance of infection.

Plant leaves contain many metabolites that can act as antimicrobial substances for humans such as minimoidiones A, Cytochalasin D, multiforcin I, and xylarenones E, and so on. Some of those factors can disrupt the sequence of wound healing such as local factors containing blood sugar which that seriously affect the wound healing and external factors such as contamination of microbes in the wound. The wound healing properties of leaf extract helps the body's immune system to fight against the microbes which that cause a delay in slow down the wound healing process by the releasing of harmful metabolite activity.

Keywords: Wound healing, Rubiaceae family, *Spermacoce verticillata*, human body.

Introduction

Traditional medicine has wide acceptance in all countries irrespective of its sophistication and development. This type of medicine is popular in rural areas as it has easy access, low cost, fewer side effects, and greater efficiency than any other medicine. *Spermacoce verticillata* L.~~inn~~, also known as the *Borrelia verticillate* L.~~inn~~, is a semi-woody or perennial shrub, it belongs to the family of Rubiaceae. According to the name, this shrub has verticillaster inflorescence. This plant is a type of weed that has many medicinal values.

Namukobe *et al.* (2021) stated that western tropical African is the biotope finding region of the plant. This plant can also be found in the tropical regions of Asia and America.(ref?)

The local name of the plant is 'DIOLA eribulin', and the leaf of this plant has more medicinal value than any other part of the plant.

Antimicrobial properties can be defined as the capacity of substances ~~that can~~ kill harmful pathogenic microbes in the human body.

~~The w~~Wound healing properties ~~iesy~~ can be defined as the effect to ~~accelerateion of~~ the wound healing process ~~of humans~~. The wound healing procedures requires a.o. fast cell regeneration ~~tohat can~~ replace the damaged cells. ~~This plant can also be found in the tropical regions of Asia and America.~~

~~Theis~~ herb Sperm.vert. has the property ~~tohat can~~ propel the fibrin formation that helps the blood to clot in a wound. The leaf extract also has antimicrobial properties that inhibit harmful bacteria to grow in the wound by inhibiting ~~thebacterial~~ cell wall formation, ~~inhibition of~~ protein synthesis, depolarization of the cell membrane, inhibition of nucleic acid synthesis, and inhibition of ~~the~~ metabolic pathways of microorganisms. Plants that have been used in African society have various antimicrobial properties against many harmful microorganisms. Ouattara *et al.* (2020) argued that this plant has antimicrobial properties against the pathogens *Staphylococcus aureus*, *Salmonella typhi*, *Escherichia coli*, *Enterobacter sp.*, and *Klebsiella sp.*, ~~and so on~~. Western countries are now depending upon plant-based medicine for their modern medicine, reducing the number of chemicals helping people from side effects of drugs.




Figure 1: Importance of plant families in herbal medicine

(Source: Tinde van Ande, 2019) [Not in ref list!?](#)

Literature review

Antimicrobial properties of *Spermacoce verticillata* Linn.

The human body is the ideal place for all different microorganisms, some of the microorganisms are useful for the human body, and the rest of the microorganisms are harmful to the human body. *Spermacoce verticillata* is an herb that ~~is related~~ belongs to the family of Rubiaceae, this family has many antimicrobial ~~effects~~ activities that prevent the microbes from growing in the human body. Microorganisms can be various types such as bacteria, viruses, protozoa, fungi, and many more. Zerroug *et al.* (2018) ~~stated~~ ~~opined~~ these human immune systems ~~are to be~~ the primary barrier between infection and microorganisms. The Rubiaceae family has an excellent number of antimicrobial activities that help to reduce the microbes load ~~in from~~ humans. The *Spermacoce verticillata* have antimicrobial properties such as antifungal, antiprotozoal, antibacterial activities, ~~and so on~~. Plant leaves contain many metabolites that act as antimicrobial substances for humans such as minimoidiones A, Cytochalasin D, multiforicin I, xylarenones E, ~~and so on~~.

The Rubiaceae family has a wide range of herbs that all contain medicinal properties, especially in the leaf ~~s-section~~. Microbes are found everywhere, the effect of mycobacterial activity can be beneficial and can be harmful, and this is ~~mainly caused~~ ~~decided~~ by the metabolites produced by the microorganism. The production of the harmful metabolism can

be reduced or ceased by the activity of metabolites produced by the *Spermacoce verticillata*. Riondato *et al.* (2019) stated that many ways can reduce the production of microbial metabolites such as reducing the effect of metabolites, dissolving the outer membrane of the microbe, dissolving the nucleic acid, and **sealing** **halting** the protein synthesis, ~~and so on~~. Some of the diseases caused by fungus are candidiasis, aspergillosis, blastomycosis, ~~and so on~~. An example of ~~such~~ a metabolite that is found ~~in from~~ *Spermacoce verticillata* is 'Cytochalasin D', this metabolite acts as ~~anthe~~ antifungal drug that inhibits the metabolites of a fungus and hence reduces the effect of the fungus.

Wound healing properties of *Spermacoce verticillata* L.

~~A~~The wound can be defined as ~~an opening~~ ~~the break~~ or damage ~~to~~ of the skin surface ~~of the human body~~. Wounds can be minor cuts, abrasions, bites, surgical wounds, ~~and so on~~. Stages ~~including~~ wound healing are clotting, the proliferative stage, angiogenesis, fibroplasia, epithelialization, and remodelling phase. Tanvir *et al.* (2019) argued that the leaf extract of the *Spermacoce verticillata* helps ~~in~~ the proliferative stage of wound healing ~~which that~~ overall ~~propel~~ **accelerates** the wound healing process ~~ssdure~~. Studies have ~~been shown~~ ~~found~~ that 70% of wound healing medicines are made from the metabolites of plants ~~(ref?)~~. The Rubiaceae family has more medicinal valuable plants available than ~~any other most of the plant~~ family. *Spermacoce verticillata* is one of the important species that ~~hasve~~ a ~~comprehensive~~ role in wound healing ~~properties~~. For successful wound healing, the stages of wound healing should be carried out properly. Some factors can disrupt the sequence of wound healing such as local factors containing **blood sugar** that seriously affect the wound healing and external factors such as contamination of microbes in the wound.

The leaf is one of the important organs in plants, here most of the chemical reaction takes place such as photosynthesis, glycolysis, Krebs cycle, and hence a lot of metabolites are produced. These metabolites have various properties. Singh *et al.* (2019) ~~stated~~ ~~opined~~ that the wound healing property of leaf extract helps the body's immune system to fight ~~against~~ the microbes that cause a delay in the wound healing process by releasing harmful metabolite ~~tese~~ **activity**. Metabolites found in *Spermacoce verticillata* have a multidirectional activity to ~~stimulate~~ ~~propel~~ the wound healing activity such as accelerating the fibrin production with the help of blood cells. The leaf extract can be dissolved in methanol, chloroform, and water for their optimal ~~um~~ use. Fibrin is a type of polymer made out of protein that blocks the exit point of blood and fluid. The other property is the reduction of toxins produced by the microbes that delay fibrin production.




Figure 2: Steps ~~of~~ for wound healing by *Spermacoce verticillata*
 (Source: Singh, 2019)

Methodology

The research method is a wide [search](#) term that includes data collection and analysis. The research philosophy can be defined as a collection [of data, and](#) analysis of data, and [their description use of data](#) (Mohajan, 2018). This literature is based on the **secondary qualitative research method** as there is the use of a journal, science articles to collect the data about the metabolites that are found in *Spermacoce verticillata*. Analysis of the result [has](#) found that 70% of the antimicrobial and wound healing drugs come from plant-based metabolites [\(ref?\)](#). These metabolites can act as antimicrobial agents [and as well](#) as wound healing agents.

This literature is also based on the **deductive approach** that describes the scientific investigation about the topic and collection of data from appropriate scientific journals. The steps including wound healing by the usage of leaf extract obtained indicate that it is based on a deductive approach (Mohajan, 2018). This is scientific literature hence it is based on the correct facts that have been collected to justify the literature therefore it can be defined as a **positivism** research approach. The research article is based on the **descriptive approach** that is by this research the question 'what diseases can be cured by the leaf extract' and 'why plant-based metabolites are effective against most of the microbes' can be answered.

Discussion

Usage of leaf extract of *Spermacoce verticillata* for curing diseases

Microbes are everywhere, the disease caused by the microbes are of various types. There are different kinds of microbes present in the human body, by the exposed wound or sensitive skin the metabolites produced by them can harm the human body severely. Aamir *et al.* (2020) stated that the disease can be formed by certain types of microbes such as fungus, protozoa, bacteria, and they cause superficial infection such as skin disease. The leaf extract of *Spermacoce verticillata* works upon the external infection caused by the microbes such as athlete's foot, ringworm, cellulitis, erysipelas, and ailments alike.

Suksungworn *et al.* (2021) argued that *Spermacoce verticillata* has various compounds that act as antifungal, antibacterial, and antiprotozoal agents. Some of the compounds discerned by Sukungsworn are cytochalasin D, 11-bromo roquefortine, 4-hydroxy-mellein, 8-methyl-mellein, guignardone I, guignardone B, mycoleptones A, and mycoleptones B and many more. These compounds are classified as alkaloids, coumarin, meroterpene, and polyketide, and so on. (see list in Table 1 below) These compounds are found in the leaf extract of almost every species of the Rubiaceae family and act as antimicrobial properties that also have help to propel the wound healing properties which by reducing the microbial load from the wound. Leaf extract of *Spermacoce verticillata* has been used by the tribal people for many years. Currently, western countries are investing in this species to collect the base compound for their medicine.

Classification	Compound	Biological activities
Alkaloid	Cytochalasin D	Antifungal
Alkaloid	11-bromo roquefortine	Antibacterial
Coumarin	4-hydroxy-mellein	Antifungal
Coumarin	8-methyl-mellein	Antifungal
Meroterpene	guignardone I	Antibacterial
Meroterpene	guignardone B	Antibacterial
Polyketide	mycoleptones A	Antiprotozoal
Polyketide	mycoleptones B	Antiprotozoal

Table 1: Compounds found in Rubiaceae family ~~and their biological activities~~

(~~Source: Influenced by~~ After: Suksungworn ~~et al.~~, 2021)

Analysis of properties of leaf extracts acting as an antimicrobial and wound healing agent

The Rubiaceae family has one of the most medicinal valued plants available. *Spermacoce verticillata* has excellent antimicrobial activity and wound healing properties that are mainly found in the leaves. Ajaib *et al.* (2018) ~~showed~~ ~~opined~~ that the extraction of leaves can be done using various solvents such as alcohol, methanol, chloroform, or water, ~~and so on~~. The activity of the compounds is dependent on the solvent used, hence choosing the correct solvent for each compound is important. Methanol as a solvent works well, many bacteria such as *Bacillus subtilis*, *Klebsiella pneumonia*, *Pseudomonas aeruginosa*, ~~and many more~~ show less activity in the presence of methanol ~~extracts mixed compound~~. The basic principle is the same: the leaf extract has various compounds that have several activities regarding antibacterial, antiprotozoal, antifungal. These compounds have several properties that help to decrease the population of the microbes, for example ~~by such as~~ inhibiting ~~the~~ cell wall formation, by inhibiting the protein synthesis, by degeneration of the genetic materials, by depolarizing the cell membrane, and many more.

Inhibition of the cell wall formation leads to the destruction of the protoplasm of the particular microorganism, inhibiting protein synthesis can lead to cease of metabolite production of the microbes, degeneration of the genetic material results ~~in from overall~~ death of the particular microorganism. ~~The cell membrane is a polarized structure that repels the charged particles to enter or exit from the cell of the microorganism;~~ depolarizing leads to the destruction of the cell membrane and hence to the death of the microbe. Patel *et al.* (2020) stated that the wound healing property is directly related to the antimicrobial properties of the leaf extract. The wound can be defined as damaged skin tissue, without proper treatment this damaged tissue can lead to infection and increase the microbial activities at the wound. The leaf extract promotes fibrin protection that acts as a barrier between blood and the outer surface of the skin, also it acts on microbes that are present on the wound borders and can cause infection.

Importance of Rubiaceae family in medicinal value

The Rubiaceae family is one of the largest tropical families that are found all over the world. Several plant species are found in the Rubiaceae family such as *Coffea arabica*, *Cinchona*

O. officinalis, *Hamelia patens*, *Rubia sp.*, *Gardenia sp.*, *and Ixora sp.*, ~~and so on~~. These plants can be used in various diseases such as ulcers, jaundice, asthma, leprosy, cough, fever, hyperacidity, and so on. Authinarayanan *et al.* (2019) argued that these plants have several metabolic compounds that ~~have a beneficial impact work~~ on those diseases, some of the compounds are **decahedron-2-methoxy, β sitosterol-glucoside, *and* isovanillin, ~~and so on~~. The compounds are derived from the various parts of the plants such as a leaf, bark, root, fruit, seed, ~~or the~~ whole plant, ~~and so on~~.**

Plant part used	Number of species
Leaf	17
Bark	6
Root	5
Fruit	3
Seed	2
Whole plant	1
Aerial part	1
Stem bark	1

Table 2: Table showing plant parts used to extract metabolites that have medicinal value (Rubiaceae family)

(Source: Influenced by After: Patel *et al.*, 2020)

Conclusion

The use of plant-based medicine has been occurring since ancient times. The medicinal value of the plant is extraordinary; it is also used by many medical organizations and tribal people that live in tropical areas on earth. The invention of modern chemicals that ~~have~~ *yes* a quick response in any kind of disease, ~~but~~ *yes* also ~~have~~ *yes* their side effects, ~~whereas~~ *but* plant-based drugs have very few ~~side-effects~~ or no side effects. *Spermacoce verticillata Linn* is one of the medicinally valued plants of the family Rubiaceae. The leaf extract of this species has various medicinal values regarding antimicrobial activities and wound healing. More use of these

kinds of shrubs can comprehensively reduce the chance of side effects that can cause other [problems](#) difficulties.

UNDER PEER REVIEW

Reference

- Aamir, M., Rai, K.K., Zehra, A., Dubey, M.K., Samal, S., Yadav, M. and Upadhyay, R.S., 2020. Endophytic actinomycetes in bioactive compounds production and plant defense system. In: *Microbial Endophytes* (pp. 189-229). Woodhead Publishing, [city?](#).
- Ajaib, M., Ishtiaq, S. and Siddiqui, M.F., 2018. Comparative analgesic evaluation of *Himalrandia tetrasperma* and *Wendlandia exserta* of family Rubiaceae after induction of pain in mice. *Pak. J. Pharm. Sci*, 31(6), pp.2509-2514.
- Authinarayanan, A.R., Sathasivampillai, S.V. and Sebastian, P.R., [year?](#) Medicinal values of *Pavetta indica* L. extracts. *Sabuncuoglu Serefeddin Health Sciences*, 3(1), pp.1-12.
- Chukwube, V.O., Ezugwu, C.O., Odoh, U.E., Inya-Agha, S.I. and Ugwuja, C.O., 2018. Pharmacognostic standardization of the leaf of *Fadogia bini* Sheinf Fam. Rubiaceae. *Journal of Pharmacognosy and Phytochemistry*, 7(6), pp.1971-1975.
- Mohajan, H.K., 2018. Qualitative research methodology in social sciences and related subjects. *Journal of Economic Development, Environment and People*, 7(1), pp.23-48.
- Namukobe, J., Sekandi, P., Byamukama, R., Murungi, M., Namboze, J., Ekyibetenga, Y., Nagawa, C.B. and Asiimwe, S., 2021. Antibacterial, antioxidant, and sun protection potential of selected ethnomedicinal plants used for skin infections in Uganda. *Tropical Medicine and Health*, 49(1), pp.1-10.
- Ouattara, L., M'boh Epi Reine Elisabeth, N., Bagré, I., Sika, A.E. and Ouattara, K., 2020. Phytochemical analysis and antifungal activity of aqueous leaf extract of *Trema guineensis* (Ulmaceae), A plant from the Ivoirian Pharmacopoeia. *Journal of Advances in Microbiology*, [volume?](#), pp.14-20.
- Patel, A.K., Lodha, D. and Shekhawat, N.S., 2020. An improved micropropagation protocol for the ex-situ conservation of *Mitragyna parvifolia* (Roxb.) Korth. (Rubiaceae): an endangered tree of pharmaceutical importance. *In Vitro Cellular & Developmental Biology-Plant*, 56(6), pp.817-826.
- Riondato, I., Donno, D., Roman, A., Razafintsalama, V.E., Petit, T., Mellano, M.G., Torti, V., De Biaggi, M., Rakotoniaina, E.N., Giacoma, C. and Beccaro, G.L., 2019. First ethnobotanical inventory and phytochemical analysis of plant species used by indigenous people living in the Maromizaha forest, Madagascar. *Journal of Ethnopharmacology*, 232, pp.73-89.

Singh, K., Dwivedi, G.R., Sanket, A.S. and Pati, S., 2019. Therapeutic potential of endophytic compounds: A special reference to drug transporter inhibitors. *Current Topics in Medicinal Chemistry*, 19(10), pp.754-783.

Suksungworn, R. and Duangrisai, S., 2021. Phytochemical contents and antioxidant activity of medicinal plants from the Rubiaceae family in Thailand. *Plant Science Today*, 8(1), pp.24-31.

Tanvir, R., Sheikh, A.A. and Javeed, A., 2019. Endophytic actinomycetes in the biosynthesis of bioactive metabolites: chemical diversity and the role of medicinal plants. In: *Studies in Natural Products Chemistry* (Vol. 60, pp. 399-424). Elsevier, city?.

Zerroug, A., Sadrati, N., Demirel, R., Bakli, S. and Harzallah, D., 2018. Antibacterial activity of endophytic fungus, *Penicillium griseofulvum* MPR1 isolated from a medicinal plant, *Mentha pulegium* L. *African Journal of Microbiology Research*, 12(48), pp.1056-1066.

UNDER PEER REVIEW