

## Review Form 1.6

Journal Name:	<a href="#">Journal of Pharmaceutical Research International</a>
Manuscript Number:	Ms_JPRI_78401
Title of the Manuscript:	Helping dentists make accurate denture through PAA articulator
Type of the Article	

### **General guideline for Peer Review process:**

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<https://www.journaljpri.com/index.php/JPRI/editorial-policy>)

### **PART 1: Review Comments**

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<b>Compulsory</b> REVISION comments	NIL	
<b>Minor</b> REVISION comments	A Novel technique of using a new articulator for mounting and teeth arrangement was discussed in the present manuscript. We appreciate the novel method for its uniqueness and ease of usage. Minor corrections are suggested to improve the quality of the work reviewed. Please go through the reviewed document and complete the suggested corrections. Thank you	
<b>Optional/General</b> comments	NIL	

### **PART 2:**

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	(If yes, Kindly please write down the ethical issues here in details)	

### **Reviewer Details:**

Name:	Narasimha Rao Guddala
Department, University & Country	Vishnu Dental College, India