

Original Research Article

Psychological Impact of the COVID 19 Pandemic among College Students: A ~~Web~~ ~~Based~~Web-Based ~~Cross-Sectional~~Cross-Sectional Survey

Abstract:

Background: The novel coronavirus (COVID-2019) has spread very rapidly all over the globe, causing an outbreak of acute infectious pneumonia. This pandemic brought not only the risk of death but also psychological pressure on people and remarkably on college students. **Aim:** To ~~assess~~ ~~access~~ the psychological impact of COVID 19 on college students.

Materials and methods: A ~~web-based~~web-based ~~cross-sectional~~cross-sectional study was conducted on college students studying diploma, graduation, and post-graduation irrespective of their gender was included in the study. The data was collected through online mode by providing ~~link~~links to fill google form. The survey tool was disseminated in various messenger groups and social media ~~network~~network networks. The survey tool comprises demographics, COVID 19 stressors, GAD 7, PHQ 9 scales. Chi-square was used to find the association between demographic characters with Anxiety and Depression. **Results:** A total of 443 students ~~were participated~~participated in this web-based survey. Among 443 participants (44.25%) are normal, (31.38%)~~are~~ experiencing mild Anxiety, (~~-18.97%~~)~~are~~ experiencing moderate Anxiety, (5.42%) are experiencing severe Anxiety. Among 443 participants (37.25%) are normal, (27.09%) are experiencing mild Depression, (22.13%) are experiencing moderate depression, (7.45%) are experiencing moderately severe depression, (6.1%) are experiencing severe depression. ~~Chi-square~~Chi-square was used to find ~~he~~the association between the demographic characteristics with Anxiety and Depression. All the variables other than gender, place of residence, and steady family income are significantly associated with Anxiety which anxiety? The cut point is mandatory., whereas gender and place of residence variables are not significantly associated with depression.

Conclusion: The mental health of college students is significantly affected when faced with public emergencies, and they require [the](#) attention, help, and support of ~~the~~ society, families, and colleges. It is suggested that the government and colleges should collaborate to resolve this problem in order to provide high-quality, timely ~~erisis-oriented~~[crisis-oriented](#) psychological services to college students.

Keywords: Covid-19, GAD-7, PHQ-9, Anxiety, Depression.

Introduction

Corona-virus ~~disease 20~~[Coronavirus](#)19 is caused by severe acute respiratory syndrome ~~eorona~~[virus](#)[coronavirus](#) 2. The disease was first emerged in December 2019 from Wuhan, Hubei province, China, and has since spread throughout [the](#) world ⁽¹⁾. The world health organization declared a global pandemic on March 11th, 2020. As of 19th February 2021, there were over 110 M confirmed cases of COVID 19 and over 2.44 M deaths reported globally. In India, confirmed cases as of 19th February 2021 is nearly 11 M with over 1.5-[? M](#) deaths ⁽²⁾. Continuous spread of epidemic, strict isolation measures, delay in starting schools, colleges, and universities across the country is expected to influence the mental health of college students³. Many institutions of higher education rapidly shifted to online education to limit travel and exposure to novel ~~eorona-virus~~[coronavirus](#). During this period the university students may have anxiety and situational stress about their future⁴ This pandemic brought not only the risk of death but also psychological pressure on people and remarkably on college students ⁽⁵⁾. GAD-7 is a seven-item instrument that is used to measure or assess the severity of generalized anxiety disorder⁶ The PHQ 9 is the nine-item depression scale of the patient health questionnaire (7) It is one of the most validated tools in mental health and can be a powerful tool to assist clinicians with diagnosing depression and monitoring treatment response (8). There have been reports on the psychological impact of [the](#) COVID 19

pandemic on the general public, children, hospital staff, older adults but there have been no detailed studies on the mental health of college students during the pandemic. Therefore, we investigated and ~~analysed~~ analyzed the psychological impact of COVID 19 among college students ⁽⁹⁾.

Methodology

Ethical approval: ~~Study~~ The study was initiated after approval from the ethics committee, Institutional Review Board (IRB), RIPER, Anantapur with approval No: RIPER/IRB/PP/2020/008. The study protocol, survey tool, and informed consent process was approved by IRB, RIPER, Anantapur. No monetary incentive was provided to participants and anonymity was maintained to ensure confidentiality and reliability of the data. The study was conducted online in compliance with the provisions of the Declaration of Helsinki regarding research on human subjects.

Study design & duration: A ~~cross-sectional~~ cross-sectional, ~~web-based~~ web-based online survey was conducted for a period of 6 months from July 2020 to December 2020.

Study Criteria:

Inclusion criteria: Students perusing diploma, graduation, and ~~post-graduation~~ post-graduation irrespective of their gender were included in the study.

Exclusion criteria: Those who are not interested to participate in the study and students diagnosed with ~~the~~ psychiatric disorders prior to the pandemic were excluded.

Sample size: Required sample size was calculated using Epi-info software by considering expected frequency 50%, confidence interval 95 %, margin of error 5%, design effect 1. By considering the above assumptions, the sample size became 384. 15 % non-response rate was added to compensate ~~non-response~~ non-response and sample size finally became 443.

Study Instruments:

- Generalized anxiety disorder scale⁵ (GAD-7)

- Patient health questionnaire^{6,7} (PHQ-9)

Study procedure: An online survey tool was prepared by using Google form, comprising with the demographic characters of the participants, generalized anxiety disorder scale (GAD-7), and a patient health questionnaire (PHQ-9). The survey tool was circulated in various messenger groups (WhatsApp, We Chat, IMO), and social media networks (Facebook, Twitter, Instagram, and LinkedIn). The first page of the form describes the background, core objectives, and expected outcomes of the survey. The respondent needs to opt “yes” for the first question (are you willing to join in this online survey) to enter into the study. The data was collected through online mode by providing a link to fill Google Forms questionnaire/survey tool comprising demographics, perceived health status, and COVID-19 experience, GAD-7 for Anxiety & PHQ-9 for Depression.

Statistical analysis: Chi-square was used to find the association between the demographic characteristics with Anxiety and Depression. P-value ≤ 0.05 is considered as significant.

Results

An online survey was conducted among 443 students of different fields; a questionnaire was distributed among college students of different colleges of different courses through social media platforms, among them 235 were female and 208 were male.

Table 1: Number of students with different anxiety levels

Anxiety	Number	Percentage (%)
mild	139	31.3769
Moderate	84	18.9616
Normal	196	44.2437
Severe	24	5.4176

Table 2: Number of students with different levels of depression

Depression	Number	Percentage
Minimal	166	37.47

mild	120	27.088
Moderate	97	21.89
moderately severe	33	7.4492
Severe	27	6.09

Table 3: Responses of the college students toward the COVID 19 related stressors

Questions	Yes (%)	No (%)
worry about economic influences	329(74.3)	114(25.7)
living with parents in lock down period	338(76.3)	105(23.7)
health care professionals as parents	94(21.2)	349(78.8)
having study family income	190(42.9)	253(57.1)
negative economic influences	342(77.2)	101(22.8)
Had negative influence on daily life	355(80.1)	88(19.9)
relatives or acquaintance got infected with COVID-19	262(59.1)	181(40.9)
social support	258(58.2)	185(41.8)
having any physical disease or comorbidities	56(12.6)	387(87.4)

Table 4: Severity of Anxiety in college students using GAD-7 Scale

Variables	Total	Minimal	Mild	Moderate	Severe	P-value
Steady family income						0.012178*
Yes	190(42.88)	100(52.63)	52(27.36)	32(16.84)	6(3.15)	
No	253(57.1)	96(37.95)	87(34.38)	52(20.55)	18(7.11)	
Live with parents						0.003785*
Yes	338(76.3)	154(45.56)	106(31.06)	67(19.82)	11(3.25)	
No	105(23.7)	42(40)	33(31.42)	17(16.19)	13(12.38)	
Worry about academic delays						0.000035*
Yes	329(74.26)	124(37.68)	114(34.65)	69(20.97)	22(6.68)	
No	114(25.74)	72(21.88)	25(7.59)	159(4.55)	2(0.60)	
Any of your parents are health professional						0.003055*
Yes	94(21.21)	27(28.72)	33(35.10)	26(27.65)	8(8.51)	
No	349(78.78)	169(48.42)	106(30.37)	58(16.61)	16(4.58)	
Worry about economic influences						<0.00001*
Yes	342(77.2)	128(37.42)	120(34.08)	72(21.05)	22(6.43)	
No	101(22.79)	68(67.32)	19(18.81)	12(11.88)	2(1.98)	
Whether COVID 19 had created any negative influence on daily life						0.007644*
Yes	355(80.13)	143(40.28)	117(32.95)	74(20.84)	21(3.09)	
No	88(19.86)	53(60.22)	22(25)	10(11.36)	3(3.40)	
Any social support from relatives and neighbours						0.001083*

COVID 19 had created any negative influence on daily life							
Yes	355	113(31.83)	104(29.29)	85(23.94)	30(8.45)	23(6.47)	
No	88	53(60.22)	16(18.18)	12(13.63)	3(3.4)	4(4.54)	
Any social support from relatives and neighbours							0.007663*
Yes	258	112(43.41)	70(27.13)	46(17.82)	19(7.36)	11(4.26)	
No	185	54(29.18)	50(27.02)	51(27.56)	14(7.56)	16(8.64)	
Presence of any comorbidities or any physical disease							<0.00001*
Yes	56	8(14.28)	13(23.21)	15(26.78)	9(16.07)	11(19.64)	
No	387	158(40.82)	158(40.82)	82(21.18)	24(6.2)	16(4.13)	

* $P \leq 0.05$ is considered as a significant

Discussion

Studies have suggested that public health emergencies can have many psychological effects on college students, which can be expressed as anxiety, fear, and worry, among others⁽¹⁰⁾

The main goal of this study was to assess the psychological condition of college students during a pandemic and explore factors influencing their anxiety and depression. This Study's findings revealed that students experiencing the symptoms of moderately-moderate and severe symptoms of Anxiety were (18.97%, 5.42%), moderately severe, and severe symptoms of Depression were (7.45%–6.1%), due to covid-19 outbreak. Similar findings were observed in a study conducted in Bangladesh by Saroni Biswas 2020 et al⁽¹¹⁾

The students' anxiety and depression may have been caused by the gradually increasing distances between people resulting from the quarantine. It is known that anxiety and depression are more likely to occur and worsen in the absence of interpersonal communication⁽¹²⁾

Students at-in the age group of 15-19, 20-24, were experiencing more anxiety, depression than other age groups. This may be due to the Continuous spread of the pandemic, strict

isolation measures, and delays in starting schools, colleges, and universities across the country ~~is-are~~ expected to influence the mental health of college students. Similar findings were observed in a study conducted in Bangladesh by Md. Akhtarul Islam 2020 et al ⁽¹³⁾ . Students living ~~in-in~~ rural areas, not having a steady family income, not living with parents were have severe ~~Anxiety—Anxiety~~ than students living in urban, having a steady family income, living with parents. Similar findings were observed in a study conducted in ~~china~~ China by Wenjun Cao 2020 et al ⁽¹⁰⁾ . This might be explained by the imbalance of economic, cultural, and educational resources between urban and rural areas. Similarly, the sanitary conditions in cities are better than in towns and villages, which ~~decrease-decreases~~ the chances of surviving the virus. Cities also have excellent educational resources, and they have made great efforts to promote knowledge on the prevention of the pandemic, which aids to take measures to prevent the pandemic (Tang et al., 2020) ⁽¹⁴⁾-. Because of the outbreak, some families lost their source of income, and students might feel anxious and depressive about paying their tuition fees ⁽¹⁵⁾-.

Consistent with our hypothesis, the COVID-19-related stressors, which include economic stressors, effects on ~~daily-lifedaily~~ life, any one of their parents were health care professionals' academic delays, social support, and comorbidities were significantly associated with anxiety, depression symptoms of college students during the pandemic. Similar findings were also observed in a study conducted in ~~china~~ China by Wenjun Cao 2020 et al ⁽¹⁰⁾ .

The results of this study indicated college students' anxiety and depression regarding the pandemic was associated with their source of parental income, whether living with parents and whether a relative or an acquaintance was infected with COVID-19.

Students living with parents and having social support have less anxiety and depression. This can be justified that Social support, particularly from family members , has been identified as

a protective factor against COVID-19-related mental health issues. Examples of social support could include giving someone comfort, advice, or a listening ear when they are dealing with life challenges or distress.

However, no significant difference in gender and region was indicated. This can be justified that both Male and females whether they are living in rural and urban areas were experiencing similar symptoms of Anxiety and Depression during the pandemic.

Conclusion

Few Students are experiencing symptoms of Anxiety and Depression due to [the](#) covid19 pandemic. Living with their parents having steady family income were protective factors against Anxiety and Depression during the COVID - 19 outbreak. The COVID-19- related stressors that included economic stressors, effects on [daily-lifedaily life](#), and academic delays have significance with the level of anxiety and depression symptoms of Indian college students during the epidemic. The mental health of college students is significantly affected when faced with public emergencies, and they require [the](#) attention, help, and support of [the](#) society, families, and colleges. It is suggested that the government and colleges should collaborate to resolve this problem in order to provide high-quality, timely [erisis orientedcrisis-oriented](#) psychological services to college students.

Limitations: Firstly, the method of convenience sampling and its descriptive nature through an online survey may not allow the generalization of results especially anxiety may be due to many other factors other than COVID-19, which may not be captured through this method. However, considering the need for a rapid method to assess depression and anxiety in a

vulnerable population during a rapidly evolving infectious disease outbreak, the use of an online survey serves as a favorable method for quick results.

Secondly, the nature of self-reported data in the survey may lead to response biases where students may provide socially desirable responses and self-reported levels of anxiety, depression, and COVID-19 stressors which may not always be as accurate as being assessed by a mental health professional. However, ~~in spite~~ in spite of these limitations, this study provides important basic information which will inform further research and public health interventions in this area.

References:

1. Emedicine.medscape.com. 2021. *Coronavirus Disease 2019 (COVID-19) in Children: Practice Essentials, Background, Pathophysiology*. [online] Available at: <<https://emedicine.medscape.com/article/2500132-overview>> [Accessed 26 November 2021].
2. Covid19.who.int. 2021. *WHO Coronavirus (COVID-19) Dashboard*. [online] Available at: <https://covid19.who.int/> [Accessed 9 April 2021].
3. Cao, W., Fang, Z., Hou, G., Han, M., Xu, X., Dong, J. and Zheng, J., 2021. *The psychological impact of the COVID-19 epidemic on college students in China*.
4. En.wikipedia.org. 2021. *Impact of the COVID-19 pandemic on education - Wikipedia*. [online] Available at: <https://en.wikipedia.org/wiki/Impact_of_the_COVID-19_pandemic_on_education> [Accessed 26 November 2021].
5. Zhang, K., Wu, S., Xu, Y., Cao, W., Goetz, T. and Parks-Stamm, E., 2021. *Adaptability Promotes Student Engagement Under COVID-19: The Multiple Mediating Effects of Academic Emotion*.
6. Trivedi, M., 2021. Psychometric properties of the Generalized Anxiety Disorder–7 item scale (GAD-7) in youth: Screening in a primary care sample. *Annals of Clinical Psychiatry*, (Volume 33, No. 4).

7. Aims.uw.edu. 2021. *PHQ-9 Depression Scale* | University of Washington AIMS Center. [online] Available at: <<http://aims.uw.edu/resource-library/phq-9-depression-scale>> [Accessed 26 November 2021].
8. Patient.info. 2021. *PHQ-9 Depression Test Questionnaire*. [online] Available at: <<https://patient.info/doctor/patient-health-questionnaire-phq-9>> [Accessed 26 November 2021].
9. O'Connor, R., Wetherall, K., Cleare, S., McClelland, H., Melson, A., Niedzwiedz, C., O'Carroll, R., O'Connor, D., Platt, S., Scowcroft, E., Watson, B., Zortea, T., Ferguson, E. and Robb, K., 2021. *Mental health and well-being during the COVID-19 pandemic: longitudinal analyses of adults in the UK COVID-19 Mental Health & Wellbeing study*.
10. Cao, Wenjun, et al. "The Psychological Impact of the COVID-19 Epidemic on College Students in China." *Psychiatry Research*, Elsevier, 20 Mar. 2020, www.sciencedirect.com/science/article/pii/S0165178120305400.
11. Biswas, S., & Biswas, A. (2021). Anxiety level among students of different college and universities in India during lock down in connection to the COVID-19 pandemic. *Journal Of Public Health*. doi: 10.1007/s10389-020-01431-8
12. chunfeng Xiao: A Novel Approach of Consultation on 2019 Novel Coronavirus (COVID-19)-Related Psychological and Mental Problems: Structured Letter Therapy <https://doi.org/10.30773/pi.2020.0047>
13. Islam M.A, Barna SD, Raihan H, Khan M. NA, Hossain M.T (2020) Depression and anxiety among university students during the COVID-19 pandemic in Bangladesh: A web-based cross sectional survey. PLoS ONE 15(8): e0238162. <https://doi.org/10.1371/journal.pone.0238162>
14. Biao Tang, Nicola Luigi Bragazzi, Qian Li, Sanyi Tang, Yanni Xiao, Jianhong Wu,;An updated estimation of the risk of transmission of the novel coronavirus (2019-nCov), Volume 5,2020, Pages 248-255, ISSN 2468-0427 <https://doi.org/10.1016/j.idm.2020.02.001>.
15. Irawan, Andi & Dwisona, Dwisona & Lestari, Mardi. (2020). Psychological Impacts of Students on Online Learning During the Pandemic COVID-19. KONSELI: Jurnal Bimbingan dan Konseling (E-Journal). DOI: [10.24042/kons.v7i1.6389](https://doi.org/10.24042/kons.v7i1.6389).
16. Worley, T. R., & Mucci-Ferris, M. *College students' mental well-being during the COVID-19 pandemic: The role of relational turbulence and social support processes*

in relationships with parents. <https://covid-19.ssri.psu.edu/articles/social-support-and-mental-health-during-covid-19>

UNDER PEER REVIEW