

Amalgamation of Nanotechnology with Plant Sciences

ABSTRACT

This review paper deals with the basic aspects and advancement of Nanotechnology and its varied applications in every possible field starting from biotechnology, pharmaceuticals, drug science energy related sectors and so on. They show some explicit properties like strength, electrical, optical and chemical properties. Nanoparticles show increment in plant productivity by showing direct interactions with plants or indirectly with soil. Nanoparticles can easily be synthesized utilizing microbes and plants so they are organically protected, savvy, and climate amicable. Nanoparticles are termed as “magic bullets” because of their extraordinary properties, and for this reason they are employed in production of nano herbicides, nano pesticides. Nanotechnology does the job of addressing distinctive natural and medical problems which occurs to happen with the unreasonable utilization of pesticides and fertilizers in horticultural practices. When used in an appropriate amount and concentration they cause positive effects on the respective plants. Some of these include increment in crop production, better quality, increased photosynthetic activity, biomass, chlorophyll content and the list go on. With every positive effect comes the detrimental ones also. Inhibition of root and shoot length, reduced seed germination, inefficiency in photosynthetic activity.

Keywords: Nanotechnology; Nanoparticles, Nano herbicides, and Nano pesticides

Abbreviations Used in the article: NPs, nanoparticles; TiO₂, Titanium dioxide; ZnO, zinc oxide; SiO₂, silicon dioxide; CNTs, carbon nanotubes; SWCNTs single-walled-CNTs ; MWCNTs, Multi walled carbon nanotubes; AgNPs, silver nanoparticles; AuNPs, gold nanoparticles; QDs, quantum dots; LHC, light harvesting complex.

1. INTRODUCTION

Nanotechnology is one of the rising and captivating field of science, that grants progressed research in numerous fields and revelations in this field has the potential to unfold many biotechnological applications, life sciences, medicine and farming [1]. Nanoparticles (NPs) generally possess size around 100 nm and huge surface region facilitating binding with functional ligands [7][21]. They show some explicit properties like strength, electrical, optical and chemical properties[3][10]. Because of their wide applications in Agri business, they are rightly called as “magic bullets”[23]. NPs can be derived either from normal resources or from human-centered ones, for example, designed or undesirable NPs [7]. Nanofertilizers exhibit properties that are successful to crops, such as controlled release of compounds regulating plant growth and development, release of nutrients on demand with upgraded target activity and providing phytopathogen resistance to plants [1][10]. It is sensible to contend that the possibility and the advantages of the utilization of NPs in plant sciences and agribusiness are yet not completely utilized, because of certain hindrances, which can be momentarily summed up as follows: (i) the methods of extraction of NPs and their uptake are still under study(ii) the manufacturing of NPs that are sustainable and do not meddle adversely with plant development and improvement[6].

Nanotechnology is certifiably not a solitary innovation yet it is a combination of a few innovative discoveries, which works at the nano-level. In the field of horticulture, nanotechnology has varied applications, for example, recording data related to ecological stress by usage of nano sensors. resilience against biotic as well as abiotic factors resulting in improved crop quality[20]. Nanomaterials can be utilized as promising source to transport the genes or the synthetic substances to the objective

site needed for plant working with high precision in a controlled way [8]. NPs show increment in plant productivity by interacting directly (plants) or indirectly (with soil). By chelation of salts existing in soil, NPs improve soil health by regulating soil pH and interacting with soil microbes [10]. They have high proficiency and thus lessen the bothersome natural impacts that outcome from the gigantic use of ordinary fertilizers. Effects of various nano-fertilizers like nano-calcium carbonate, nano-phosphorus manure, iron, magnesium, molybdenum oxides, zinc, manganese were studied on plants and positive outcomes were recorded in accordance with their respective dosage [14].

2. SYNTHESIS

NPs' synthesis can be achieved by mainly three ways: chemical, biological and physical. Ordinarily, physical and chemical methods are popularly used [23]. Physical and chemical techniques employ usage of hazardous substances like organic solvents, reducing agents etc., that can prove to be toxic [27]. Nanoparticle production utilize various bacteria, algae and plants waste from agricultural activities [23]. Nanoparticles can easily be synthesized utilizing microbes and plants so they are organically protected, savvy, and climate amicable commonly known as Green Synthesis. Plants and microorganisms have inbuilt mechanisms to eat up and collect inorganic metal particles from their adjoining niche [27]. Agrarian waste like corn cob, mango peels, rice husk, sugarcane bagasse and extract from plants like *Citrus sinensis*, *Glycine max*, *Azadirachta indica*, *Mangifera indica* and algae like *Chlorella*, *Euglena*, *Chlamydomonas spp* are employed for synthesis of various nanoparticles [23].

Table 1 Synthesis of various NPs from plants and Agricultural waste

Plant name/Agricultural waste	Nanoparticles synthesized	Reference(s)
<i>Eclipta prostrates</i> <i>Citrus sinensis</i> Tea leaf extract Orange peel Coconut shell	Ag	[23][5]
<i>Aloe vera</i>	Ag, Au, Cu, ZnO	[28][29][23]
<i>Mangifera indica</i> <i>Vitex negundo</i> Banana peel extract Egg shell Grape waste	Au	[23][5]
<i>Glycine max</i>	Pd	[23]
<i>Azadirachta indica</i>	Au/Ag bimetallic	[23]
Sugarcane bagasse Cassava periderm Maize stalk	Si	[30][23]

3. CLASSIFICATION

On the basis of chemical nature, Nanoparticles can be classified into four categories like carbon, polymeric compounds, metal and ceramic (metal oxides). Ceramic based nanomaterials contain inorganic solids made of metal oxides (ZnO, FeO₂, and TiO₂). On the other hand, Carbon-based nanomaterials consist of graphene, fullerenes and carbon nanotubes. Metal based nanomaterials include Cu, Ni, Au, and Ag which lead to plant growth and development [3].

3.1 Zinc Oxide Nanoparticles

According to research by various scientists, Zinc oxide (ZnO) NPs were beneficial in increasing plant growth in many crops like wheat, soybean, peanut etc [1]. ZnO NPs have been broadly utilized, as zinc is a fundamental micronutrient essential for various physiological reactions. According to few researchers, ZnO NPs are less harmful for crops in comparison to other nanoparticles like ZnO bulk particles or Zn²⁺ [10]. These NPs when supplemented with MS media lead to advancement in plantlets regeneration, shooting, somatic embryogenesis, and furthermore promoted synthesis of proline, action of dismutase, superoxide, catalase and peroxidase consequently developing resistance to any sort of biotic stress [1]. Nano manure like Nano-Ag Answer^R, Nano-GroTM, TAG NANO (NPK, Zinc, PhoS etc) are quite in demand [10].

3.2 Silicon dioxide Nanoparticles

Many researchers studied the effect of nano Silicon dioxide (SiO₂) on variety of crop plants like maize, tomato, soybean and many more [1]. Lately, silicon has given a great deal of consideration by the agrarian researchers. It had been accounted that Si might assume a basic part in expanding plant's resistance against biotic stresses in cucumber [12]. Improvement in seed germination was observed on treating tomato with low dosage of nano SiO₂. Likewise, the same was observed in maize which was aided by better availability of nutrients to the seeds. Exogenous utilization of nano-SiO₂ on seedlings of Changbai larch developed root collar diameter, mean height, fundamental root length, seedlings the induction of chlorophyll synthesis [1]. Subsequently, silicon influences plant development under conditions of stress by influencing an assortment of cycles which covers plant water relations, upregulation of phyto defence, changes in ultra-structure of leaf organelles. The leaf spray of SiO₂ on cucumber plant led to increment in number of fruits per plant, fruit diameter, plant height, number of leaves, etc [12].

3.3 Carbon based Nanoparticles

Carbon is one of the few components which has the tendency to polymerize at the nuclear level, and therefore forming extremely long carbon chains. It is tetravalent in nature and non-metallic, therefore it forms covalent bonds [13]. Carbon based nanoparticles include Carbon graphene [3], fullerenes and nanotubes.

Lately, Carbon Nanotubes (CNTs) have been the subject of broad examination due to their exceptional properties (chemical, mechanical, thermal) and wide scope of biotechnological applications [15]. Because of their extraordinary properties, they can infiltrate the cell wall and the plasma membrane and furthermore give an appropriate transport arrangement of chemicals to cells [1]. Because of these properties, they are widely used for pollution control, crop management, nutrient carriers, detection of pesticides and as nanofertilizers [15]. Multi-walled carbon nanotubes (MWCNTs) act as plant growth regulators which increases fresh weight of tomato plant [15]. The single-walled-CNTs (SWCNTs) help conveyance of various dyes and DNA into plants cells [1].

Fullerenes comprise of 20 hexagonal and 12 pentagonal rings forming a close caged structure [13]. The fullerene, C₆₀ and CNTs have been displayed to build the water holding capacity, fruit yield and biomass in plants up to ~118% which is a wonderful accomplishment of nanotechnology lately. When treated with the fullerene, the bitter tasting melon seeds showed increment in the phytochemistry

constituents for example lycopene (82%), cucurbitacin-B (74%), insulin (91%), and charantin (20%). The fullerenes also act as antioxidants, antiviral and anti-cancerous agents [16].

Graphene is a 2D allotrope of carbon which is made of single layer of carbon atoms having sp^2 hybridized C atom [13]. Graphene is the most acknowledged nanoparticle for manufacture of biomedical sensors for bio imaging and bio sensing. It is curative because of its invigorating characteristics like exceptional surface properties, fluid processability and cell development capacity [19].

3.4 Titanium dioxide Nanoparticles

Titanium dioxide (TiO_2) is considered as one of the useful components for plant development which finds its usage in agribusiness, consumer goods, and energy areas[20]. According to various studies, TiO_2 NPs led to advancement in radical and plumule development on Canola seedlings [1]. By applying Titanium dioxide via means of roots or leaves at low dosage enhanced crop performance through invigorating the action of specific catalysts, reinforcing pressure resilience, advancing supplement take up, improving chlorophyll content and photosynthesis thus developing harvest yield and its quality[20]. TiO_2 nanoparticles controls various catalytic activities associated with metabolism of Nitrogen, for instance, glutamate dehydrogenase, glutamine synthase, nitrate reductase, and glutamic-pyruvic transaminase help the plants to assimilate nitrate. It favours the transformation of inorganic nitrogen to organic one in the form of protein and chlorophyll. Therefore, it leads to increment in dry and fresh weight of the plant. Also, these nano particles act as photocatalyst leading to redox reactions. TiO_2 NPs perceptibly brings about vigour in mature seeds' life and chlorophyll development. Furthermore, these invigorates activity of RuBisCO enzyme and accelerates photosynthetic activity of plants leading to their development [1][2].

3.5 Silver and Gold Nanoparticles

Silver and gold nanoparticles (AgNPs and AuNPs, respectively), have been utilized progressively due to their potential benefits, like high stacking capacity and stability [21]. Gold and silver nanoparticles find their utilization in biomedicine as enhancers, immunomarkers and converters of the optical signal. [22].

AgNPs when administered on *Bacopa monnieri* led to protein and carbohydrate synthesis in the plant. Also, an increase in leaf area, shoot length, root length along with biochemical properties (antioxidant enzymes, protein and carbohydrate contents, chlorophyll) was observed in *Brassica juncea* [1].

The effects of AuNPs were studied on *Gloriosa superba* that advanced seed germination. Overall, these increased chlorophyll content, surface area of leaves, height of the plant resulting in high yield of crops [1]. Viability of tissue infiltration of AuNPs depends on surface charge, particle size and plant species. AuNPs containing positive charge are taken up exclusively by plant roots through absorption. On the contrary, those contain negative charge move towards stems and leaves via roots [22].

4. NANOPARTICLES-A BOON TO PLANTS

Nanotechnology does the job of addressing distinctive natural and medical problems which occurs to happen with the unreasonable utilization of pesticides and fertilizers in horticultural practices. When used in an appropriate amount and concentration NPs like titanium oxide, sulfur, gold, zinc, carbon nanotubes, iron, copper, silver, chitosan NPK NPs show further developed plant development and an increment in crop harvest [8].

4.1 Plant Growth and development

Lately, various examinations have been directed to investigate and portray the impact of NPs on crops [4]. Plants on interaction with NPs causing numerous physiological and morphological alterations which are entirely contingent upon the properties of nanoparticles. Adequacy of NPs is controlled by their size and shape, reactivity, surface area, charge and in particular the dosage at which they are operative and effective. Concentrations of NPs determine its efficacy which differs from plant to plant [1]. On treating soybean (*Glycine max*) with nano- TiO_2 and nano- SiO_2 , nitrate

reductase activity was hastened thereby amplifying water absorption and utilization by the crop plant [25]. Water-stressed plants treated with SiO₂ NPs gave higher yield than those without the SiO₂ NPs application [11]. Graphene Oxide can be utilized to accelerate growth of the plant (root elongation, increases surface area of leaves), increase sugar content of and its ripening process [18]. The use of certain NPs can advance the movement of proteins like amylase, Carbonic anhydrase, phosphatase, nitrate reductase, and phytase which are associated with digestion and supplement procurement [24].

4.2 In Photosynthesis

Photosynthesis is a vital process that converts light energy into chemical energy [1]. Ongoing advancements in science have started to exhibit that nanoparticles (NPs) can be manufactured and linked with photosynthesis resulting in increased crop yields [9].

When treated with nano anatase, higher activity of Rubisco was observed in spinach plants which was an outcome of increased rates of photophorylation, electron transport and evolution of O₂[8]. TiO₂ and ZnO NPs can invigorate biogenesis of chlorophyll and photosynthetic activity[24]. TiO₂ NPs have proved to be beneficial in improving absorbance of light, in stimulation of CO₂ consolidation and acts as shield to inhibit ageing of chloroplasts from long brightening hours[1][26]. Titanium dioxide nanoparticles are useful in transfer of energy away from PSII, which enhances the proficiency in conversion of energy for PSII, in this way permitting more light to get absorbed [9]. Nanoparticles such as SWCNTs increased the photosynthetic activity by three times by upgrading mechanism of electron transport which assisted in detecting NO –a signaling molecule[1]. Single-walled carbon nanotubes (SWCNTs) when conveyed into the chloroplast lipid bilayers enhanced photosynthesis and electron transport [18]. Analysts have recognized transportation of electron out from the photosystems that can be useful in accelerating ATP synthesis and thereby photosynthetic activity. Studies suggest that QDs(quantum dots) behave as artificial light harvesting antennae distributing energy to LHCs[9].

4.3 In Agri industry

In the farming sector nanoscience acts as a contributing factor in the fields of research and discussion in the present century. Due to extraordinary properties of Nanoparticles (NPs) these are termed as “magic bullets” in this sector[23]. Metal, metal oxide, composite and polymeric nanoparticles are applied to plants through different modes to enhance the crop yield and shield from pathogenic assault [5]. NPs can be utilized to shield plants from natural effects, for example, in salty or dry conditions, these refrain from settling of hazardous metals[24]. Utilization of NPs as nano pesticides, nano herbicides nanofertilizers, prove to be helpful in controlling over usage of synthetic manure, manage plant growth and development, their biological activity resulting in better crops efficiency, and furthermore increase survivability against biotic pressure[23]. NPs have come out as an excellent source of micronutrients. For example (Fe, Mn based NPs, ZnO), consequently expands wellness and assists plants to adapt to pressure conditions. TiO₂ and iron-based NPs can defer senescence and accelerate cell division by means of changes in phytohormonal levels.[24]. NPs might affect the plant development on the basis of species and the dosage used. What may be beneficial for one, might be harmful for another species[23].

The effects of AuNPs were studied on *Gloriosa superba* that advanced seed germination. Overall, these increased chlorophyll content, surface area of leaves, height of the plant resulting in high yield of crops [1].

Application of Nano-fertilizers boost the crop harvest by enhancing fatty acids, amino acids, reducing sugar content in a plant[23]. There are three different ways in which plant nutrients get distributed to their destination utilizing nano fertilizers. Emulsions of nanoscale measurements [5]. ZnO NPs enhances plant growth and helps to curb the zinc deficiency [3].

Nano-herbicides are used to kill weeds and stop their spread further[23]. Encapsulated Polymeric NPs are extensively used. Chitosan NPs proved to be beneficial and less hazardous when utilized in encapsulation of paraquat[3]. Various nano pesticides like nano silica, are commonly used to control the spread of diseases in crops[23].

Table 2 Nanoparticles and their positive effects on plants

Nanoparticles	Plant Species	Positive Effects	Reference(s)
Titanium oxide NPs	<i>Triticum aestivum</i> <i>Arabidopsis thaliana</i> <i>Foenticum vulgare</i> <i>Zea mays</i> <i>Avena sativa</i>	Increased Chlorophyll content Antifungal against wheat rust Increased plant growth seed germination Increased crop harvest Enhanced seed germination and root elongation	[1][3][23][20]
Multiwalled carbon nanotubes(MWCNTs)	<i>Nicotiana tabacum</i> <i>Lycopersicum esculentum</i>	Increment in flower number ,plant height and growth.	[23]
Single walled carbon nanotube	<i>Allium cepa</i>	Root length elongation	[16]
AgNPs	<i>Cuscuta reflexa</i> <i>Lolium multifolium</i> <i>Sidacordifolia</i> <i>Saccharum officinarum</i>	Antibacterial	[21][23]
SiO ₂	<i>Glycine max</i> <i>Lycopersicum esculentum</i>	Increased plant germination Enhanced germination of seed of tomato plant	[23]
ZnO Zn NPs	<i>Oryza sativa</i> <i>Arachis hypogea</i> <i>Cicer arientum</i> <i>Cucumis sativa</i>	Reduced Arsenic and Cadmium content At low concentration, enhanced seed germination Dry shoot weight increment Increase in micronutrient content	[3]

TiO ₂ NPs	<i>Glycine max</i> <i>Allium cepa</i> <i>Nicotiana tabacum</i>	Inhibition of plant growth DNA damage	[20]

6. CONCLUSION

In Agri business, nanotechnology has been utilized to elevate the annual harvest with quality improvement by working on cultivation techniques[31]. Nanotechnology in farming is a clear-cut resolution for a high food supply demand due to ever increasing human population[5]. The rise of designed nanomaterials and their operation inside the boundaries of sustainable farming have reformed world agribusiness significantly by quick development to meet the ever-increasing food demand around the globe[31]. Agriculture waste can be utilized to synthesize NPs thereby, acts as promising substitute for waste management [5]. NPs can be orchestrated through green innovation by utilizing extracts from plants, algae, and agrarian waste. It would be a financially savvy, ecofriendly and simple to deal with in comparison to chemical and physical techniques[23]. The capability of nanomaterials empowers sustainable agricultural practices minimizing the environmental and health hazards. Despite all the advancements, there are a few pit holes in our insight regarding the take-up limit, acceptable dosage admissible and the toxicity of various nanoparticles. Further exploration regarding the same is required to resolve the advanced nano typified agricultural inputs and the way they interact with environment [31].

CONSENT AND ETHICAL APPROVAL

It is not applicable.

ACKNOWLEDGMENTS

The authors thank the technical and support staff in the Biosciences department of Chandigarh University for providing all needed things to prepare this manuscript.

COMPETING INTERESTS

Authors have declared that no conflict of interest exist.

REFERENCES

1. Siddiqui, Dr. Manzer H. & Al-wahaibi, Mohamed & Mohammad, Firoz & Al-Khaishany, Mutahhar. (2015). Role of Nanoparticles in Plants. 10.1007/978-3-319-14502-0_2.
2. Siddiqui, Dr. Manzer H. & Al-wahaibi, Mohamed & Mohammad, Firoz. (2015). Nanotechnology and plant sciences: Nanoparticles and their impact on plants. 10.1007/978-3-319-14502-0.
3. Paramo, L. A., Feregrino-Pérez, A. A., Guevara, R., Mendoza, S., & Esquivel, K. (2020). Nanoparticles in agroindustry: Applications, toxicity, challenges, and trends. *Nanomaterials*, 10(9), 1654.
4. Milewska-Hendel A, Gawecki R, Zubko M, Stróż D, Kurczyńska E. (2016).Diverse influence of nanoparticles on plant growth with a particular emphasis on crop plants. *ActaAgrobot.* ;69(4):1694
5. Palanisamy, S., Subramaniam, B. S., Thangamuthu, S., Nallusamy, S., & Rengasamy, P. (2021). Review on Agro-Based Nanotechnology through Plant-Derived Green Nanoparticles:

- Synthesis, Application and Challenges. *Journal of Environmental Science and Public Health*, 5(1), 77-98.
6. Sanzari I, Leone A and Ambrosone A (2019) Nanotechnology in Plant Science: To Make a Long Story Short. *Front. Bioeng. Biotechnol.* 7:120. doi: 10.3389/fbioe.2019.00120
 7. Remédios, C., Rosário, F., & Bastos, V. (2012). Environmental nanoparticles interactions with plants: morphological, physiological, and genotoxic aspects. *Journal of Botany*, 2012.
 8. Bose, Priyom. (2020, March 24). How do Nanoparticles Affect Plant Function?. AZoNano.
 9. Swift Thomas A., Oliver Thomas A. A., Galan M. Carmen and Whitney Heather M. 2019. Functional nanomaterials to augment photosynthesis: evidence and considerations for their responsible use in agricultural applications *Interface Focus*.9:2018004820180048
 10. Mazumder, J.A., Khan, E., Perwez, M. et al.(2020). Exposure of biosynthesized nanoscale ZnO to *Brassica juncea* crop plant: morphological, biochemical and molecular aspects. *Sci Rep* 10, 8531 .
 11. Elshayb, O. M., Nada, A. M., Ibrahim, H. M., Amin, H. E., & Atta, A. M. (2021). Application of Silica Nanoparticles for Improving Growth, Yield, and Enzymatic Antioxidant for the Hybrid Rice EHR1 Growing under Water Regime Conditions. *Materials*, 14(5), 1150.
 12. Yassen, A., Abdallah, E., Gaballah, M., & Zaghoul, S. (2017). Role of silicon dioxide nano fertilizer in mitigating salt stress on growth, yield and chemical composition of cucumber (*Cucumis sativus* L.). *Int. J. Agric. Res*, 22, 130-135.
 13. Mosa, Mohamed & Hashim, Aya & Alghuthaymi, Mousa & Abd-Elsalam, Kamel. (2018). Nano-carbon: Plant Growth Promotion and Protection. 10.1007/978-3-319-91161-8_7.
 14. Taha, R. A. (2016). Nano carbon applications for plant. *Adv Plants Agric Res*, 5(2), 00172.
 15. Lara-Romero, J., Campos-García, J., Dasgupta-Schubert, N., Borjas-García, S., Tiwari, D. K., Paraguay-Delgado, F., Jiménez-Sandoval, S., Alonso-Nuñez, G., Gómez-Romero, M., Lindig-Cisneros, R., Reyes De la Cruz, H., & Villegas, J. A. (2017). Biological effects of carbon nanotubes generated in forest wildfire ecosystems rich in resinous trees on native plants. *PeerJ*, 5, e3658.
 16. Husen, A., Siddiqi, K. S. (2014). Carbon and fullerene nanomaterials in plant system. *J Nanobiotechnology* 12, 16
 17. Wang, Q., Li, C., Wang, Y., & Que, X. (2019). Phytotoxicity of Graphene Family Nanomaterials and Its Mechanisms: A Review. *Frontiers in chemistry*, 7, 292.
 18. Park, S., Choi, K. S., Kim, S., Gwon, Y., & Kim, J. (2020). Graphene oxide-assisted promotion of plant growth and stability. *Nanomaterials*, 10(4), 758.
 19. Kumar, R., & Singh, R. (2018). Prospect of graphene for use as sensors in miniaturized and biomedical sensing devices.
 20. Chaudhary, I. J., & Singh, V. (2020). Titanium dioxide nanoparticles and its impact on growth, biomass and yield of agricultural crops under environmental stress: A review. *Research Journal of Nanoscience and Nanotechnology*, 10, 1-8.
 21. Katas, H., Moden, N. Z., Lim, C. S., Celesistinus, T., Chan, J. Y., Ganasan, P., & Suleman Ismail Abdalla, S. (2018). Biosynthesis and potential applications of silver and gold nanoparticles and their chitosan-based nanocomposites in nanomedicine. *Journal of Nanotechnology*, 2018.
 22. Dykman, L., & Shchyogolev, S. (2018). The effect of gold and silver nanoparticles on plant growth and development. *Metal nanoparticles. New York: Nova*, 63-300.
 23. Goswami, P., & Mathur, J. (2019). Positive and negative effects of nanoparticles on plants and their applications in agriculture. *Plant Science Today*, 6(2), 232-242.
 24. Landa, P. (2021). Positive effects of metallic nanoparticles on plants: Overview of involved mechanisms. *Plant Physiology and Biochemistry*.
 25. Yang, J., Cao, W., & Rui, Y. (2017). Interactions between nanoparticles and plants: phytotoxicity and defense mechanisms. *Journal of plant interactions*, 12(1), 158-169.
 26. Poddar, K., Sarkar, D., & Sarkar, A. (2020). Nanoparticles on Photosynthesis of Plants: Effects and Role. *Green Nanoparticles. Nanotechnology in the Life Sciences, 1st ed.; Patra, J., Fraceto, L., Das, G., Campos, E., Eds*, 273-288.
 27. Zhang, D., Ma, X. L., Gu, Y., Huang, H., & Zhang, G. W. (2020). Green synthesis of metallic nanoparticles and their potential applications to treat cancer. *Frontiers in Chemistry*, 8.
 28. Karimi J, Mohsenzadeh S. Rapid green and eco-friendly biosynthesis of copper
 29. Parthasarathy, G., Saroja, M., Venkatachalam, M., Gowthaman, P., & Evanjelene, V. K. (2016). Synthesis of Nano Particles From Aloe Vera Extract–Review Paper. *Imperial Journal of Interdisciplinary Research (IJIR)*, 4(10), 1570-1575.

30. Mohd NK, Wee NN, Azmi AA. Green synthesis of silica nanoparticles using sugarcane bagasse. AIP Conference Proceedings.
31. Shang, Y., Hasan, M., Ahammed, G. J., Li, M., Yin, H., & Zhou, J. (2019). Applications of nanotechnology in plant growth and crop protection: a review. *Molecules*, 24(14), 2558.