

# CHEMICAL CONSTITUENTS AND PHARMACOLOGICAL EFFECTS OF DOLICHANDRONE SPECIES : A REVIEW

## Abstract:

Previously conducted study confirmed that Dolichandrone species showed antimicrobial, anti-oxidant, and antinociceptive properties, as well as anti-cancer, thrush therapy, and fish poisoning effects. This review focuses on the chemical constituents and pharmacological effects of the Dolichandrone genus.

**Key Words:** Chemical constituents, Dolichandrone species, Pharmacological effects

## Introduction:

Dolichandrone species are traditionally used medicinal herbs that are classified under Bignoniaceae Family. This plant's constituents can be used to cure a variety of ailments. Trumpet tree is the common name for these plants. Using methanol, it can be extracted.

These plants are found in the Asia-Pacific region, namely in Asia, India, Sri Lanka, Malaysia, and Singapore. Plant parts of the Dolichandrone genus are used as an anti-tumor, anti-septic, anti-oxidant, and anti-bacterial agent, as well as in the treatment of thrush. [1] [2].

## Taxonomic Classification:

**Kingdom:** Plantae

**Order :** Lamiales

**Class :** Magnoliopsida

**Family :** Bignoniaceae - bignonias

**Genus :** Dolichandrone

**Species :** Dolichandrone alba (Sim) - Sprague

*Dolichandrone alternifolia* ( R. Br Seem )

*Dolichandrone arcuata* (Wight) C. Bclarke

*Dolichandrone Columnaris* Samtisuik

*Dolichandrone Fakata* (wall. ex DC) Seem

*Dolichandrone filiformis* (DC) fenzl ex.F.muell

*Dolichandrone Heterophylla* (R.Br) F.Muell

*Dolichandrone Occidentalis* Jackes

*Dolichandrone Spathacea* (L.F) Seem

### **Common Names:**

<b>Tamil</b>	- Padhiri
<b>English</b>	- Mangrove trumpet tree
<b>Malayalam</b>	- Attulottappala
<b>Hindi</b>	- Medhshingi
<b>Kannada</b>	- Udure Godmurki
<b>Sanskrit</b>	- Mesasinghi

### **Description**

The Dolichoderine tree is a short deciduous tree belonging to the Bignoniaceae family. The tree grows to a maximum height of 15-20 feet. Compound leaves are 2-6 inches long and have 3-6 obovate or oval-shaped leaflets. Flowers are fragrant and white. Flowers bloom between April and May.

Dolichandrone is another name for mangrove trumpet tree. It is a common tree that grows wild along river banks and mangroves across Asia and the Pacific.

### **Chemical Constituents:**

*Dolichandrone falcate* shows the presence of alkaloids in methanol and acetone extracts. Saponin was obtained using aqueous, alcohol, and ethyl acetate. Terpenoids are constituents of both aqueous and alcohol extracts. Tannins found in aqueous, methanol, alcohol, and ethyl acetate extracts. Cardiac glycosides isolated from extracts of methanol, alcohol, acetone, and ethyl acetate[3]

Flavonoids are found in aqueous, methanol, and alcoholic extracts. Dolichandroside – A was isolated from the activity ethyl acetate soluble extract of *Dolichandrone falcate*'s heart wood, along with seven previously identified compounds: alpha-lapachone, lapachol, aloesaponarin 11, 8-

hydroxydehydroiso-alpha-lapachone, beta-sitosterol, 3, 8-dihydroxydehydroiso-alpha-lapachone, and verbascoside[4]

Hellerone, protocatechuic acid, renygolone, cleroidicin B, ixoside, and isomaltose were identified as six chemical components in *Dolichandrone serrulata* flowers[5]

Iridoids from *Dolichandrone spathacea* are anti-diabetic by inhibiting  $\alpha$ -glucosidase (PDB-3W 37) and oligo-1,6-glucosidase (PDB-3W 37). (PDB-3AJI). Five catalpol iridoids (1,2,10,13,14) were isolated from the mangrove plant *D. Spathacea* and their derivatives (3,4,5,6,7,8,9,11,12,15) were synthesized by reduction, acetylation, O-alkylation, acetonisation, or hydrolysis of naturally isolated chemicals[6]

Octacosanol, dehydro-alpha-lapachone, lapachol, and beta sitosterol were identified in *Dolichandrone crisper*. *D.Crispa* stem heartwood contains gamma sitosterol, dehydrotectol, tectol, and paulownin; the stem bark contains gamma sitosterol, dehydrotectol, tectol, and paulownin[7]

#### **Antioxidant activity:**

The anti-oxidant and free radical scavenging properties of a methanolic extract of *Dolichandrone atrovirens* leaf and bark were determined using a variety of in vitro antioxidant test methods[8] When the DPPH Scavenging test and reducing Powder technique were used to evaluate the aqueous extract of *D.falcata*, it seemed to exhibit substantial antioxidant activity. Chrysin, a compound present in plants, has been demonstrated in laboratory animals to be anti-oxidant [8].

#### **Anxiolytic effect:**

Anxiolytic effects were investigated in animals using the elevated pulse maze and marble burying test. *Dolichandrone falcate* stem-bark extract proved to have significant anxiolytic properties [9].

#### **Antimicrobial activity:**

The antimicrobial activity of *D.spathacea* extracts in several solvents including pet ether, ethyl acetate, chloroform, and ethanol was determined using six microorganisms including *Bacillus cereus*, *Staphylococcus aureus*, and *Pseudomonas aeruginosa* Antimicrobial investigations were conducted on extracts from *Dolichandrone falcate* leaves, fruit, and bark against

*Pseudomonas aeruginosa*, *Bacillus subtilis*, *Candida albicans*, *vibrio cholera*, and *salmonella typhi* [10].

#### **Anti-diabetic effect:**

*D.atrovirens* leaf and bark extracts have the ability to reduce blood glucose levels in diabetic patients. It possesses the capacity to avert diabetic complications[11]

*D.Falcata* extract's anti-diabetic activity was studied in rats at dosages of 200 mg/kg, 400 mg/kg, and 600 mg/kg. The anti-diabetic activity of glibenclamide 10 mg/kg body weight was determined using this as a reference. The aqueous extract effectively decreased blood glucose labels in diabetic rats. Anti-diabetic action was determined to be significant and dosage dependent[10][11][12]

#### **CONCLUSION:**

The review discussed the chemical constituents, pharmacological activities, and therapeutic significance of *Dolichandrone* species as a potentially beneficial herbal remedy due to its effectiveness and safety.

#### **References:**

- [1]Nguyen PD, Abedini A, Gangloff sc, lavaud C. Antimicrobial Constituents from leaves of *Dolichandron spathacea* and their relevance to Traditional use. *Plantamedica International open* 2018 Jan; 5(01): e 14-23
- [2]Mar WW, Win NN. Investigation of the physicochemical and Bioactivity Properties of *Dolichandrone Spathacea* (The Khut) Dagon University Commemoration of 25th Anniversary Silver Jubilee Research Journal 2019, Vol.9, No.2
- [3] Patil JU, Biradar SD. Preliminary phytochemical screening and antimicrobial activity of *Dolichandrone falcata* (dc) seem. *Indian Journal of plant science*. 2013;2:80-3.
- [4]Aparna P, Tiwari AK, Srinivas PV, Ali AZ, Anuradha V, Rao JM. Dolichandroside A, a new  $\alpha$ -glucosidase inhibitor and DPPH free-radical Scavenger from *Dolichandrone falcata* seem. *Phytotherapy Research: An*

International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives. 2009 Apr;23(4):591-6.

[5]–Phanthong P, Morales NP, Chancharunee S, Mangmoot S, Anantachoke N, Bunyapraphatsara N Biological activity of *Dolichandrone serrulata* flowers and their active components. Natural Product Communications. 2015 Aug 10(8): 1934578x1501000819.s

[6]Thao TT, Bui TQ, Quy PT, Bao NC, Van Loc T, Van Chien T, Chi NL, Van Tuan N, Van Sung T, Nhung NT. Isolation, semi-synthesis, docking-based prediction, and bioassay-based activity of *Dolichandrone spathacea* iridoids: new catalpol derivatives as glucosidase inhibitors. RSC Advances. 2021;11(20):11959-75.

[7]Prakash L, Singh R. Chemical constituents of the stem bark and stem heartwood of *Dolichandrone crispa* Seem. Pharmazie. 1980;35(2):122-3.

[8]Kavimani S, Saminathan K, Senthil Kumar R, Antioxidant and free radical scabenging activities of *Dolichandrone atrovirens* using varvous in vitro assay models. International Journey of phytopharmacology,2014:5(4):293-300.

[9] , Vishal B Badgular Sanjay J Surna . Anxiolytic effects of *Dolichandrone falcata* Seem., Bignoniaceae, stem-bark in elevated plus maze and marble burying test on mice

[10]Rahul Nimba Patil, Dr. Krishna muruthy, Dr.Rajkumar, Virbhadrappa Shete, Phytochemical study and pharmacological effects of *Dolichandrone Falcata* Seem international journal of all research educational and scitific method 2021 Aug vol:9 issue:8,1413-18.

[11] Mar WW, Win NN. Investication of the physicochemical and bioactivity properties of *Dolichandrone Spathacea* (Tha Khut) Dagon University Commemoration of 25th Anniversary Silver Jubilee Research Journal 2019, Vol.9, No.2

[12]Kayarohanam S. Subramaniyan V.Janakriaman AK Kumar SJ Antioxidant, Antidiabetic and antihyperlipidemic activities of *Dolichandrone atrovirens* in alibino Wistar rats. Research Journal of pharmacy and Technology 2019:12(7):3511-6.

UNDER PEER REVIEW