

# **STUDY ON PROMOTIONAL STRATEGY OF SYNGENTA PRODUCT AMISTAR IN HOSHIARPUR DISTRICT OF PUNJAB, India**

## **ABSTRACT:-**

Bases on information gathered from 176 respondents, a study carried out in the Hoshiarpur area of Punjab state discovered numerous Amistar fungicide promotional methods. The study's main goal was to determine how best to market fungicide to farmers. It is revealed that out of total respondent's major number falls under the age group of 30- 50 years that is 94 respondents, and it was found land holding has a direction relation between the income level of the respondents and also the education level. The study showed that respondents gave the primary preference to Amistar Fungicide of by Syngenta Market potential is the maximum amount of sales that might be available to all the firms in a pesticide industry during a given period, under a given level of pesticide industry marketing efforts and environmental conditions. Grain crops is the major crop in Mukerian Block in which Amistar is used for use, so the market potential is calculated considering Maize crop acreage.

when it comes the preferred promotional tools, the response was in the favour of farmer meeting. Demonstration, company's person visit, wall postering, literature display, phone call, van campaign were ranked second, third, fourth, fifth, sixth and seventh respectively. The response was in the favour of billboards with a total number of 57(32.40%) followed by the television, radio and social media. Other sources were television, radio, newspaper and social media.

**Keywords: Promotional Strategy, Fungicides, Promotional Tools.**

## **1. INTRODUCTION:-**

Effective management of inputs including high yielding variety seeds, irrigation, fertilisers, and crop protection agents is essential to supplying the world's growing demand for food and feed. Fungicide act as a protective umbrella for the other inputs and they play a crucial role in crop protection because in the absence of recommended chemical usage, the beneficial effects of these inputs become nullified if there is a serious attack of pests and diseases on the crop (Brithal et al., 2003).

Fungicides are pesticides that kill or prevent the growth of fungi and their spores. They can be used to control fungi that damage plants, including rusts, mildews and blights. They might also be used to control mold and mildew in other settings. Fungicides work in a variety of ways, but most of them damage fungal cell membranes or interfere with energy production within fungal cells.

Over the past ten years, the rural market has undergone significant upheaval. The rural market was less organised ten years ago, and business did not prioritise it as a target market. Very few businesses, primarily those with an agricultural focus, were specialising in these areas. There are no cutting-edge marketing initiatives or techniques. There existed a distribution system, but it was weak. Other issues contributing to the inadequate reach of goods and lesser level of knowledge among peasants included illiteracy and a lack of technology. Corporate gradually came to the realisation that demand was growing in rural areas while the metropolitan market was becoming saturated, competitive, and cluttered. They began concentrating on these underserved, high potential areas after realising the enormous potential of the 75% of Indians who live in rural areas. As a result, retail establishments that stock goods from diverse brands and categories have appeared in almost all of the settlements. Furthermore, since large groups of the target demographic can be reached at the same time and location, high congregation venues like fairs, haats, markets, etc. are proving to be effective marketing tools. Marketing heavily relies on location.

Syngenta has a rich legacy originating from a tradition that goes back several decades in India. The track record starting from CIBA, Sandoz, ICI to its present form has been one of the exemplary corporate citizenships and partnerships in India. We are amongst the first few companies to improve farm productivity and lives of Indian farmers offering services from 'Kashmir to Kanyakumari'. As Syngenta we have been operating in India since the year 2000.

## **2. MATERIALS AND METHODS:-**

There are 23 District in Punjab state and district name Hoshiarpur. Hoshiarpur District of Punjab was selected purposively for the present study and summer internship training on the basis of maximum area under Maize cultivation. There were 10 Blocks in district Hoshiarpur block Mukerian was selected purposively for the study. Because it occupies prestigious place in maize cultivation. Then all the villages were arranged in descending order on the basis of cultivated area of maize and 5 were selected randomly.

From the selected village list of all the maize cultivators obtained from the village development office in each selected village. For the selection of cultivators from families were listed and about 10% farmers were randomly selected from each village and then farmers were classified in to five groups.

### 3. RESULTS AND DISCUSSION:-

Table 1 below revealed that size of the farms group in numbers for marginal, small, semi-medium, medium and large size farms Group were 19, 35, 58, 43, and 21 farms group respectively. Altogether 176 farms group were selected for study.

The below table shows that in the studied area respondents of age group 20-30 were 28 farmers, age group 30-40 were 50 farmers, age group 40-50 were 44 farmers, age group 50-60 were 31 farmers and age group above 60 were 23 farmers.

The data about literacy level of respondent in the study area. There were 49 farmers illiterate from which 9 farmers were marginal, 13 farmers were small, 15 farmers were semi-medium, 7 farmers were medium and 5 farmers were large group, and 127 farmers literate from which 10 farmers were marginal, 22 farmers were small, 43 farmers were semi-medium, 36 farmers were medium and 16 farmers were large group in the study area. 24 farmers have education primary school level from which 5 farmers are marginal, 5 farmers are small group, 8 farmers are semi-medium, 4 farmers are medium group and 2 farmers are large group in the study area.

In this table 46 farmers were 8 marginal size land holding, 10 small size land holding, 15 farmers were semi- medium size land holding group, 9 farmers were medium size land holding group and 4 farmers were large size land holding up to 100000 thousand income/year.

Up to 100000-200000 income/ year there were 71 farmers in study area from which 7 farmers were marginal,17 farmers were small, 27 farmers were semi-medium, 15 farmers were medium and 5 farmers were large group. 200000 and above income/year there were 59 farmers in the study area from which 4 farmers were marginal, 8 farmers were small, 16 farmers were semi-medium, 19 farmers were medium and 12 farmers were large group.

Primary occupation for marginal, small, semi- medium, medium and large size of farm group was 9.52%, 20%, 33.34%, 25.71% and 11.43% respectively. secondary occupation for

marginal, small, semi- medium, medium and large size of farm group was 12.68%, 19.72%, 32.39%, 22.53% and 12.68% respectively.

In this table there were 133 farmers that comes under irrigated area from which 14farmers were marginal, 26 farmers were small, 43 farmers were semi-medium, 33 farmers were medium and 17 farmers were large group. 43 farmers comes under partially irrigated area from which 5 farmers were marginal, 9 farmers were small, 15 farmers were semi-medium, 10 farmers were medium and 4 farmers were large group

UNDER PEER REVIEW

**Table 1 Socio profile of respondents**

S. No.	Gender	Size group									
		Marginal		Small		Semi-medium		medium		Large	
		No.	%	No.	%	No.	%	No.	%	No.	%
I	Male	12	9.75	24	19.51	40	32.52	31	25.2	16	13.02
II	Female	7	13.22	11	20.75	18	33.96	12	22.64	5	9.43
<b>Age of respondents</b>											
I	<b>20-30</b>	4	21.05	5	14.29	9	15.52	7	16.28	3	14.29
II	<b>30-40</b>	5	26.32	11	31.43	16	27.59	12	27.91	6	28.57
III	<b>40-50</b>	4	21.05	8	22.86	15	25.86	10	23.26	7	33.33
IV	<b>50-60</b>	3	15.79	6	17.14	11	18.97	8	18.60	3	14.29
V	<b>60 &amp; above</b>	3	15.79	5	14.29	7	12.07	6	13.95	2	9.52
<b>Education level</b>											
<b>1</b>	<b>Illiterate</b>	9	18.36	13	26.53	15	30.61	7	14.28	5	10.22
<b>2</b>	<b>Literate</b>	10	7.87	22	17.35	43	33.85	36	28.34	16	12.59
<b>I</b>	<b>Primary school</b>	5	20.83	5	20.83	8	33.33	4	16.66	2	8.33
<b>II</b>	<b>Junior high school</b>	5	16.12	6	19.35	10	32.25	7	22.58	3	9.67
<b>III</b>	<b>high school</b>	3	6.12	10	20.4	17	34.69	14	28.57	5	10.2
<b>IV</b>	<b>intermediate</b>	4	11.11	8	22.22	12	33.33	8	22.22	4	11.11
<b>V</b>	<b>graduate</b>	2	5.55	6	16.66	11	30.55	10	27.77	7	19.44
<b>Annual Income</b>											
<b>I</b>	<b>Up to 100000</b>	8	17.39	10	21.74	15	32.61	9	19.57	4	8.69
<b>II</b>	<b>100000 to 200000</b>	7	9.86	17	23.94	27	38.03	15	21.12	5	7.05
<b>III</b>	<b>200000 and above</b>	4	6.78	8	13.56	16	27.12	19	32.21	12	20.33
<b>Occupation Pattern</b>											
<b>I</b>	<b>(Primary occupation)</b>	<b>10</b>	9.52%	21	20%	35	33.34%	27	25.71%	12	11.43
<b>II</b>	<b>(Secondary occupation)</b>	<b>9</b>	12.68%	14	19.72	23	32.39%	16	22.53%	9	12.68
<b>Cropping Pattern</b>											
<b>I</b>	<b>Irrigated</b>	14	10.52	26	19.54	43	32.33	33	24.81	17	12.79
<b>II</b>	<b>Partially irrigated</b>	5	11.62	9	20.93	15	34.89	10	23.25	4	9.3

### 3.2 To analyses promotional strategies involved in marketing of Amistar.

Out of total sample size, 40 percent farmers responded that farmer meeting is the best source of information to them. The more fascinating fact is that 98.5 percent of farmers who considered Farmer meeting as the best source also believed that Company People (Individual Contact) helps them to update their knowledge regarding recent agronomic practices in mentha. When asked specifically regarding the Demo, 100 percent of the respondent said that every company must practice it and Demo creates good will among Farmers. The respondents did not know much about Display items such as Cut-outs, Promo gates, Poster, cubes etc. as they had not observed such items at the shop of retailer. Wall paintings and trolley paintings are virtually inexistent in Case of pesticide market.

The above clarified that out of total respondents' billboards are the most preferred method in the studied area which are more visible to the respondents with the frequency of 57. After this television, radio holds second and third while newspaper and social medial combinely holds fourth position while few told others promotional methods.

**Table 2:- To analyse promotional strategies involved in marketing of Amistar.**

<b>Promotional tools</b>	<b>Number</b>	<b>Percentage</b>
Farmers meeting	222	40%
Demo	74	13%
Phone call	60	11%
Literature display	70	12%
Van camping	45	8%
Wall painting/postering	38	7%
Company people/ person	51	9%
<b>Production Method</b>	<b>Frequency</b>	<b>Percentage</b>
Newspaper	25	14.2
Radio	28	15.9
Television	32	18.19
Social Media	25	14.2
Billboards	57	32.4

Others (If any)	9	5.11
-----------------	---	------

### 3.3: Brand awareness of Amistar

By interviewing and observation, it was seen that out of three hundred fifty farmer 40% percent of surveyed population is using whereas other 27.14% of farmers have either heard about it but never used. there are still 12.86% of population have not heard about the product, and 20% of farmers have seen results in other farmers field.

**Table 3. Brand awareness of Amistar**

S. No.	Attributes	Number	Percentage
1	Have not heard about it	45	12.86%
2	Have heard about it but never used	95	27.14%
3	Seen result in other farmers field	70	20%
4	Used it	140	40%
	Total	350	100%

### 4. The Constrains encountered by marketers in marketing of Amistar fungicide

Most of the Respondents expressed that major constraint was identified that Lack of availability of market information at farm level and was assigned first rank followed frequent price fluctuation, lack of storage facility (III), Knowledge of quality (IV), High transportation cost (V), and finally Lack of amenities and facilities which assigned least rank i.e. (VI) respectively.

**Table 4 Constrains encountered by marketers in marketing of Amistar fungicide**

S. No.	Particular	Percentage
1	Knowledge of quality	55.21%
2	frequent price fluctuation	61.27%
3	High transportation cost	44.91%

4	Lack of availability of market information at farm level	63.33%
5	lack of storage facility	57.48%
6	Lack of amenities and facilities	39.68%

UNDER PEER REVIEW

## **Conclusion:-**

It is concluded that the study showed that respondents gave the primary preference to Amistar Fungicide of by Syngenta Market potential is the maximum amount of sales that might be available to all the firms in a pesticide industry during a given period, under a given level of pesticide industry marketing efforts and environmental conditions. Grain crops is the major crop in Mukerian Block in which Amistar is used for use, so the market potential is calculated considering Maize crop acreage. when it comes the preferred promotional tools, the response was in the favour of farmer meeting. Demonstration, company's person visit, wall poster, literature display, phone call, van campaign were ranked second, third, fourth, fifth, sixth and seventh respectively. The response was in the favour of billboards with a total number of 57(32.40%) followed by the television, radio and social media. Other sources were television, radio, newspaper and social media.

## **References: -**

- Aggarwal, C., & Subbian, K. (2014).** Evolutionary network analysis: A survey. *ACM Computing Surveys (CSUR)*, 47(1), 1-36.
- Barik (2010).** Cotton statistics at a glance. Directorate of cotton development, Ministry of Agriculture, Government of India, Mumbai, Maharashtra. Retrieved from [www.dacnet.nic.in](http://www.dacnet.nic.in) on 8th July 2019.
- Pandey, G. (2009).** Evaluation of Sales Promotional Tools Adopted by Sinochem India Company Private Limited in Kapurthala District of Punjab. Summer Internship Report submitted to IABM, SKRAU, Bikaner.
- Brithal et al., (2003).** beneficial effects of these inputs become nullified if there is a serious attack of pests and diseases on the crop.
- Kolishetti, N., Dhar, S., Valencia, P. M., Lin, L. Q., Karnik, R., Lippard, S. J., ... & Farokhzad, O. C. (2010).** Engineering of self-assembled nanoparticle platform for precisely controlled combination drug therapy. *Proceedings of the National Academy of Sciences*, 107(42), 17939-17944.
- Anonymous (2014).** Agrochemical. Retrieved from [http:// en.wikipedia.org/wiki/ Agrochemical](http://en.wikipedia.org/wiki/Agrochemical) on 17th October, 2019.

**Barik (2010).** Cotton statistics at a glance. Directorate of cotton development, Ministry of Agriculture, Government of India, Mumbai, Maharashtra. Retrieved from [www.dacnet.nic.in](http://www.dacnet.nic.in) on 8th July 2019.

**Bhardwaj, T. and Sharma, J.P. (2013).** Impact of Pesticides Application in Agricultural Industry: An Indian Scenario, International Journal of Agriculture and Food Science Technology.

**Ghaswa, R., Tripaty, S. and Sharma, B. (2019).** Knowledge Adoption and Constraints of Soil Health card-based Fertilizer Application in Ratlam District, M.P., Indian Journal of Extension Education

**Kothari, C.R. (2013).** Research Methodology: Methods and Techniques. (3rd Edition, New Age International (P) Ltd., New Delhi).

**Solanki, V.V., Patel, J.B. and Jani, Sunny (2016).** Relationship Between Reading Behavior of Krushijivan Farm Magazine Subscriber Livestock Owners and Their Profile.

**Venugopal Pingali and Kaundinya Ram (2014).** Agri-input Marketing in India (1st Edition, SAGE Publications Pvt. Ltd., New Delhi).