

Enhancing Sustainable Crop Production through Innovations in Precision Agriculture Technologies

Comment [O1]: Replace with "Improving"

Comment [O2]: Replace with "via"

Abstract:

Comment [O3]: It must be "Bold"

Comment [O4]: Remove it

Precision agriculture technologies provide innovative tools to optimize crop production while minimizing environmental impacts. This review examines recent advances in precision ag systems to enhance sustainable agriculture. Key innovations include: remote and proximal crop sensing techniques leveraging hyperspectral imaging, thermal imaging, and Lidar to assess crop health and stress status; variable rate technologies like targeted sprayers and precision planters to reduce input waste; data analytics and decision support systems that integrate multi-source data streams to guide site-specific intervention; robotics and automation for precision field operations; and advanced breeding techniques and genomic tools enabling development of stress resilient, high yielding varieties. Adoption barriers, future technology trajectories, and priority research needs are discussed to further advance precision solutions that support productivity, efficiency, and sustainability goals.

Comment [O5]: Which system?

Comment [O6]: Remove

Comment [O7]: and

Comment [O8]: Please add some more data

Keywords: Precision Agriculture, Digital Farming, Site-Specific Crop Management, Remote Sensing, Crop Phenotyping, Variable Rate Application, Agricultural Robotics, Decision Support Systems, Genomic-Assisted Breeding, Sustainable Intensification

Introduction

Comment [O9]: Put numbering on all the main headings and sub headings.

Precision agriculture refers to information and technology-based farm management practices to optimize crop production efficiency, productivity, and profitability while maximizing environmental sustainability [1]. The concept centers on using technologies for real-time sensing, data analytics, and precise application of inputs to enhance decision making tailored to localized conditions within fields [2]. As opposed to blanket uniform applications of seed, fertilizer, water, and pesticides across entire farms, precision agriculture employs variable rate interventions responding to variability and uncertainties inherent in agricultural systems [3].

Comment [O10]: Change the Sentence

The vision and development of precision agriculture stemmed from advancements in positioning and sensing technologies evolving in the 1980s and 1990s including global satellite navigation, geographical information systems (GIS), miniaturized computing devices, and on-farm real-time connectivity [4]. Precision agriculture seeks to match resource application and timing to actual crop needs informed by quantitative data at fine spatial and temporal scales [5]. Core goals center on boosting productivity through improved yields, crop quality, and efficiency of input use while reducing unintended environmental impacts from excessive fertilizer, water, and pesticide applications [6].

Numerous technologies now enable tailored managements of agricultural operations through high-resolution monitoring, analytical interpretations, and variable rate applications [7]. Major innovations aiding precision in crop management include[8]:

1) Positioning systems like global positioning systems (GPS) locating crop and field parameters;

Comment [O11]: Insert page numbers please

2) Remote sensing from satellites or unmanned aerial vehicles (UAVs) providing imagery of crop health and growth indicators;

3) Proximal sensors mounted on farm equipment measuring soil conditions and crop status;

4) Variable rate technologies altering fertilizer, irrigation, pesticide levels across fields;

5) Wireless sensor networks tracking environmental parameters; and

6) Data analytics drawing insights from datasets through machine learning and artificial intelligence. Integration of these advancements into crop production systems offers potential to address ongoing challenges related to meeting burgeoning food demands while maintaining environmental sustainability.

Importance of Enhancing Sustainable Crop Production

Requirements for boosting global crop production have taken on heightened urgency in recent decades and will further escalate given future trajectories in population growth, urbanization rates, and evolving dietary habits [9]. However, balancing yield improvements with environmental protection poses complex challenges as agriculture already accounts for ~40% of terrestrial land use and consumes 70% of freshwater withdrawals while contributing ~25% of global greenhouse gas emissions [10,11]. Intensive conventional production practices also lead to issues like soil degradation, biodiversity losses from habitat destruction, eutrophication from fertilizer runoff, and pesticide contamination [12,13].

Climate change exacerbates stresses on agroecosystems through alterations in precipitation patterns, temperature extremes, increased weed and pest pressures, and elevated risks of soil erosion and degraded fertility [14]. Continuing practices jeopardizing natural capital and ecosystem services upon which agriculture relies fails to constitute a sustainable intensification pathway capable of responsibly meeting future nutritional demands [15]. By enhancing precise management of farms as interconnected agroecological systems, 21st century innovations in precision crop production technologies offer potential tools for increasing yields while safeguarding environments and resources [16].

Numerous projections highlight needs for substantial improvements in crop water productivity, nitrogen use efficiency, carbon sequestration capacity, soil conservation and regeneration, and biodiversity protection to enable sustainable food security [17]. Successfully navigating these multifaceted challenges requires modernized perspectives recognizing farms as ecosystems requiring optimized balance between productivity, environmental protection, and economic viability [18]. Advancements in precision technologies enabling improved monitoring of crop status, soil health, and real-time tailoring of management interventions to local needs on small spatial scales can facilitate this transition when skillfully implemented [19].

Purpose and Scope of Review

Here we review recent literature on innovations in precision crop production systems related to sensing, data analytics, and application technologies along with analyses of resultant agronomic, environmental, and economic impacts. The review synthesizes evidence

Comment [O12]: Remove this word

Comment [O13]: It should be "gas"

Comment [O14]: Should be superscript

Comment [O15]: ??

Comment [O16]: Typo mistake

regarding the capacity of leading-edge precision innovations to enhance productivity, input use efficiencies, and farm cost-benefit ratios while reducing unintended emissions-related consequences of agriculture.

The scope focuses on high technology advancements applied at field or sub-field levels based on datasets with high spatial and temporal resolution. Strategies operating on broader scales across entire farms, catchments, or landscapes are less emphasized. The review highlights key opportunities from implementing emerging precision techniques but also summarizes challenges and barriers slowing widespread adoption. Regional case studies documenting field-scale outcomes provide context alongside synthesizing global level trends and future projections. Discussion integrates across disciplinary perspectives spanning engineering, agronomy, and environmental sciences related to applying 21st century technologies to accelerate more sustainable agricultural intensification outcomes.

Comment [O17]: Rewrite

Comment [O18]: Superscript

Precision Agriculture Sensing and Monitoring Technologies

Numerous advanced sensing and monitoring technologies now enable precise spatiotemporal measurements of crop and field parameters for input into data analytics systems guiding tailored management interventions [20]. Major sensing innovation categories include satellite and aerial remote sensing platforms, proximal crop and soil sensors mounted on machinery, variable rate technologies altering inputs, wireless sensor networks, and imaging systems [21].

Comment [O19]: What does it mean?



Pic 1. Here we review key developments across these intersecting precision agriculture tools.

Remote Sensing Technologies

Satellite and unmanned aerial systems provide invaluable remotely sensed imagery inputs for precision crop analytics and decision-making [22]. Satellite platforms like Landsat and Sentinel offer free moderate resolution optical and thermal imaging while companies like Planet provide high revisit frequency satellite constellations with resolutions down to 3 meters [23]. Unmanned aerial vehicles (UAVs) outfitted with specialized sensors and cameras provide low altitude on-demand field imaging for precision tasks [24].

Multispectral and hyperspectral sensors measure reflectance at different wavelengths related to light absorption patterns in plants indicating productivity drivers like canopy structure, photosynthesis levels, water/nutritional status, and disease or pest pressure [25, 26]. Thermal imaging reveals crop water stress and soil moisture variability while LIDAR technologies measure canopy height and structure [27, 28]. UAVs enable low-cost rapid deployment of these sensors for frequent high resolution monitoring tailored to field needs [29]. Cloud computing also now enables processing and analyzing vast imagery datasets using artificial intelligence [30]. Collectively these advances in aerial imaging propel precision crop management.

Comment [O20]: Add full form Please

Proximal Sensing Technologies

In-field vehicle-mounted instruments enable precise real-time soil and crop monitoring during field operations [31]. Handheld versions also guide manual inspection and sampling. Proximal optical sensors determine fertilization, irrigation, and harvest timing needs from absorptivity and reflectivity signatures related to nutritional and water status [32]. Fluorescence sensors monitor crop phenology and environmental stresses [33]. Vehicle-integrated soil electrical conductivity sensors map subfield variation in texture and cation exchange capacity guiding site-specific input applications [34]. Penetrometer sensors measure compaction while soil moisture sensors at multiple depths improve irrigation and drainage practices [35]. Ground-based weather stations also populate field microclimates [36]. Together proximal sensors directly measure or infer biophysical characteristics for refined management.


Comment [O21]: Put any example please

Variable Rate Input Technologies

GPS-guided variable rate (VR) technologies adjust seed, fertilizer, pesticide, and irrigation levels in real-time based on localized requirements determined from sensor feedback signals [37]. VR fertilization and chemical application systems coupled to field prescription maps developed from soil/crop monitoring boost efficiency by avoiding over-applications in less needy zones [38]. Subsurface drip irrigation and drainage regulated via sensor feedback also enhance water productivity [39]. VR seeding systems further optimize stands and varieties based on soil properties within fields matched to cultivar adaptations [40]. VR interventions require integration with positioning technologies and agronomic data analytics engines.

Comment [O22]: Rewrite please

Comment [O23]: Replace it with "Water use Efficiency"



Pic 2. Precision Agriculture Technologies

Comment [O24]: Change the Title please

Wireless Sensor Networks

Distributed wireless sensor networks containing numerous in-field nodes provide capabilities for near-continuous monitoring of environmental conditions, crop physiology, and soil parameters [41]. Enabled by internet of things (IoT) technologies, sensing nodes embedded across fields communicate with gateways and cloud analytics programs via meshes of short-distance wireless protocols [42]. Large-scale heterogeneous networks with varying spatial densities gather enormous datasets for refined temporal precision and spatial resolution in characterizing field heterogeneity and dynamics [43]. Machine learning algorithms integrate this granular information to guide timely interventions. Ultra-low power wide area networking protocols also enable real-time seamless data flows from sensors to decision support systems [44]. Targeted deployment of sensor networks advances site-specific management capabilities.

Imaging and Vision Systems

Smart imaging and computer vision innovations also bolster precision capabilities through detection of agronomic issues [45]. Aerial or ground-level photo/video feeds input into algorithms performing real-time analysis related to stand densities, disease states, weed pressures, lodging risks, and maturity stages etc., enabling refined interventions [46-49]. Hyperspectral imaging and spectroscopic methods also non-destructively determine crop compositional traits (oil, protein, starch contents) for selective harvesting based on end-use needs [47, 50]. High throughput crop phenotyping analytic techniques integrate visible, multispectral, thermal, and spectral data for genomic selection in breeding programs [48]. On-farm automated vision systems propel precision.

Data Collection, Transmission, and Analytics

The proliferation of field-specific data from myriad sensors, imagers, and monitoring systems requires investments in interoperable platforms managing data flows, storage infrastructure, and analytical capabilities [51]. Agricultural open data standards help

overcome equipment information barriers [52]. Cloud computing technologies provide flexible storage and computing pay-as-you go resources for handling large georeferenced time-series datasets [53]. Commented [Human1]:

Data integration, modeling, simulation, predictive forecasting and prescription guiding platforms leverage machine learning for actionable decision recommendations related to planting, irrigation, fertilization, harvesting etc. tailored to specific sites and stochastic environmental factors [54, 55]. YouTube channel or other online video platform where you post educational content. Emerging edge computing paradigms also enable some analytics directly on sensors or farm equipment [56]. Ultimately transforming raw data into management-directing insights requires an integrated framework efficiently linking collection to analytical output.

Comment [O25]: An incomplete thought

Precision Agriculture for Efficient Resource Management

Precision agriculture aims to optimize input use efficiencies including water, nutrients, and pesticides by matching applications to actual crop needs informed by data analytics. Tailored variable rate intervention technologies enabled by real-time sensing and decision support systems provide key tools for enhancing resource use efficiencies at subfield scales [57].

Comment [O26]: Please add more data

Variable Rate Input Application Technologies

Variable rate (VR) platforms modulate seed, fertilizer, pesticides, irrigation levels, and drainage across fields corresponding to localized crop requirements and site conditions determined from sensor systems and prescription maps [58]. VR fertilization facilitates matching applications to soil nutrient supplies and yield potentials, avoiding excessive applications on less responsive zones [59]. Similarly, VR chemigation reduces pesticide use by targeting active ingredients based on monitored pest pressure [60]. Automated drainage control systems assessing soil moisture also improve water management [61].

Comment [O27]: Repetition

Effective VR requires field sampling and monitoring to delineate management zones with similar yield potentials and crop needs. Multispectral aerial imagery, on-the-go soil sensors, and historical yield monitor data serve as valuable data inputs [62]. Decision support systems then transform localized data into application rate guides with GPS interfaces regulating injection pumps, sprayer nozzles, planter equipment etc. [63]. Continual feedback between crop models, sensors, and VR application equipment enables further adaptation [64].

Key VR Technologies

Comment [O28]: Change the heading please

VR seeding optimizes spatial arrangements and cultivar selection attuned to soil characteristics. Lighter seeds distribute on eroded hilltops while larger seeds perform better in dense valley soils [65]. Matching soybean cyst nematode resistant varieties to infested areas or drought tolerant cultivars to sandy zones boosts productivity and lowers risks [66]. VR fertilization varies inorganic, organic, and foliar applications aligned with yield goals and responsiveness [67]. By considering residual and mineralized nutrients, VR fertilization increases use efficiencies 15-30% over uniform rates [68]. VR drainage management utilizes controlled drainage tubes, irrigation, and subirrigation systems guided by soil wetness sensor feedback to conserve water and enhance productivity on poorly drained sites [69]. Automatic section controls on irrigation systems using GPS and terrain maps also improve efficiency

Comment [O29]: ????

Comment [O30]: What does it mean?

[70]. Selective VR chemigation reduces pesticide volumes 20-80% by avoiding blanket applications [71]. Overall VR technologies present invaluable tools for efficient input management.

Optimization of Water Use Efficiency

Precision irrigation management aims to determine and meet crop water requirements at different growth stages while avoiding losses, runoff or deep percolation [72]. Data-informed models of soil water dynamics and crop stress thresholds guide irrigation decision support tools [73]. Canopy temperature sensors indicate transpiration rates affected by moisture availability for signaling irrigation timing [74]. Real-time soil moisture sensors across topsoil and subsoil depths planted at representative sites provide localized metrics of crop available water to trigger irrigations [75]. Small low-cost wireless sensor systems scale networks for improved water management [76]. Variable frequency drip irrigation systems respond to soil moisture fluctuations for maintaining ideal conditions [77]. Subsurface drip irrigation enhances efficiency 20-50% over furrow systems by concentrating water directly within root zones [78]. Drainage water reuse systems circulate excess flows between fields [79]. Ultimately integrating physical sensors with simulation analytics platforms improves irrigation water productivity.

Optimization of Nutrient Use Efficiency

Matching fertilizer amendments with crop needs and avoiding buildup of excess nutrients improves economic and environmental performance of cropping systems [80]. Multispectral imagery differentiates crop vigor patterns related to fertility constraints for guiding interventions [81]. On-the-go sensors directly measure organic matter content, cation exchange capacity, and electrical conductivity informing fertility prescription maps [82]. Adaptive control models respond to crop canopy sensor data for N management [83]. Controlled release fertilizers supply nutrients corresponding to predicted uptake rates over growing seasons [84]. Precision subsurface banding or broadcasting places immobile compounds precisely across root zones [85]. Variable rate side-dressing refines topdress applications based on expected yield and responsiveness [86]. Overall evidence suggests precision nutrient management increases fertilizer use efficiency over 10-15% alongside yield gains compared to conventional uniform practices [87].

Comment [031]: Please write full form

Optimization of Pesticide Use Efficiency

Reducing chemical pesticide use is paramount for enhancing ecological sustainability of cropping systems. Precision application technologies minimizing volumes align with integrated pest management (IPM) programs balancing cultural, biological and chemical controls [88]. Automated pest monitoring trap networks inform treatment thresholds across fields [89]. Selective variable rate spraying guided by remotely sensed crop stress patterns or ground-based imaging reduces pesticide loads over 20-80% compared to field-wide blanket applications while maintaining pest control efficacy [90, 91]. Some experimental platforms directly target individual weeds with micro doses [92]. Optimized pesticide inputs through precision IPM approaches decrease risks associated with agricultural chemical use.

Precision Agriculture for Increased Productivity

Optimizing productivity represents a fundamental aim of precision agriculture with substantial data indicating tailored data-driven management focused on field variability improves yield over conventional approaches [93]. Major advancements improving productivity include real-time yield monitoring technologies, delineation of high resolution management zones for input optimization, and integrated data analytics engines leveraging machine learning to guide timely interventions.

Comment [O32]: Break the Sentence in fragments

Yield Monitoring and Yield Prediction

Yield monitors paired with high-accuracy GPS receivers provide geo-referenced data on crop yields during harvest interpolated to generate precise yield maps revealing within-field spatial patterns and temporal stability across seasons [94, 95]. Yield differentials prompt assessment of limiting factors whether soil constraints, pests, drainage issues etc. to refine site-specific management improving future productivity [96]. Yield monitor data also feeds into empirical or mechanistic crop growth models predicting attainable yield potentials across fields [97]. Accurately forecasting yield distributions allows matching fertilizer, irrigation, and pest control to needs while avoiding over-applications on zones with lower responsiveness [98].

Real-time crop canopy sensors offer additional capabilities for continually monitoring indicators of crop productivity and stress during the growing season [94]. Measurements of light reflectance, absorption, fluorescence etc. relate to photosynthetic activity, biomass accumulation, and resultant grain production for signaling deficiencies informing interventions [99, 100]. Sensor fusion approaches integrating spectral data with other proximal measurements and aerial imagery provide robust yield predictors [101]. Variable rate technologies then facilitate precise restorative or preventative applications tailored to crop needs forecast by monitoring systems [102].

Management Zone Delineation and Input Optimization

Delineating field zones with comparable yield potentials and responses to inputs provides a foundation for tailored site-specific interventions maximizing productivity and input use efficiency [103]. Management zones classify subfield areas with distinct soil properties, recurring crop vigor patterns, or yield histories warranting differentiated management [104]. Zone elaboration utilizes a range of geo-referenced data inputs including apparent soil electrical conductivity (ECa) readings, elevation and terrain attributes, multispectral imagery during key growth stages, and historical yield maps etc. [105]. Clustering algorithms classify areas into zones based on similarities within groups and differences between zones [106]. The resulting management zone maps guide variable rate fertilization, liming, irrigation prescriptions and cultivar selection attuned to localized crop needs and yield capacities [107].

Ongoing innovation continues improving automated zone classification techniques. For example, frequent manned or unmanned aerial systems monitoring crop vegetation indices over growing seasons provide detailed delineation of vigor variability [108]. Networks of proximal crop canopy sensors also deny highly representative zone maps highlighting constraints [109]. Updating zonal classifications across seasons using expanded data layers accounts for temporal dynamics like evolving soil patterns or climatic impacts on yield distributions [110]. Overall management zone formulation constitutes an invaluable first

step for profitably aligning input applications with realistic yield potentials ascribed to subfield areas.

Enhanced Productivity through Data-Driven Crop Management

Integrated analytics drawing insights from immense field datasets provide key tools for elevating yields through precise early problem detection and responsive interventions [111]. For example, timeseries data from soil moisture sensors informs irrigation initiation and amounts to avoid water limitations during critical growth windows [112]. Canopy sensor feedback detects onset of nutrition deficiencies for rectifying pre-symptom through proper amendments [113]. Proximal hyperspectral imaging also identifies deadly crop diseases enabling containment ahead of epidemics [114]. And assembling layered historical yield, soil, and weather data uncovers hidden constraints limiting productivity in certain zones [115].

Advanced machine learning model trained on such datasets predict upcoming field workability for well-timed planting, fertilization, spraying and harvest operations [116]. Crop growth models initialized with local variety trial and N recommendation system data narrow yield forecast ranges [117]. Deep learning neural networks integrating remote sensing imagery accurately classify crop stress signatures across landscapes [118]. And prescriptive models directly recommend site-specific actions for overcoming constraints uncovered in big data analytics enhancing productivity [119]. Overall harnessing field datasets through modern computing now propels data-driven crop management sustaining intensification.

Role in Reducing Environmental Impact

Precision agriculture presents invaluable tools for mitigating unintended emissions and enhancing the ecological sustainability of intensive cropping systems by optimizing input applications, supporting regenerative soil practices, and increasing transparency on environmental tradeoffs guiding impact reductions [120]. Major opportunities to curb agriculture's environmental footprints include minimizing nutrient losses and contamination, enabling conservation farming techniques, and revealing pathways for lowering cradle-to-grave footprints through life cycle assessment (LCA).

Reduced Nutrient Losses and Contamination

Land application of synthetic nitrogen and leakage of excess nutrients constitutes the foremost contributor to agriculture's emissions including potent greenhouse gas nitrous oxide along with eutrophying runoff contaminating waterways [121, 122]. By metering fertilizer applications to actual crop demands across variable field conditions informed by real-time sensing, precision systems significantly cut nutrient losses compared to excessive conventional uniform rate applications [123]. Meta-analyses estimate precision nitrogen management reduces leaching over 30% and slashes GHG emissions near 20% over broadcasting [124].

Site-specific pH modification also lowers required nutrient loading rates by unlocking availability in soils [125]. Variable rate placement below crop canopies through banding or directed spraying further concentrates amendments in root zones lowering losses [126]. And avoiding nutrient additions on low fertility zones reduces build up prone to pollution [127]. Overall precision nutrient management prominently curbs nonpoint source water pollution

Comment [033]: Please Write full form first time

and greenhouse gas fluxes compared to dated practices [128]. Expanded implementation across major cropping systems presents a scalable climate change solution.

Conservation Agriculture Techniques Enabled by Precision Technologies

Conservation agriculture systems utilizing minimum or no-tillage alongside permanent soil cover and crop rotation support ecological intensification goals by building soil health and resilience while lowering fuel and labor burdens [129]. However key barriers to wider adoption include difficulties managing residues and increased reliance on herbicides. Emerging smart machinery automation and crop sensing innovations address these barriers to enable wider conservation system adoption [130].

Real-time residue height sensing guides operating depths for uniform seed slot creation without plugging in high biomass soils [131]. Individual row cleaning devices and integrated load sensing auto adjust **downpressure** matching surface variation [132]. See and spray technologies precisely target herbicide applications to weed patches lowering chemical loads over 60% [133]. Automated guided trafficking confines soil compaction to permanent lanes avoiding widespread structure degradation [134]. **And** advanced drones and imagery provide rapid assessments of cover crop stands, residue breakdown, and emergence progress aiding decisions [135]. Overall precision technologies strongly support regenerative conservation farming systems essential for ecological sustainability.

Comment [O34]: Please put a space

Comment [O35]: Replace with "An"

Life Cycle Analyses and Environmental Impact Reduction

Though precision innovations offer numerous potential sustainability advantages, rigorously quantifying cradle-to-grave environmental footprints demands comprehensive life cycle assessment (LCA) considering all inputs and impacts from manufacturing equipment through end-of-life [136]. Detailed analyses accounting for changing farm operations and yield effects for each crop are sparse [137]. Though some factors like replacing broadcast fertilizing with banding clearly benefits, others like manufacturing complex machinery remain uncertain. Integrating geospatially explicit process-based cropping systems models with emerging datasets on farm equipment use, yields, and input efficiencies provides new capacities for understanding total footprint impacts as practices evolve with precision adoption suited to regional conditions [138, 139].

Comment [O36]: Break the sentence in fragments for making good sense

Ongoing innovation aims to embed automated LCA diagnostics into decision support analytics guiding farmers on tradeoffs between productivity, profitability, and ecological indicators for tailored sustainable management unique to each operation [140]. As platforms assessing environmental outcomes mature, customized datasets will uncover limiting factors on farms for improvement serving individualized sustainability goals whether enhancing soil carbon storage, improving energy efficiency, lowering nutrient balances etc. paired with productivity and economic viability essential for sustained food production [141]. Overall precision agriculture technologies offer invaluable tools for ecological intensification and conservation outcomes meeting mounting pressures on agricultural landscapes when skillfully guided by comprehensive impact monitoring and assessment.

Comment [O37]: Please Break the sentence in fragments for making good sense

Breeding and Selection for Precision Agriculture

Realizing the full potential of precision crop production systems requires development of enhanced genotypes optimized for localized management attuned to geospatial variability

within fields [142]. Advancing sensor-based high-throughput plant phenotyping and genotyping capacities coupled with data analytics for parsing genotype-by-environment interactions now propels breeding tailored to precision conditions [143].

Comment [O38]: Rewrite please

Crop Genotyping and Phenotyping Innovations

Deploying genetic tools like marker assisted selection alongside phenotypic screening enables rapid development of site-specific varieties adapted to unique edaphic, moisture, fertility, pest, or climatic stress patterns [144]. Phenomics approaches utilizing aerial imagery, spectroscopy, thermal sensing etc facilitate mass characterization of structural and functional crop traits related to productivity in target environments [145]. Associating phenotypic signatures with genotypic markers then guides selection criteria and crossing parents to incrementally adapt varieties [146].

For example, infrared thermography reveals cooler canopy temperatures associated with drought resilience to identify parent lines tolerating water limitations for tailoring to moisture deficit prone field areas [147]. Multispectral indices indicate early season nitrogen stress tolerance helping guide fertilizer intervention timing and requirements [148]. Reporter phytosensors detecting salt accumulation or heavy metal toxicity direct breeding of resistant lines for marginal soils [149]. And spectroscopic chlorophyll measures enable early screening of heat stress vulnerability guiding targeted deployments [150]. Overall sensor-enabled phenomics centered on key adaptive traits advances selection efficiency for locally-adapted varieties.

Genetic Improvements Tailored to Precision Management

The advent of rapid, low-cost genetic testing provides new capacities for precision matching cultivars to highly localized conditions. For example, site-specific soil genomic analyses now reveal soil microbiome compositions along with abiotic edaphic characteristics useful for predicting crop productivity potentials and input needs [151]. Breeders utilize this knowledge to select competitive crop root microbiome associates conferring advantages like nutrient solubilization or pathogen resistance in target field locations [152]. Additionally, understanding genomic patterns in pest and pathogen populations across farm landscapes facilitates identification of durable disease resistance tailored to field-specific pressures [153]. Overall genomics-enabled characterization of agroecosystem biotic and abiotic variability allows ever finer tuning of crop genomes guiding precision variety deployment [154].

Data-intensive crop growth models integrating genetic parameters, sensor streams, and farm records propel genotype-to-phenotype prediction capabilities supporting accelerated precision breeding cycles [155]. For example, indices like water use efficiency (biomass per transpiration), radiation use efficiency (biomass per light intercepted), and nitrogen use efficiency (biomass per nitrogen acquired) provide key modeling selection targets for improving productivity within resource constraints [156]. And parameterizing dynamic process-based models enables identifying optimal alleles or gene combinations suited to variable field conditions simulated across multiple seasons [157]. Ultimately, integrating genetic markers and phenotype predictors into geospatially explicit cropping systems models provides powerful platforms guiding targeted precision breeding.

Emerging speed breeding technologies also accelerate generation of adapted lines by rapid cycling under extended photoperiod and controlled environment conditions [158]. For example, harnessing long days and LED lighting in indoor chambers produces up to six winter wheat generations per year compared to two in the field [159]. Rapid iteration coupled with genomic selection for local adaptation facilitates precision tailored lines with geographic specificity. Overall combining speed breeding platforms with sensor-based phenomics supports responsive development of optimized cultivars keeping pace with evolving production conditions and trait prioritizations whether changing climates, pest pressures, or end-use targets.

Comment [O39]: Use full form please

Economic Considerations and Adoption Challenges

Realizing widespread implementation of advanced precision innovations relies heavily on demonstrating favorable cost-benefit ratios for farmers alongside removing barriers slowing technology uptake [160]. Both substantiating bottom line profitability advantages and elucidating constraints to adoption merit consideration.

Cost-Benefit Analyses for Farmers

Substantial data reveals precision nutrient, irrigation, pesticide management generates significant input savings with break-even timeframes near 5 years for initial equipment and annual service costs [161]. Meta-analyses estimate precision nutrient approaches reduce fertilizer use over 15% while maintaining or increasing yields compared to broadcast application [162]. Studies project precision pest and disease management lowers chemical inputs near 30% [163]. And optimized variable rate irrigation scheduling conservatively saves 20% water use translating to direct economic and environmental benefits [164].

However, productivities and input efficacies vary widely across soil types, cropping systems, weather patterns, and management capacities limiting generalizations [165]. Farm equipment companies tout multifold return on investments from adopting integrated machine automation, data analytics, variable rate application etc. tailored to operations [166]. Independent whole farm budgeting accounting for learning curves and specific yield potentials better predict outcomes guiding adoption decisions aligned with grower risk tolerances and capital capabilities [167]. Cost distribution models estimate necessary crop price premiums or input savings for covering precision upgrades [168]. Weighing production economics against environmental and labor advantages aids grower assessment on fit for unique operations.

Barriers to Wider Adoption of Precision Agriculture Technologies

Numerous interrelated challenges slow broad implementation of commercially available precision innovations beyond early adopter growers [169]. Upfront costs of equipment upgrades, annual software subscription fees, and learning barriers rank among top reported hurdles [170]. Difficulties achieving interoperability across components like tractors, planters, combines, and analytics programs also hamper integration [171]. Uncertainties selecting appropriate sensing and data management platforms meeting future needs limits investments [172].

Additionally growers cite poor rural broadband connectivity challenging real-time data transfers from the field to the cloud for analysis and storage as hindering adoption [173].

Technical glitches or malware risks losing datasets also discourage some risk adverse farmers [174]. Many innovations remain tailored to large mechanized row crop operations with barriers for specialty vegetable growers [175]. And separating actionable patterns from noise within expansive monitoring datasets continues posing challenges [176].

Surveyed growers overwhelmingly indicate enhancing profitability, conserving inputs, and reducing labor burdens as factors driving adoption decisions more than environmental advantages alone [177]. Demonstrating positive return on investments for precise field-specific innovations and buttressing farmer confidence in rapidly evolving technologies will facilitate wider implementation [178]. Tightening bottom lines from production expenses and climate effects make building strong business cases for precision systems imperative [179]. Overall addressing economic considerations and adoption hurdles remains crucial for unlocking the promise of 21st century agricultural technologies supporting sustainable food production intensification [180].

Comment [O40]: Should be superscript

Impacts on Farm Labor and Employment Patterns

Comment [O41]: Please mention that is it positive impacts or negative.

Adoption of integrated data acquisition, analysis, and automated variable rate application technologies changes on-farm employment dynamics with implications for rural communities and policymakers [181]. Understanding likely automation and skill profile evolution pathways provides insights guiding workforce transitions.

Comment [O42]: Please add some data according to heading

Automation and Employment

Large self-guided tractors, aerial drones, weed control robots and harvesting equipment exemplify automation innovations replacing human labor for routine manually intensive farm tasks [182]. Machine vision weed control systems and automated strawberry harvesters match or even exceed human level capacities in many studies [183]. Significant reductions in seasonal hand labor needs for specialty crop production appears imminent as technologies improve and costs decline [184].

However while automation directly replaces roles, precision technologies also create specialized jobs managing data, operating sensors, conducting analytics and maintaining cutting edge systems [185]. Farm managerial demands mastering interconnected technologies and analysis skills represent perhaps greater employment hurdles than declining available unskilled operator positions [186]. Risks of deskilling food production knowledge also merit consideration [187]. Careful policy and education planning provides imperative support easing workforce transitions and avoiding loss of critical expertise as automation alters agricultural employment.

Changing Skills Profile

Enhancing grower computational capacities and attracting a younger demographic interested in interacting with advanced technologies presents ongoing challenges amidst the greying average age of farm operators [188]. Distance learning programs, agricultural high schools with robotics training, and land access incentives for college graduates represent potential ideas bolstering a technically savvy farmer labor force [189]. Apprenticeship programs on innovative early adopter farms also provide hands-on precision agriculture education opportunities [190].

Consulting groups offering contracting services for data management, analytics, equipment operation, and tailored agronomic advice continue expanding in parallel to meet demand outpacing farmer skillsets [191]. Private industry precision agriculture career paths attract graduates with backgrounds in engineering, geospatial information sciences, computer science, agronomy, and other related majors [192]. Workforce flexibility for employees gaining experience across public, private, and farm sectors helps address seasonal agricultural demands amidst dynamic industry growth [193].

Improving rural connectivity while reducing costs of precision systems also remains essential for providing wider access to advanced equipment and real-time data critical for implementation beyond large scale farms alone [194]. Government subsidies could aid smaller-scale farms adopt technologies with demonstrated conservation and resource efficiency advantages aligned with environmental programs [195]. Overall the successful future of agricultural automation rests upon ensuring sufficient numbers of farmers utilize technologies in a sustainable manner.

Role of Policy and Incentives for Promoting Adoption

Government programs, industry initiatives, and public-private partnerships play valuable roles spurring precision innovation adoption by reducing costs and risks for farmers through supportive policies, direct funding, and facilitating collaboration across the agricultural value chain [196].

Several incentive ideas hold promise for accelerating implementation including: 1) Tax credits defraying equipment upgrade and annual software subscription expenses; 2) Cost share and grant programs specifically aiding integration of monitoring tools, sensors, variable rate systems etc; 3) Subsidized rural broadband infrastructure expansions and connectivity rate reductions; 4) Expanded publicly available satellite imagery resources and computing capabilities; 5) Fellowships and visas attracting entrepreneurial expertise; and 6) Enhanced county extension precision technology education programs [197].

Innovation cluster models fostering startup ecosystems connecting engineering innovators, agribusinesses, growers, and public sector partners provide frameworks aligning incentives across value chains to meet pressing agricultural challenges with novel solutions [198]. Outcome oriented “technology forcing” style regulatory approaches where policy thresholds phasing in requirements for improved resource use reporting over time could also drive precision adoption advancements [199]. Ultimately effective policies incentivizing innovation for sustainability balance farmer profitability, environmental needs, and rural community resilience [200].

Stakeholder Partnerships Across Value Chain

Many technical hurdles around effectively implementing precision agriculture systems relate to inadequacies with data standardization, gaps in decision support offerings, and lack of cohesive platforms operationalizing disparate tools into seamless integrated solutions [201]. The need for improved interoperability across equipment, analytics engines, and farm management software accentuates public-private partnership opportunities [202].

For example, the Open **Ag Data** Alliance led by major agricultural manufacturers and software providers develops shared data formats and communication protocols for enabling

Comment [O43]: ????

connected autonomous solutions [203]. Startup farm management information systems integrate weather data feeds, equipment telemetry, and agronomic models tailored to operations [204]. And leading input companies offer bundled services like soil testing with variable rate fertilization, seed prescription planting, and imagery-based scouting to provide turnkey solutions [205].

Partnerships for enabling responsible data sharing across public sector researchers and private providers also hold promise while navigating privacy needs [206]. Overall organizing stakeholder coalitions around interoperability, decision support, and sustainable intensification goals propels innovation pipelines delivering value for farmers and the environment.

Regional Case Studies of Implementation and Impacts

Numerous localized demonstrations showcase precision agriculture advancing sustainable intensification across diverse contexts. Reviewing regional experiences aids transferability lessons for extending implementations suited to cropping systems, infrastructure capabilities, farmer sophistication levels, and policy environments. Here case snapshots from across India illustrate present applications and outcomes given the nation's formidable food security and resource efficiency challenges.

ICAR-Indian Agricultural Research Institute, New Delhi

The Indian Council of Agricultural Research's (ICAR) Crop Research Centre in New Delhi demonstrates integrated precision innovations from wireless sensor systems monitoring microclimates to satellite informed irrigation scheduling boosting water productivity 30% in wheat [207]. Experimental farms feature autonomous robots performing seeding, crop scouting, and selective spraying operations alongside emerging electric tractor technologies and renewable energy infrastructure [208]. As a national center of excellence the facility provides precision agriculture education programs for policymakers and farmers alike [209].

Tamil Nadu Agricultural University, Coimbatore

Tamil Nadu Agricultural University focuses southern India precision efforts leveraging geospatial technologies, crop simulation modeling, and interdisciplinary farm management systems research [210]. Remote sensing applications aid everything from land use classifications to drought assessments across agroecological regions while equipment prototypes enhance efficiency [211]. The University's Agritech Portal project develops localized crop model decision tools supporting enhanced productivity and input use efficiency [212]. Course offerings also help professionalize regional precision advisory capacity [213].

Punjab Remote Sensing Centre, Ludhiana

The Punjab Remote Sensing Centre concentrates proximal soil sensing, yield monitoring, and variable rate irrigation innovations suited to regional rice-wheat rotations [214]. Cost-benefit demonstrations help convince farmers on returns from implementing zone soil sampling, combine yield monitors, and implementing water saving tensiometer sensor triggered irrigation schedules [215]. Resultant input savings and yield gains reinforce sustainable intensification potential when matching management to field variability [216]. The

Comment [O44]: Use proper heading i.e. "Impacts or role" etc. or put a "main heading" for all the subsequent headings

center's irrigation calculators and farmer mobile apps ease adopting science-backed precision practices [217].

BAIF Development Research Foundation, Pune

The BAIF Foundation integrates animal husbandry into crop systems by testing supplementation of farmyard manure from regional goshalas (cow shelters) to enhance soil quality parameters on smallholder plots otherwise relying exclusively on synthetic fertilizers [218]. Field sensor feedback guides manure application levels tailored across zones with varying residual fertility and water holding capacities [219]. Income from selling milk products helps finance implements like laser land leveling equipment to further optimize water usage [220]. Demonstrations aid village farmer cooperative adoption decisions around integrated precision livestock-crop approaches [221].

International Crops Research Institute for the Semi-Arid-Tropics, Telangana

The ICRISAT Center near Hyderabad aligns breeding efforts with precision phenotyping to improve chickpea, pigeonpea and groundnut productivity and climate resilience amidst rainfall variability challenges [222]. Field sensing systems monitor crop water use patterns identifying lines efficaciously utilizing limited moisture while aerial imagery enables rapid plot-level yield forecasting to accelerate selection [223]. Investments in advanced genomic tools, controlled environment facilities, and information technology integration highlight commitments supporting precision capacities [224]. Ultimately enhancing real-time characterization of crop-environment interactions facilitates marker-assisted selection and targeted deployments [225].

Results

1. Use of variable rate irrigation technology reduced water use by 12-15% compared to uniform irrigation in corn production (Hedley & Yule, 2009). [226]
2. Adoption of auto-guidance systems in tractors improved input efficiency by reducing overlaps by 15-20% during field operations (AuatCheein&Carelli, 2013). [227]
3. Implementation of zone soil sampling reduced soil test costs by 40% compared to conventional grid sampling in precision nutrient management (Adamchuk et al., 2004). [228]
4. Targeted herbicide application using weed-mapping technologies decreased herbicide use by 47% in soybean fields (Timmermann et al., 2003). [229]
5. Integration of crop sensors and aerial imagery increased nitrogen use efficiency by 30% in wheat by enabling optimized fertilizer rates (Maresma et al., 2016). [230]
6. Use of drones for early weed detection allowed a 51% reduction in herbicide application by enabling timely spot spraying (López-Granados et al., 2016). [231]
7. Adoption of precision planting technologies increased corn yields by 7-12% through optimized spacing and seed depth placement (Bullock et al., 2019). [232]
8. Mechanized robotic weeders reduced herbicide application by 65-85% in organic cereal systems compared to conventional practices (Gée et al., 2022). [233]

Comment [O45]: Replace it with latest review

Comment [O46]: Please add latest one

9. Implementation of irrigation scheduling based on sensor feedback saved >25% water annually compared to time-based approaches (Vuran, 2010). [234]
10. Use of transgenic Bt insect resistant cotton reduced insecticide application by 80% and increased yields by 18% (Qaim&Zilberman, 2003). [235]
11. Nutrient use efficiency improved by 29-35% using variable rate fertilization guided by proximal soil sensing compared to uniform applications (Roberts et al., 2012). [236]
12. Remote sensing-based yield prediction tools were able to forecast soybean yields with over 85% accuracy (Morellos et al., 2016). [237]
13. Weed control costs were lowered by 73% using autonomous robots versus manual labor in organic farming systems (Gée et al., 2022). [233]
14. Average nitrogen use efficiency improved from 30-50% using sensor-based side-dressing recommendations versus pre-plant estimates (Melchiori et al., 2018). [238]
15. Remote crop monitoring technologies increased average yields by 5-15% through early disease detection and precision management (Rose et al., 2019). [239]

Comment [O47]: Use proper format

Comment [O48]: Replace it with latest Data

Conclusions and Future Outlook

Precision agriculture technologies offer tremendous potential to enhance productivity, efficiency, and sustainability in crop production systems. As this review highlights, innovations across sensing, data analytics, automation, and genetics are providing novel capabilities to optimize management on a site-specific basis. Key precision solutions like remote sensing, variable rate technologies, predictive modelling, and advanced breeding techniques are transitioning from research concepts to commercial adoption, demonstrating real-world value.

However, significant opportunities remain to further develop, refine, integrate and extend precision innovations to address evolving agricultural challenges. Broader adoption of precision ag tech will necessitate addressing hurdles like high upfront costs, technical complexity, limitations in connectivity or infrastructure, and grower training needs. As technologies advance and become more democratized, creative business models like equipment leasing, sensing-as-a-service, and custom service providers can enhance accessibility. Advances in user interaction systems, intuitive data visualization, and decision support integration will also facilitate wider adoption by growers.

Comment [O49]: ????

Looking forward, synergistic fusion of multiple data streams, technologies, and scientific disciplines will enable next-generation precision solutions. For instance, integrating advances across remote and proximal sensing, robotics, AI, nanotechnology, and genomics can optimize application of inputs while selecting or breeding resilient crops. Collaborative, interdisciplinary efforts that consider agronomic, environmental, genetic, climatic and economic factors are critical to address complex, context-specific crop production challenges. As costs continue declining, technologies become more robust and interconnected, analytical capabilities improve, and producers recognize tangible benefits, precision agriculture will

Comment [O50]: Use full form please

progressively transform production systems worldwide towards enhanced productivity, profitability and sustainability.

References

[1] Gebbers, R., & Adamchuk, V. I. (2010). Precision agriculture and food security. *Science*, 327(5967), 828-831.

[2] Mulla, D. J. (2013). Twenty five years of remote sensing in precision agriculture: Key advances and remaining knowledge gaps. *Biosystems engineering*, 114(4), 358-371.

[3] Robertson, M. J., Llewellyn, R. S., Mandel, R., Lawes, R., Bramley, R. G., Swift, L., Metz, N., & O'Callaghan, C. (2012). Adoption of variable rate fertiliser application in the Australian grains industry: status, issues and prospects. *Precision Agriculture*, 13(2), 181-199.

[4] Zhang, N., Wang, M., & Wang, N. (2002). Precision agriculture—a worldwide overview. *Computers and electronics in agriculture*, 36(2-3), 113-132.

[5] Gebbers, R., & Adamchuk, V. I. (2010). Precision agriculture and food security. *Science*, 327(5967), 828-831.

[6] Foley, J. A., Ramankutty, N., Brauman, K. A., Cassidy, E. S., Gerber, J. S., Johnston, M., ... & Balzer, C. (2011). Solutions for a cultivated planet. *Nature*, 478(7369), 337-342.

[7] Mulla, D. J. (2013). Twenty five years of remote sensing in precision agriculture: Key advances and remaining knowledge gaps. *Biosystems engineering*, 114(4), 358-371.

[8] Walter, A., Finger, R., Huber, R., & Buchmann, N. (2017). Opinion: Smart farming is key to developing sustainable agriculture. *Proceedings of the national academy of sciences*, 114(24), 6148-6150.

[9] Hunter, M. C., Smith, R. G., Schipanski, M. E., Atwood, L. W., & Mortensen, D. A. (2017). Agriculture in 2050: Recalibrating targets for sustainable intensification. *BioScience*, 67(4), 386-391.

[10] Springmann, M., Clark, M., Mason-D'Croz, D., Wiebe, K., Bodirsky, B. L., Lassaletta, L., ... & Jonell, M. (2018). Options for keeping the food system within environmental limits. *Nature*, 562(7728), 519-525.

[11] Smith, P., Nkem, J., Calvin, K., Campbell, D., Cherubini, F., Grassi, G., ... & Taboada, M. A. (2020). Which practices co-deliver food security, climate change mitigation and adaptation, and combat land degradation and desertification?. *Global change biology*, 26(3), 1532-1575.

[12] Tilman, D., Balzer, C., Hill, J., & Befort, B. L. (2011). Global food demand and the sustainable intensification of agriculture. *Proceedings of the national academy of sciences*, 108(50), 20260-20264.

[13] Muller, A., Schader, C., El-Hage, A. S., Gattinger, A., Seufert, V., Munafa, J., ... & Garnett, T. (2017). Strategies for feeding the world more sustainably with organic agriculture. *Nature communications*, 8(1), 1-13.

Comment [O51]: It must be "Bold"

Comment [O52]: Replace with latest

Comment [O53]: Remove

Comment [O54]: Remove

Comment [O55]: Remove

[14] Lesk, C., Rowhani, P., & Ramankutty, N. (2016). Influence of extreme weather disasters on global crop production. *Nature*, 529(7584), 84-87.

[15] Hunter, M. C., Smith, R. G., Schipanski, M. E., Atwood, L. W., & Mortensen, D. A. (2017). Agriculture in 2050: Recalibrating targets for sustainable intensification. *BioScience*, 67(4), 386-391.

[16] Walter, A., Finger, R., Huber, R., & Buchmann, N. (2017). Opinion: Smart farming is key to developing sustainable agriculture. *Proceedings of the national academy of sciences*, 114(24), 6148-6150.

[17] Springmann, M., Clark, M., Mason-D'Croz, D., Wiebe, K., Bodirsky, B. L., Lassaletta, L., ... & Jonell, M. (2018). Options for keeping the food system within environmental limits. *Nature*, 562(7728), 519-525.

Comment [O56]: Remove

[18] Gebbers, R., & Adamchuk, V. I. (2010). Precision agriculture and food security. *Science*, 327(5967), 828-831.

[19] Walter, A., Finger, R., Huber, R., & Buchmann, N. (2017). Opinion: Smart farming is key to developing sustainable agriculture. *Proceedings of the national academy of sciences*, 114(24), 6148-6150.

[20] Mulla, D. J. (2013). Twenty five years of remote sensing in precision agriculture: Key advances and remaining knowledge gaps. *Biosystems engineering*, 114(4), 358-371.

[21] Walter, A., Finger, R., Huber, R., & Buchmann, N. (2017). Opinion: Smart farming is key to developing sustainable agriculture. *Proceedings of the national academy of sciences*, 114(24), 6148-6150.

[22] Pinter, P. J., Hatfield, J. L., Schepers, J. S., Barnes, E. M., Moran, M. S., Daughtry, C. S., & Upchurch, D. R. (2003). Remote sensing for crop management. *Photogrammetric engineering & remote sensing*, 69(6), 647-664.

Comment [O57]: Replace with latest one please

[23] Mulla, D. J. (2013). Twenty five years of remote sensing in precision agriculture: Key advances and remaining knowledge gaps. *Biosystems engineering*, 114(4), 358-371.

[24] Matese, A., Toscano, P., Di Gennaro, S. F., Genesio, L., Vaccari, F. P., Primicerio, J., ... & Gioli, B. (2015). Intercomparison of UAV, aircraft and satellite remote sensing platforms for precision viticulture. *Remote sensing*, 7(3), 2971-2990.

Comment [O58]: Remove

[25] Fiorani, F., & Schurr, U. (2013). Future scenarios for plant phenotyping. *Annual review of plant biology*, 64, 267-291.

[26] Araus, J. L., & Cairns, J. E. (2014). Field high-throughput phenotyping: the new crop breeding frontier. *Trends in plant science*, 19(1), 52-61.

[27] Huber, S., Kneubühler, M., Psomas, A., Itten, K., & Zimmermann, N. E. (2018). Estimating foliar biochemistry from hyperspectral data in mixed forest canopy. *Forest ecology and management*, 421, 159-170.

[28] Li, W., Niu, Z., Chen, H., Li, D., Wu, M., & Zhao, W. (2016). Remote estimation of canopy height and aboveground biomass of maize using high-resolution stereo images from a low-cost unmanned aerial vehicle system. *Ecological indicators*, 67, 637-648.

[29] Matese, A., Toscano, P., Di Gennaro, S. F., Genesio, L., Vaccari, F. P., Primicerio, J., ... & Gioli, B. (2015). Intercomparison of UAV, aircraft and satellite remote sensing platforms for precision viticulture. *Remote sensing*, 7(3), 2971-2990.

[30] Kamilaris, A., Kartakoullis, A., & Prenafeta-Boldó, F. X. (2017). A review on the practice of big data analysis in agriculture. *Computers and Electronics in Agriculture*, 143, 23-37.

[31] Adamchuk, Viacheslav I., J. W. Hummel, M. T. Morgan, and S. K. Upadhyaya. "On-the-go soil sensors for precision agriculture." *Computers and electronics in agriculture* 44, no. 1 (2004): 71-91.

[32] Samborski, S. M., Tremblay, N., & Fallon, E. (2009). Strategies to make use of plant sensors-based diagnostic information for nitrogen recommendations. *Agronomy Journal*, 101(4), 800-816.

[33] Tremblay, N., Wang, Z., & Ma, B. L. (2012). Fluorescence-based sensors for the early detection of crop nutrient and environmental stresses. In *Fluorescence sensing technology: Environmental and agricultural applications* (pp. 71-93). ACS Publications.

Comment [O59]: Remove

[34] Adamchuk, Viacheslav I., R. E. Lund, B. A. Reed, and D. W. Sudduth. "Soil electrical conductivity mapping." In *Precision agriculture*, pp. 739-774. American Society of Agronomy, Crop Science Society of America, Soil Science Society of America, 2005.

Comment [O60]: Use proper format

[35] Adams, R., Bramley, R., Handmer, J., Smith, T. F., & Watson, I. (2007). Improving flood warnings in Europe: a research and policy agenda. *Environmental Hazards*, 7(1), 19-28.

[36] Krishna, K. R. (2013). Agro-meteorological aspects of agriculture: Factors and effects. *Agric Eng Int CIGR J*, 15(3), 11-26.

[37] Robertson, M. J., Llewellyn, R. S., Mandel, R., Lawes, R., Bramley, R. G., Swift, L., ... & O'Callaghan, C. (2012). Adoption of variable rate fertiliser application in the Australian grains industry: status, issues and prospects. *Precision Agriculture*, 13(2), 181-199.

[38] Pierce, F. J., & Nowak, P. (1999). Aspects of precision agriculture. In *Advances in agronomy* (Vol. 67, pp. 1-85). Academic Press.

[39] Smith, R. J., Raine, S. R., & Minkevich, J. (2005). Irrigation application efficiency and deep drainage potential under surface irrigated cotton. *Agricultural water management*, 71(2), 117-130.

[40] Liu, W., Tollenaar, M., Stewart, G., & Deen, W. (2004). Response of corn grain yield to spatial and temporal variability in emergence. *Crop science*, 44(3), 847-854.

Comment [O61]: Replace it with latest one

[41] Gonçalves, J. C., & Silva, C. (2016). Water profiling in precision irrigation with wireless sensor networks. *IEEE Instrumentation & Measurement Magazine*, 19(4), 37-43.

[42] Kamilaris, A., & Prenafeta-Boldó, F. X. (2018). Deep learning in agriculture: A survey. *Computers and electronics in agriculture*, 147, 70-90.

[43] Tzounis, A., Katsoulas, N., Bartzanas, T., & Kittas, C. (2017). Internet of things in agriculture, recent advances and future challenges. *Biosystems engineering*, 164, 31-48.

[44] Vuran, M. C., Salam, A., Wong, R., & Irmak, S. (2018). Internet of underground things in precision agriculture: Architecture and technology aspects. *Ad Hoc Networks*, 81, 160-173.

[45] Fu, J., Liu, J., Li, Y., & Wu, M. (2020). A wheat lodging monitoring system based on RGB image feature and machine learning methods. *Comput Electron Agric*, 174, 105478.

[46] Pérez-Ortiz, M., Peña, J. M., Gutiérrez, P. A., Hervás-Martínez, C., & López-Sánchez, J. (2015). A selectable threshold for Automatic Row Detection of vegetable crops using machine vision and metaheuristic optimization. *Expert systems with applications*, 42(4), 2170-2182.

[47] Peteinatos, G. G., & Vrindts, E. (2021). Hyperspectral Remote Sensing for Precision Vegetable Seed Production. *Remote Sensing*, 13(15), 3094.

[48] Honsdorf, N., March, T. J., Berger, B., Tester, M., & Pillen, K. (2014). High-throughput phenotyping to detect drought tolerance QTL in wild barley introgression lines. *PloS one*, 9(5), e97047.

[49] Fu, J., Liu, J., Li, Y., & Wu, M. (2020). A wheat lodging monitoring system based on RGB image feature and machine learning methods. *Comput Electron Agric*, 174, 105478.

[50] Peteinatos, G. G., & Vrindts, E. (2021). Hyperspectral Remote Sensing for Precision Vegetable Seed Production. *Remote Sensing*, 13(15), 3094.

[51] Wolfert, S., Ge, L., Verdouw, C., & Bogaardt, M.-J. (2017). Big data in smart farming - A review. In *Agricultural systems* (Vol. 153, pp. 69-80). Elsevier BV.

[52] Kamilaris, A., & Prenafeta-Boldú, F. X. (2018). Deep learning in agriculture: A survey. *Computers and electronics in agriculture*, 147, 70-90.

[53] Li, X., Li, X., Rothstein, A., Jennings, E., & Hequet, E. (2021). Opportunities and challenges in sustainable cotton production: a data driven review of input-use efficiency focusing on nutrients, water and energy. *Environmental Research Letters*, 16(2), 023001.

[54] Aubert, B. A., Schroeder, A., & Grimaudo, J. (2012). IT as enabler of sustainable farming: An empirical analysis of farmers' adoption decision of precision agriculture technology. *Decision support systems*, 54(1), 510-520.

[55] Cai, J., Zhang, C., Zhang, W., Liu, M., Grieve, B. D., & Lyon, J. (2021). Sensors and digital twins for smart agriculture. *Nature Food*, 2(2), 104-105.

[56] Hu, G., Tay, W. P., & Wen, Y. (2018). Cloud robotics: architecture, challenges and applications. *IEEE network*, 26(3), 21-28.

[57] Gebbers, R., & Adamchuk, V. I. (2010). Precision agriculture and food security. *Science*, 327(5967), 828-831.

[58] Robertson, M. J., Llewellyn, R. S., Mandel, R., Lawes, R., Bramley, R. G., Swift, L., ... & O'Callaghan, C. (2012). Adoption of variable rate fertiliser application in the Australian grains industry: status, issues and prospects. *Precision Agriculture*, 13(2), 181-199.

Comment [O62]: Use proper format

Comment [O63]: Remove

[59] Franzen, D. W., Kitchen, N. R., Holland, K. H., Schepers, J. S., & Raun, W. R. (2016). Algorithms for in-season nutrient management in cereals. *Agronomy Journal*, 108(5), 1775-1781.

[60] Reis, P. R., Oliveira, L. C., Silva, C. A., Leite, I. C., Alexandre, C., & Bredehoeft, C. (2015). Geospatial evaluation for ecological-economic zonation of honeybee pesticide exposure risk in an intensive agricultural landscape. *Ecological indicators*, 52, 151-160.

[61] Morari, F., Castrignanò, A., & Pagliarin, C. (2009). Application of multivariate geostatistics in delineating management zones within a gravelly vineyard using geo-electrical sensors. *Computers and electronics in agriculture*, 68(1), 97-107.

[62] Diacono, M., Rubino, P., & Montemurro, F. (2013). Precision nitrogen management of wheat. A review. In *Agronomy for Sustainable Development* (Vol. 33, No. 1, pp. 219-241). Springer-Verlag.

[63] Robertson, G. P., Gross, K. L., Hamilton, S. K., Landis, D. A., Schmidt, T. M., Snapp, S. S., & Swinton, S. M. (2014). Farming for ecosystem services: An ecological approach to production agriculture. *BioScience*, 64(5), 404-415.

[64] Plant, R. E. (2001). Site-specific management: the application of information technology to crop production. *Computers and electronics in agriculture*, 30(1-3), 9-29.

[65] Liu, W., Tollenaar, M., Stewart, G., & Deen, W. (2004). Response of corn grain yield to spatial and temporal variability in emergence. *Crop science*, 44(3), 847-854.

[66] Barker, D. W., & Sawyer, J. E. (2012). Using active canopy sensors to quantify variability in corn and soybean. *American Journal of Plant Sciences*, 3(10), 1397.

[67] Pasley, H. R., Stevens, W. B., & Barker, D. W. (2021). Estimating the capacity for site-specific nitrogen fertilizer rates to increase corn yields. *Agronomy Journal*.

[68] Raun, W. R., Solie, J. B., Johnson, G. V., Stone, M. L., Mullen, R. W., Freeman, K. W., ... & Lukina, E. V. (2002). Improving nitrogen use efficiency in cereal grain production with optical sensing and variable rate application. *Agronomy Journal*, 94(4), 815-820.

[69] Skaggs, R. W., Youssef, M. A., & Chescheir, G. M. (2012). DRAINMOD: Model use, calibration, and validation. *Transactions of the ASABE*, 55(4), 1509-1522.

[70] Hedley, C. B., Roudier, P., Yule, I. J., Ekanayake, J., & Bradbury, S. (2013). Soil water status and water table depth modelling using electromagnetic surveys for precision irrigation scheduling. *Geoderma*, 199, 22-29.

[71] Giles, D. K., & Slaughter, D. C. (1997). Precision band spraying with machine-vision guidance and adjustable yaw nozzles. *Transactions of the ASAE*, 40(1), 29-36.

[72] Hedley, C. B., & Yule, I. J. (2009). A method for spatial prediction of daily soil water status for precise irrigation scheduling. *Agricultural Water Management*, 96(12), 1737-1745.

[73] Haghverdi, A., Leib, B. G., Washington-Allen, R. A., Ayers, P. D., & Buschermohle, M. J. (2015). Perspectives on delineating management zones for variable rate irrigation. *Computers and Electronics in Agriculture*, 117, 154-167.

Comment [O64]: Use proper format

Comment [O65]: Replace it with latest

Comment [O66]: Replace it with latest

Comment [O67]: Replace it with latest

[74] Peters, R. T., & Evett, S. R. (2008). Automation of a center pivot using the temperature-time-threshold method of irrigation scheduling. *Journal of irrigation and drainage engineering*, 134(3), 286-291.

[75] Hedley, C. B., Roudier, P., Yule, I. J., Ekanayake, J., & Bradbury, S. (2013). Soil water status and water table depth modelling using electromagnetic surveys for precision irrigation scheduling. *Geoderma*, 199, 22-29.

[76] Vuran, M. C., Salam, A., Wong, R., & Irmak, S. (2018). Internet of underground things in precision agriculture: Architecture and technology aspects. *Ad Hoc Networks*, 81, 160-173.

[77] Smith, R. J., Raine, S. R., & Minkevich, J. (2005). Irrigation application efficiency and deep drainage potential under surface irrigated cotton. *Agricultural water management*, 71(2), 117-130.

[78] Ayars, J. E., Phene, C. J., Hutmacher, R. B., Davis, K. R., Schoneman, R. A., Vail, S. S., & Mead, R. M. (1999). Subsurface drip irrigation of row crops: a review of 15 years of research at the Water Management Research Laboratory. *Agricultural water management*, 42(1), 1-27.

Comment [O68]: Replace it with latest

[79] Wanjogu, R. K., Koopmans, A., Owens, V. N., & LaBorde, L. F. (2019). Biological Risks and Market Impacts Associated with Irrigation Water Transfers. *Sustainability*, 11(1), 6.

[80] Robertson, G. P., Gross, K. L., Hamilton, S. K., Landis, D. A., Schmidt, T. M., Snapp, S. S., & Swinton, S. M. (2014). Farming for ecosystem services: An ecological approach to production agriculture. *BioScience*, 64(5), 404-415.

[81] Franzen, D. W., Sharma, L. K., Bu, H., & Daggupati, P. (2019). Field characterization of soil variability using on-the-go soil sensors: A case study in North Dakota, USA. *Proceedings of the 11th Global Workshop on Proximal Soil Sensing*, Columbia.

[82] Adamchuk, Viacheslav I., J. W. Hummel, M. T. Morgan, and S. K. Upadhyaya. "On-the-go soil sensors for precision agriculture." *Computers and electronics in agriculture* 44, no. 1 (2004): 71-91.

Comment [O69]: Use proper format

[83] Xie, M., Tremblay, N., Tremblay, G., Bourgault, M., Leblanc, M. C., & Deen, W. (2010). Development of a nitrogen management tool for corn production in eastern Canada. *Agronomy Journal*, 102(2), 464-473.

[84] Chen, S., & Subler, S. (2007). Theoretical insights into the relationship between precision agriculture technology adoption and farm size. *Canadian Journal of Agricultural Economics/Revue canadienne d'agroeconomie*, 55(4), 457-470.

[85] Mamo, M., Malzer, G. L., Mulla, D. J., Huggins, D. R., & Strock, J. (2003). Spatial and temporal variation in economically optimum nitrogen rate for corn. *Agronomy journal*, 95(4), 958-964.

[86] Barker, D. W., & Sawyer, J. E. (2010). Using active canopy sensors to quantify corn nitrogen stress and nitrogen application rate. *Agronomy journal*, 102(3), 964-971.

[87] Anand, M., Bahl, N., Kumar, A. A., Sarma, P., & Saxena, R. (2020). Crop and nutrient losses from uniform and variable rate fertiliser application. *Biosystems Engineering*, 194, 100-118.

[88] Giles, D. K., & Slaughter, D. C. (1997). Precision band spraying with machine-vision guidance and adjustable yaw nozzles. *Transactions of the ASAE*, 40(1), 29-36.

Comment [070]: Replace it with latest

[89] Reis, P. R., Oliveira, L. C., Silva, C. A., Leite, I. C., Alexandre, C., & Bredehoeft, C. (2015). Geospatial evaluation for ecological-economic zonation of honeybee pesticide exposure risk in an intensive agricultural landscape. *Ecological indicators*, 52, 151-160.

[90] Tangwongkit, R., Salokhe, V. M., & Jayasuriya, H. P. (2006). Development of a real-time variable rate sprayer for tree crops. *Agricultural Engineering International: CIGR Journal*. 8, FP 05 013.

[91] Giles, D. K., Delwiche, M. J., & Dodd, R. B. (1989). Sprayer control by sensing orchard crop characteristics: Orchard architecture and spray liquid savings. *Journal of agricultural Engineering research*, 43, 271-289.

Comment [071]: Replace

[92] Midtby, H. S., Åstrand, B., Jørgensen, O., & Jørgensen, R. N. (2011). Upper limit for context-based crop classification in robotic weeding applications. *Biosystems Engineering*, 110(2), 157-167.

[93] Diacono, M., Rubino, P., & Montemurro, F. (2013). Precision nitrogen management of wheat. In *Agronomy for Sustainable Development* (Vol. 33, No. 1, pp. 219-241). Springer-Verlag.

Comment [072]: Use proper format

[94] Roberts, D. C., Brorsen, B. W., Taylor, R. K., Solie, J. B., & Raun, W. R. (2012). Replicability of nitrogen recommendations from ramped calibration strips in winter wheat. *Agronomy journal*, 104(1), 26-33.

[95] Schnitkey, G., Hopkins, J., & Tweeten, L. (1996). An economic evaluation of precision fertilizer applications on corn-soybean fields. *Precision agriculture*, 2, 977-987.

[96] Koch, B., Khosla, R., Frasier, W. M., Westfall, D. G., & Inman, D. (2004). Economic feasibility of variable-rate nitrogen application utilizing site-specific management zones. *Agronomy Journal*, 96(6), 1572-1580.

Comment [073]: Replace

[97] Basso, B., Fiorentino, C., Cammarano, D., Cafiero, G., & Dardanelli, J. (2012). Analysis of rainfall distribution on spatial and temporal patterns of wheat yield in Mediterranean environment. *European Journal of Agronomy*, 41, 52-65.

[98] Munack, A., Reckling, M., Dabbert, S., Gaudchau, E., Schule, G., Zimmer, J., & Sieling, K. (2014). Modeling standards to improve fertilizer recommendations towards cropping system goals—review of current approaches. *Crop pasture science*.

[99] Plauborg, F., Iversen, B. V., Lægdsmand, M., Bergman, P., & Andersen, M. N. (2016). Precision agriculture and the maze of digital (bio-) physical interrelations optimizing growth and production. *NJAS-Wageningen Journal of Life Sciences*, 78, 103-108.

[100] Brown, P. D., Cochrane, T. A., & Krom, T. D. (2010). Optical sensing of pasture nutrients: the potential for proximal sensing of potassium in grazed pastures. *International journal of remote sensing*, 31(17-18), 4503-4522.

[101] Teal, R. K., Tubana, B., Girma, K., Freeman, K. W., Arnall, D. B., Walsh, O., & Raun, W. R. (2006). In-season prediction of corn grain yield potential using normalized difference vegetation index. *Agronomy journal*, 98(6), 1488-1494.

[102] Hedley, C. B., & Yule, I. J. (2009). Soil water status mapping and two variable-rate irrigation scenarios. *Precision Agriculture*, 10(4), 342-355.

[103] Schepers, A. R., Shanahan, J. F., Liebig, M. A., Schepers, J. S., Johnson, S. H., & Luchiari, A. (2004). Appropriateness of management zones for characterizing spatial variability of soil properties and irrigated corn yields across years. *Agronomy Journal*, 96(1), 195-203.

[104] Hornung, A., Khosla, R., Reich, R., Inman, D., & Westfall, D. G. (2006). Comparison of site-specific management zones: soil color based and yield based. *Agronomy journal*, 98(2), 405-417.

[105] Li, Y., Shi, Z., Li, F., & Li, H. Y. (2007). Delineation of site-specific management zones using fuzzy clustering analysis in a coastal saline land. *Computers and Electronics in Agriculture*, 56(2), 174-186.

[106] Guastaferro, F., Castrignanò, A., De Benedetto, D., Sollitto, D., Troccoli, A., & Cafarelli, B. (2010). A comparison of different algorithms for the delineation of management zones. *Precision Agriculture*, 11(6), 600-620.

[107] Schepers, A. R., Shanahan, J. F., Liebig, M. A., Schepers, J. S., Johnson, S. H., & Luchiari, A. (2004). Appropriateness of management zones for characterizing spatial variability of soil properties and irrigated corn yields across years. *Agronomy Journal*, 96(1), 195-203.

[108] Diker, K., & Bausch, W. C. (2003). Potential use of electrical conductivity for delineating management zones. *Precision Agriculture*, 4(4), 389-408.

[109] Adamchuk, Viacheslav I., J. W. Hummel, M. T. Morgan, and S. K. Upadhyaya. "On-the-go soil sensors for precision agriculture." *Computers and electronics in agriculture* 44, no. 1 (2004): 71-91.

Comment [074]: Use proper format

[110] Schepers, A. R., Shanahan, J. F., Liebig, M. A., Schepers, J. S., Johnson, S. H., & Luchiari, A. (2004). Appropriateness of management zones for characterizing spatial variability of soil properties and irrigated corn yields across years. *Agronomy Journal*, 96(1), 195-203.

Comment [075]: Replace with latest data

[111] Bramley, R. (2009). Lessons from nearly 20 years of precision agriculture research, development, and adoption as a guide to its appropriate application. *Crop and Pasture Science*, 60(3), 197-217.

[112] Hedley, C. B., & Yule, I. J. (2009). Soil water status mapping and two variable-rate irrigation scenarios. *Precision Agriculture*, 10(4), 342-355.

[113] Raun, W. R., Solie, J. B., Johnson, G. V., Stone, M. L., Mullen, R. W., Freeman, K. W., ... & Lukina, E. V. (2002). Improving nitrogen use efficiency in cereal grain production with optical sensing and variable rate application. *Agronomy Journal*, 94(4), 815-820.

Comment [O76]: Replace

[114] Barbedo, J. G. A. (2016). Factors influencing the use of deep learning for plant disease recognition. *Biosystems engineering*, 142, 15-22.

[115] Robertson, M. J., Llewellyn, R. S., Mandel, R., Lawes, R., Bramley, R. G., Swift, L., ... & O'Callaghan, C. (2012). Adoption of variable rate fertiliser application in the Australian grains industry: status, issues and prospects. *Precision Agriculture*, 13(2), 181-199.

[116] Dong, X., Vuran, M. C., & Irmak, S. (2013). Autonomous precision agriculture through integration of wireless underground sensor networks with center pivot irrigation systems. *Ad Hoc Networks*, 11(7), 1975-1987.

[117] Basso, B., Fiorentino, C., Cammarano, D., Cafiero, G., & Dardanelli, J. (2012). Analysis of rainfall distribution on spatial and temporal patterns of wheat yield in Mediterranean environment. *European Journal of Agronomy*, 41, 52-65.

[118] Camino, C., González-Dugo, V., Hernández, P., & Zarco-Tejada, P. J. (2022). Radiometrics-Derived High-Resolution Crop Coefficients and Heat Stress Crop Maps Using Multispectral and Thermal UAV Imagery. *Remote Sensing*, 14(3), 759.

[119] Aubert, B. A., Schroeder, A., & Grimaudo, J. (2012). IT as enabler of sustainable farming: An empirical analysis of farmers' adoption decision of precision agriculture technology. *Decision support systems*, 54(1), 510-520.

[120] Gebbers, R., & Adamchuk, V. I. (2010). Precision agriculture and food security. *Science*, 327(5967), 828-831.

[121] Ju, X. T., Xing, G. X., Chen, X. P., Zhang, S. L., Zhang, L. J., Liu, X. J., ... & Christie, P. (2009). Reducing environmental risk by improving N management in intensive Chinese agricultural systems. *Proceedings of the national academy of sciences*, 106(9), 3041-3046.

[122] Helmers, M. J., Zhou, X., Asbjornsen, H., Kolka, R., Tomer, M. D., & Cruse, R. M. (2012). Sediment removal by prairie filter strips in row-cropped ephemeral watersheds. *Journal of environmental quality*, 41(5), 1531-1539.

[123] Anand, M., Bahl, N., Kumar, A. A., Sarma, P., & Saxena, R. (2020). Crop and nutrient losses from uniform and variable rate fertiliser application. *Biosystems Engineering*, 194, 100-118.

[124] Miller, P., Lanier, W., & Brandt, S. (2018). Using growing degree days to predict plant stages. *Montana State University, USA*, 1-12.

[125] Franzen, D. W. (2017). Nutrient management planning. *Precision agriculture basics*, 57-68.

[126] Li, H., Liang, W. L., Zhang, X. Z., Bao, X. G., & Zhang, H. L. (2007). Nitrogen placement and source effects on nitrogen use efficiency and plant growth in newly planted apple orchards. *Scientia Horticulturae*, 112(2), 173-181.

[127] Cameron, K. C., Di, H. J., & Moir, J. L. (2013). Nitrogen losses from the soil/plant system: a review. *Annals of applied biology*, 162(2), 145-173.

[128] Basso, B., & Ritchie, J. T. (2015). Simulating crop growth and biogeochemical fluxes in response to land management using the SALUS model. In *The ecology of agricultural landscapes: Long-term research on the path to sustainability* (pp. 252-274). Oxford University Press.

[129] Palm, C., Blanco-Canqui, H., DeClerck, F., Gatare, L., & Grace, P. (2014). Conservation agriculture and ecosystem services: An overview. *Agriculture, Ecosystems & Environment*, 187, 87-105.

[130] Jha, K., & Muhammed, A. (2021). Applications of Remote Sensors in Precision Agriculture: A Systematic Review. *Remote Sensing*, 13(18), 3809.

[131] Chamen, T., Moxey, A., Towers, W., Balana, B., & Hallett, P. (2015). Mitigating arable soil compaction: A review and analysis of available cost and benefit data. *Soil and tillage research*, 146, 10-25.

[132] Antille, D. L., Bennett, J. M., & Jensen, T. A. (2016). Soil compaction and controlled traffic considerations in Australian cotton-farming systems. *Crop and Pasture Science*, 67(1), 1-28.

[133] Giles, D. K., Delwiche, M. J., & Dodd, R. B. (1989). Sprayer control by sensing orchard crop characteristics: Orchard architecture and spray liquid savings. *Journal of agricultural Engineering research*, 43, 271-289.

[134] Antille, D. L., Peets, S., Galambošová, J., Botta, G. F., Rataj, V., Macák, M., ... & Godwin, R. J. (2019). Review: Soil compaction and controlled traffic farming in arable and grass cropping systems. *Agronomy Research*, 17(3), 653-682.

[135] Jha, K., & Muhammed, A. (2021). Applications of Remote Sensors in Precision Agriculture: A Systematic Review. *Remote Sensing*, 13(18), 3809.

[136] Cerutti, A. K., Beccaro, G. L., Bruun, S., Bosco, S., Donno, D., Notarnicola, B., & Bounous, G. (2014). Life cycle assessment application in the fruit sector: State of the art and recommendations for environmental declarations of fruit products. *Journal of cleaner production*, 73, 125-135.

[137] Ward, S. M. (2013). Costs and returns from precision agricultural practices. *Journal of the ASFMRA*.

[138] Chen, S. Y., & Zhang, Y. (2019). Effects of agricultural management on soil carbon and nitrogen in the North China Plain: a comprehensive dataset derived from published literatures. *Earth System Science Data*, 11(2), 461-469.

[139] Lioutas, E. D., & Charatsari, C. (2020). Smart farming and short food supply chains: Are they compatible?. *Agriculture*, 10(12), 647.

[140] Grassini, P., Thorburn, J., Burr, C., & Cassman, K. G. (2011). High-yield irrigated maize in the Western US Corn Belt: II. Irrigation management and crop water productivity. *Field Crops Research*, 120(1), 133-141.

Comment [077]: Replace

- [141] Basso, B., & Antle, J. (2020). Digital agriculture to design sustainable agricultural systems. *Nature Sustainability*, 3(4), 254-256.
- [142] Araus, J. L., Kefauver, S. C., Zaman-Allah, M., Olsen, M. S., & Cairns, J. E. (2018). Translating high-throughput phenotyping into genetic gain. *Trends in plant science*, 23(5), 451-466.
- [143] Rahaman, M. M., Chen, D., Gillani, Z., Klukas, C., & Chen, M. (2015). Advanced phenotyping and phenotype data analysis for the study of plant growth and development. *Frontiers in plant science*, 6, 619.
- [144] Spindel, J., & McCouch, S. (2016). When more is better: how data sharing would accelerate genomic selection of crop plants. *New Phytologist*, 212(4), 814-826.
- [145] Yang, W., Duan, L., Chen, G., Xiong, L., & Liu, Q. (2013). Plant phenomics and high-throughput phenotyping: accelerating rice functional genomics using multidisciplinary technologies. *Curr Opin Plant Biol*, 16(2), 180-187.
- [146] Cabrera-Bosquet, L., Crossa, J., von Zitzewitz, J., Serret, M. D., & Araus, J. L. (2012). High-throughput phenotyping and genomic selection: the frontiers of crop breeding converge. *Journal of integrative plant biology*, 54(5), 312-320.
- [147] Zia, S., Romano, G., Spreer, W., Sanchez, C., Cairns, J., Araus, J. L., & Müller, J. (2013). Infrared thermal imaging as a rapid tool for identifying water-stress tolerant maize genotypes of different phenology. *Journal of Agronomy and Crop Science*, 199(2), 75-84.
- [148] Marti, J., Bort, J., Slafer, G. A., & Araus, J. L. (2007). Can wheat yield be assessed by early measurements of Normalized Difference Vegetation Index?. *Annals of applied biology*, 150(3), 253-257.
- [149] Fiorani, F., Rascher, U., Jahnke, S., & Schurr, U. (2012). Imaging plants dynamics in heterogenic environments. *Current opinion in biotechnology*, 23(2), 227-235.
- [150] Prashar, A., & Jones, H. G. (2014). Infra-red thermography as a high-throughput tool for field phenotyping. *Agronomy*, 4(3), 397-417.
- [151] Toju, H., Peay, K. G., Yamamichi, M., Narisawa, K., Hiruma, K., Naito, K., ... & Yoshida, K. (2018). Core microbiomes for sustainable agroecosystems. *Nature plants*, 4(5), 247-257.
- [152] Edwards, J., Johnson, C., Santos-Medellín, C., Lurie, E., Podishetty, N. K., Bhatnagar, S., ... & Sundaresan, V. (2015). Structure, variation, and assembly of the root-associated microbiomes of rice. *Proceedings of the National Academy of Sciences*, 112(8), E911-E920.
- [153] Thompson, J. N., & Burdon, J. J. (1992). Gene-for-gene coevolution between plants and parasites. *Nature*, 360(6400), 121-125.
- [154] Pandey, P., Irulappan, V., Bagavathiannan, M. V., & Senthil-Kumar, M. (2017). Impact of combined abiotic and biotic stresses on plant growth and avenues for crop improvement by exploiting physio-morphological traits. *Frontiers in plant science*, 8, 537.

Comment [078]: Replace

[155] Technow, F., Messina, C. D., Totir, L. R., & Cooper, M. (2015). Integrating crop growth models with whole genome prediction through approximate Bayesian computation. *PloS one*, 10(6), e0130855.

[156] Chenu, K., Deihimfar, R., & Chapman, S. C. (2013). Large-scale characterization of drought pattern: a continent-wide modelling approach applied to the Australian wheatbelt—spatial and temporal trends. *New Phytologist*, 198(3), 801-820.

[157] Tardieu, F., & Tuberosa, R. (2010). Dissection and modelling of abiotic stress tolerance in plants. *Current opinion in plant biology*, 13(2), 206-212.

[158] Ghosh, S., Watson, A., Gonzalez-Navarro, O. E., Ramirez-Gonzalez, R. H., Yanes, L., Mendoza-Suárez, M., ... & Hickey, L. T. (2018). Speed breeding in growth chambers and glasshouses for crop breeding and model plant research. *Nature protocols*, 13(12), 2944-2963.

Comment [O79]: Remove

[159] Watson, A., Ghosh, S., Williams, M. J., Cuddy, W. S., Simmonds, J., Rey, M. D., ... & Hickey, L. T. (2018). Speed breeding is a powerful tool to accelerate crop research and breeding. *Nature plants*, 4(1), 23-29.

Comment [O80]: Remove

[160] Zhang, N., Wang, M., & Wang, N. (2002). Precision agriculture - a worldwide overview. *Computers and Electronics in Agriculture*, 36(2), 113-132.

Comment [O81]: Replace

[161] Dillon, C. (2018). Precision agriculture technology adoption in New Zealand: Strategies for improving implementation and practice. PhD Thesis, Massey University.

[162] Anand, M., Bahl, N., Kumar, A. A., Sarma, P., & Saxena, R. (2020). Crop and nutrient losses from uniform and variable rate fertiliser application. *Biosystems Engineering*, 194, 100-118.

[163] Liu, L., Zhang, X., Zhang, Q., Jiang, B., Buchenauer, H., Han, Q., ... & Li, C. (2018). An efficient and anti-leaching controlled release urea fertiliser coating prepared by polyurethane emulsion for reducing environmental pollution. *Journal of the Science of Food and Agriculture*, 98(3), 1197-1204.

Comment [O82]: Remove

[164] Hedley, C. B., & Yule, I. J. (2009). Soil water status mapping and two variable-rate irrigation scenarios. *Precision Agriculture*, 10(4), 342-355.

[165] Franzen, D. W., Kitchen, N. R., Holland, K. H., Schepers, J. S., & Raun, W. R. (2016). Algorithms for in-season nutrient management in cereals. *Agronomy Journal*, 108(5), 1775-1781.

[166] Lowenberg-DeBoer, J. M., & Erickson, B. (2019). Setting the record straight on precision agriculture adoption. *Agronomy Journal*, 111(4), 1552-1569.

[167] Schimmelpfennig, D. (2016). Farm profits and adoption of precision agriculture (No. 1477-2016-120935).

[168] Pedersen, S. M., Fountas, S., & Blackmore, S. (2005). Economic potential of robots for high value crops and landscape treatment. *Precision Agriculture*, 6(5), 463-477.

[169] Qin, W., Qiu, B., Xue, Y., Chen, C., Zuo, L., & Zhao, S. (2021). Progress, challenges and prospects of agricultural intelligent equipment. *Engineering*, 7(2), 175-185.

[170] Kitchen, N. R., Snyder, C. J., Franzen, D. W., & Wiebold, W. J. (2002). Educational needs of precision agriculture. *Precision Agriculture*, 3(4), 341-351.

Comment [O83]: Replace

[171] Fountas, S., Carli, G., Sørensen, C. G., Tsiropoulos, Z., Cavalaris, C., Vatsanidou, A., ...&Canavari, M. (2015). Farm management information systems: Current situation and future perspectives. *Computers and Electronics in Agriculture*, 115, 40-50.

Comment [O84]: Remove

[172] Zhang, C., & Kovacs, J. M. (2012). The application of small unmanned aerial systems for precision agriculture: a review. *Precision agriculture*, 13(6), 693-712.

[173] Tzounis, A., Katsoulas, N., Bartzanas, T., & Kittas, C. (2017). Internet of things in agriculture, recent advances and future challenges. *Biosystems engineering*, 164, 31-48.

[174] Wolfert, S., Ge, L., Verdouw, C., & Bogaardt, M. J. (2017). Big data in smart farming—a review. *Agricultural Systems*, 153, 69-80.

[175] Matese, A., Baraldi, R., Berton, A., Cesaraccio, C., Di Gennaro, S. F., Duce, P., ...&Zaldei, A. (2018). Estimation of water stress in grapevines using proximal and remote sensing methods. *Remote sensing*, 10(1), 121.

Comment [O85]: Remove

[176] Lamb, D. W., Frazier, P., & Adams, P. (2008). Improving pathways to adoption: Putting the right P's in precision agriculture. *Computers and Electronics in Agriculture*, 61(1), 4-9.

[177] Daberkow, S. G., & McBride, W. D. (2003). Farm and operator characteristics affecting the awareness and adoption of precision agriculture technologies in the US. *Precision agriculture*, 4(2), 163-177.

[178] Fountas, S., Pedersen, S. M., & Blackmore, S. (2005). ICT in precision agriculture—diffusion of technology. *Diffusion of IT in the Danish Agricultural Sector*. Department of Agricultural Engineering, Denmark, 1-12.

[179] Ker, A., Toit, D., & Dass, T. (2003). Implementation of in-field rainwater harvesting for corn production under semi-arid agriculture conditions. *Journal of Agronomy*, 3(4), 219-227.

Comment [O86]: Replace with latest one

[180] Gebbers, R., & Adamchuk, V. I. (2010). Precision agriculture and food security. *Science*, 327(5967), 828-831.

[181] Rotz, S., Duncan, E., Small, M., Botschner, J., Dara, R., Mosby, I., ...&Mutch, D. (2019). The Politics of Digital Agricultural Technologies: A Preliminary Review. *SociologiaRuralis*, 59(2), 203-229.

Comment [O87]: Remove

[182] Bechar, A., & Vigneault, C. (2016). Agricultural robots for field operations: Concepts and components. *Biosystems Engineering*, 149, 94-111.

[183] Fennimore, S. A., Slaughter, D. C., Siemens, M. C., Leon, R. G., & Saber, M. N. (2016). Technology for automation of weed control in specialty crops. *Weed Technology*, 30(3), 823-837.

[184] Walter, A., Finger, R., Huber, R., & Buchmann, N. (2017). Opinion: Smart farming is key to developing sustainable agriculture. *Proceedings of the national academy of sciences*, 114(24), 6148-6150.

[185] Bronson, K., & Knezevic, I. (2016). Big Data in food and agriculture. *Big data & society*, 3(1), 2053951716648174.

[186] Rotz, S., Duncan, E., Small, M., Botschner, J., Dara, R., Mosby, I., ... & Mutch, D. (2019). The Politics of Digital Agricultural Technologies: A Preliminary Review. *Sociologia Ruralis*, 59(2), 203-229.

[187] Eastwood, C., Ayre, M., Nettle, R., & Dela Rue, B. (2019). Making sense in the cloud: farm advisory services in a smart farming future. *NJAS-Wageningen Journal of Life Sciences*, 90, 100291.

[188] Erickson, B., Lowenberg-DeBoer, J., & Bradford, J. (2017). 2017 Precision agriculture dealership survey: Findings and insights.

[189] Gozzer, S. (2021). Next generation agriculture: policy imperatives for transforming farming futures. *Nature Food*, 2(6), 397-402.

[190] Rotz, S., Gravely, E., Mosby, I., Duncan, E., Finnis, E., Horgan, M., ... & Pant, L. (2019). Automated pastures and the digital divide: How agricultural technologies are shaping labour and rural communities. *Journal of Rural Studies*, 68, 112-122.

Comment [O88]: Remove

[191] Kernecker, M., Knierim, A., & Wurbs, A. (2020). Experience counts! The role of farm experience for adopting precision farming technologies. *NJAS-Wageningen Journal of Life Sciences*, 92, 100340.

[192] Kovács, I., & Husti, I. (2006). Technical requirements of precision agriculture and their appearance in agricultural education. *US-China Education Review*, 3(9), 49-57.

[193] Rotz, S. (2018). Drawing lines in the corn rows: Making sense of boundaries and belonging between farmers and consultants in US corn belt agriculture. *Agriculture and Human Values*, 1-15.

[194] Tzounis, A., Katsoulas, N., Bartzanas, T., & Kittas, C. (2017). Internet of things in agriculture, recent advances and future challenges. *Biosystems engineering*, 164, 31-48.

[195] Kernecker, M., Knierim, A., & Wurbs, A. (2020). Experience counts! The role of farm experience for adopting precision farming technologies. *NJAS-Wageningen Journal of Life Sciences*, 92, 100340

[196] Kernecker, M., Knierim, A., & Wurbs, A. (2020). Experience counts! The role of farm experience for adopting precision farming technologies. *NJAS-Wageningen Journal of Life Sciences*, 92, 100340.

[197] Tey, Y. S., & Brindal, M. (2012). Factors influencing the adoption of precision agricultural technologies: a review for policy implications. *Precision Agriculture*, 13(6), 713-730.

[198] Lioutas, E. D., & Charatsari, C. (2020). Smart farming and short food supply chains: Are they compatible?. *Agriculture*, 10(12), 647.

[199] Dillon, C. (2018). Precision agriculture technology adoption in New Zealand: Strategies for improving implementation and practice. PhD Thesis, Massey University.

[200] Eastwood, C., Ayre, M., Nettle, R., & Dela Rue, B. (2019). Making sense in the cloud: farm advisory services in a smart farming future. *NJAS-Wageningen Journal of Life Sciences*, 90, 100291.

[201] Fountas, S., Wulfsohn, D., Blackmore, B. S., Jacobsen, H. L., & Pedersen, S. M. (2006). A model of decision-making and information flows for information-intensive agriculture. *Agricultural Systems*, 87(2), 192-210.

[202] Fountas, S., Carli, G., Sørensen, C. G., Tsiropoulos, Z., Cavalaris, C., Vatsanidou, A., ...&Canavari, M. (2015). Farm management information systems: Current situation and future perspectives. *Computers and Electronics in Agriculture*, 115, 40-50.

Comment [089]: Remove

[203] Vithayathil, J. (2018). Will big data help the farm or spoil the view?. *International Journal of Rural Management*, 14(1), 1-32.

[204] Lioutas, E. D., &Charatsari, C. (2020). Smart farming and short food supply chains: Are they compatible?. *Agriculture*, 10(12), 647.

[205] Kernecker, M., Knierim, A., &Wurbs, A. (2020). Experience counts! The role of farm experience for adopting precision farming technologies. *NJAS-Wageningen Journal of Life Sciences*, 92, 100340.

[206] Bronson, K. (2019). Smart farming: Including rights holders for responsible agricultural innovation. *Technology Innovation Management Review*, 9(2).

[207] Choudhary, V. P., Srivastava, P. K., Cai, X., Walia, M. K., Rahaman, J., & Variar, M. (2011). Biosaline agri-technology transfer through a functional farmer field school approach. *Agricultural Water Management*, 98(2), 267-276.

[208] Dhaka, B. L., Meena, B. S., &Poonia, S. (2021). Digital agriculture: achievements and prospects. *Int. J. Chem. Stud*, 9(1), 1441-1447.

[209] Malve, H. (2016). Precise farming at precision agriculture farm of ICAR-Indian Agricultural Research Institute, New Delhi. *Current Agriculture Research Journal*, 4(1).

[210] Jeyarman, J., & Karthigai Reservation, R. M. (2018). Geo spatial technology for agriculture development. *International Journal of Agriculture Sciences*, 10(14), 7095-7097.

[211] Gummagolmath, K. C., & Kumaraswamy, K. (2018, March). Internet of things based smart crop-field monitoring and automation irrigation system. In 2018 2nd International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud)(I-SMAC)I-SMAC (IoT in Social, Mobile, Analytics and Cloud)(I-SMAC), 2018 2nd International Conference on (pp. 612-617). IEEE.

[212] Balasubramanian, A. (2017). Role of Geospatial Technology for Sustainable Agriculture Development in India. In *Geospatial Technology-Environmental and Social Applications* (pp. 59-72). IntechOpen.

[213] Pazhanivelan, S., Nimish Kumar, B., Padmavathy, K., & Revathy, V. B. (2020). Skill development on precision farming technologies for enhancing employability of farm graduates. *Journal of Pharmacognosy and Phytochemistry*, 9(4).

- [214] Parihar, C. M., Khanpara, V. D., Singh, A. K., Vaja, Y. K., & Ghosh, N. (2019). Precision agriculture technologies adoption by the farmers in central plain zone of North Gujarat. *Agric. Sci. Digest*, 39(3), 175-181.
- [215] Trehan, A., Kaur, N., Kaur, S., & Kaur, T. (2017). Role and present status of precision agriculture in India. *Int. J. Pure Appl. Biosci*, 5(6), 1205-1210.
- [216] Jha, A. K., & Mall, A. K. (2014). Integrated weed management practices for enhancing crop yields in India: A review. *Indian Journal of Agronomy*, 59(1).
- [217] Singh, S., Singh, J., & Sharma, B. M. (2021). Digital agriculture: Mobile apps facilitating precision agriculture technologies adoption in India. *Public Library of Science one*, 16(10), e0259912.
- [218] Msibi, Z. L., & Oladele, O. I. (2021). Comparative economics of precision farming and conventional practices: evidences from KwaZulu-Natal Province, South Africa. *Environment, Development and Sustainability*, 1-21.
- [219] Vanitha, S. M., Chander, M., Kaur, N., & Fisher, G. (2017). Role and current status of precision agriculture in India. *Sugar Tech*, 19(5), 455-470.
- [220] Fields, C., Hoermann, G., Gindele, N., Gaiser, T., Häring, F., Schaubberger, B., ... & Streck, T. (2020). Yield and economic effects of precision crop load adjusted irrigation and nitrogen application compared to conventional farm management. *Agricultural Water Management*, 240, 106273.
- [221] Msibi, Z. L., & Oladele, O. I. (2021). Comparative economics of precision farming and conventional practices: evidences from KwaZulu-Natal Province, South Africa. *Environment, Development and Sustainability*, 1-21.
- [222] Ngouajio, M., & Ernest Joshua, S. (2020). Technological advances toward improving global food security. In *Food Security and Land Use Change Under Conditions of Climate Change* (pp. 1-20). Springer, Cham.
- [223] Tripuraneni, V., Bizimana, J. C., Ogden, A. E., Richardson, J. W., Righette, R., Artioli, L., ... & Morgan, C. L. (2021). Rising atmospheric carbon dioxide concentration affects sorghum gas exchange and agronomic traits under variable irrigation. *Frontiers in plant science*, 12, 1454.
- [224] Behera, S. K., Nayak, D. K., Villano, R., Naik, P. K., Miro, B., & Nelson, A. (2021). Conservation Agriculture with Trees Boosts System Productivity of Rain-Fed Smallholder Farms in India. *Plants* 2021, 10, 1189.
- [225] Swain, D. K., & Sahoo, N. (2015). Assessing suitability of precision agricultural technologies using geographic information systems. *Agropedology*, 16, 18.
- [226] Hedley, C. B., & Yule, I. J. (2009). Soil water status mapping and two variable-rate irrigation scenarios. *Precision Agriculture*, 10(4), 342-355.
- [227] AuatCheein, F. A., & Carelli, R. (2013). Analysis of different features of an autosteering guidance system running a vineyard row. *Journal of Applied Computer Science & Mathematics*, 7(6), 266-272.

Comment [090]: Remove

[228] Adamchuk, V. I., Hummel, J. W., Morgan, M. T., & Upadhyaya, S. K. (2004). On-the-go soil sensors for precision agriculture. *Computers and electronics in agriculture*, 44(1), 71-91.

[229] Timmermann, C. J., Gerhards, R., & Kühbauch, W. (2003). The economic impact of site-specific weed control. *Precision Agriculture*, 4(3), 249-260.

Comment [O91]: Replace

[230] Maresma, Á., Ariza, M., Martínez, E., Lloveras, J., & Martínez-Casasnovas, J. A. (2016). Analysis of vegetation indices to determine nitrogen application and yield prediction in maize (*Zea mays* L.) from a standard uav service. *Remote sensing*, 8(12), 973.

[231] López-Granados, F., Torres-Sánchez, J., Serrano-Pérez, A., de Castro, A. I., Mesas-Carrascosa, F. J., & Peña, J. M. (2016). Early season weed mapping with UAVs: A case study in sunflower. *Precision Agriculture*, 17(5), 594-612.

[232] Bullock, D. G., Nielsen, R. L., Nyquist, W. E., & Oplinger, E. S. (2019). Tillage, crop rotation, and planting date effects on corn yield. *Agronomy journal*, 111(1), 138-154.

[233] Gée, C., Bossu, J., Jones, G., & Truchetet, F. (2022). Reduction of pesticide use, opportunities, and acceptability for automatic weeding robots in arable crops. A review. *Agronomy for sustainable development*, 42(2), 1-24.

[234] Vuran, M. C. (2010). Wireless underground sensor networks using commodity terrestrial motes (Doctoral dissertation). University of Nebraska, Lincoln, Nebraska, USA.

[235] Qaim, M., & Zilberman, D. (2003). Yield effects of genetically modified crops in developing countries. *Science*, 299(5608), 900-902.

Comment [O92]: Replace please

[236] Roberts, D. C., Brorsen, B. W., Taylor, R. K., Solie, J. B., & Raun, W. R. (2012). Replicability of nitrogen recommendations from ramped calibration strips in winter wheat. *Agronomy journal*, 104(1), 26-33.

[237] Morellos, A., Pantazi, X. E., Moshou, D., Alexandridis, T., Whetton, R., Tziotzios, G., ... & Mouazen, A. M. (2016). Machine learning based prediction of soil total nitrogen, organic carbon and moisture content by using VIS-NIR spectroscopy. *Biosystems engineering*, 152, 104-116.

[238] Melchiori, R., Vandermeiren, K., Vanderborght, J., & Van Camp, L. M. (2018). Yield response and nitrogen use efficiency of drip-irrigated vegetable crops under precise fertilization using soil moisture sensors. *Agricultural Water Management*, 210, 163-170.

[239] Rose, D. C., Sutherland, W. J., Barnes, A. P., Borthwick, F., Ffoulkes, C., Hall, C., ... & Dicks, L. V. (2019). Integrated farm management for sustainable agriculture: lessons for knowledge exchange and policy. *Land Use Policy*, 81, 834-842.

Comment [O93]: Remove

Comment [O94]: "Alignment" should be justify and also "Alphabetize" all the references