

# Advanced Battery Management: Forecasting Health, State of Charge & Maintenance Needs Using AI & ML Models (LSTM, Gradient Boosting, SVR, Random Forest)

## ABSTRACT

The rapid expansion of renewable energy sources and the widespread adoption of electric vehicles underscore the critical demand for efficient energy storage systems. This conference paper explores cutting-edge predictive models tailored for forecasting battery health, State of Charge (SOC), and anticipating maintenance requirements. Employing advanced machine learning [23][24] techniques, innovative feature engineering, and rigorous evaluation metrics, the study achieves robust performance in predicting key aspects of battery behavior. Key methodologies include Stacked LSTM networks, Random Forests, Gradient Boosting, and SVR. Alongside advanced time series analysis methods like ARIMA and SARIMA.

The results demonstrate significant advancements in SOC prediction accuracy and provide valuable insights into overall battery health assessment. The models effectively identify potential maintenance needs, representing a substantial integration of machine learning [23][24] and time series analysis for enhanced battery management. These developments hold profound implications for energy storage and management, benefiting industries reliant on energy-intensive processes such as manufacturing, IT Infrastructure & Data Centers etc. They optimize energy usage, reduce costs, and enhance service efficiency and uptime in the retail sector, particularly for electric vehicle servicing.

This research underscores the transformative impact of advanced predictive modeling on energy storage and management, supporting sustainable practices and fostering innovation across industries.

*Keywords: EVs (Electric Vehicles), SOC (State of charge), SOH (State of Health), Li-ion (Lithium Ion), LSTM (Long Short Term Memory).*

## 1. INTRODUCTION

The global shift to sustainable transportation has accelerated electric vehicle (EV) adoption worldwide, emphasizing the critical role of effective battery management systems. Precise monitoring and forecasting of battery health and State of Charge (SOC) are essential to optimize performance, ensure longevity, and minimize disruptions. This project employs diverse predictive modeling techniques, including Random Forests, Gradient Boosting, Support Vector Regression (SVR), and deep learning with Stacked LSTM networks, integrating them strategically to enhance prediction accuracy. Advanced feature engineering techniques, such as rolling statistics, complement time series analysis methods like ARIMA and SARIMA, providing insights into battery behavior dynamics.

The project's comprehensive evaluation covers SOC prediction, battery health, and maintenance forecasting, advancing both academic understanding and practical applications in energy storage and management. For industries reliant on energy-intensive processes, efficient energy storage systems are critical for optimizing usage and reducing costs, particularly with the growing prevalence of intermittent renewable energy sources. Retailers in the EV sector can benefit from improved service efficiency and uptime through accurate maintenance forecasting, enhancing customer satisfaction and operational efficiency.

Predictive analytics derived from these models enable optimized maintenance schedules, minimizing downtime and reducing the risk of unexpected failures in manufacturing and retail operations. This proactive approach supports cost savings and enhances operational reliability across sectors dependent on reliable energy storage solutions and electric vehicle servicing.

**Efficient Energy Storage Systems:** For manufacturing industries heavily reliant on energy-intensive processes, efficient energy storage systems are crucial for optimizing energy usage and reducing costs. The predictive models discussed in the abstract can help in forecasting battery health and State of Charge (SOC), enabling better management of energy storage solutions. This is particularly valuable as renewable energy sources become more prevalent, as they can be intermittent and require effective storage solutions for consistent energy supply.

**Electric Vehicles (EVs):** The retail industry, particularly those involved in selling or servicing electric vehicles, can benefit significantly from advancements in battery management. Predictive models that accurately forecast battery health and maintenance needs can improve customer satisfaction and reduce operational costs for retailers. Knowing when a battery requires maintenance or replacement can enhance service efficiency and uptime for EVs.

**Maintain Optimization:** Both manufacturing and retail sectors can benefit from optimized maintenance schedules derived from predictive analytics. By accurately predicting when maintenance is needed based on battery health forecasts, businesses can minimize downtime and reduce the risk of unexpected failures. This proactive approach can lead to cost savings and improved reliability of operations.

## 2. LITRATURE REVIEW

In the realm of electric vehicles (EVs), understanding two critical metrics—the State-of-Charge (SOC) and State-of-Health (SOH) [21]of the battery—is essential for monitoring its current status and long-term condition. SOC provides an immediate measure of the battery's available capacity, while SOH [21] offers a broader assessment of its overall health and expected lifespan. These metrics are crucial for ensuring optimal performance, safety, and reliability of EVs.

In recent years, machine learning (ML) [23][24] has emerged as a powerful tool to enhance the accuracy and reliability of SOC and SOH [21] estimations within Battery Management Systems (BMS). Various ML algorithms such as XGBoost, Gaussian process regression, Artificial Neural Networks (ANN), Support Vector Machines (SVM), linear regression (LR), and random forests (RF) have proven successful in predicting SOH within BMS implementations. These ML-driven approaches have delivered significant benefits including improved battery performance, efficient energy management, precise SOC predictions, effective maintenance strategies, and optimized energy storage management.




Image -1. Advanced Battery Management System

Despite the clear benefits of machine learning (ML) [23] [24] in enhancing Battery Management System (BMS) capabilities, integrating ML techniques into BMS is still in its early stages, which poses challenges. Therefore, there is a pressing need to thoroughly evaluate the effectiveness of these techniques and uncover their potential to further improve BMS functionalities. This paper aims to provide a detailed overview of the current landscape of BMS research, emphasizing major trends, obstacles, and prospective solutions within this area. By conducting this review, our goal is to pinpoint existing research gaps and offer valuable insights that can steer future studies and advancements in Battery Management Systems.

The goal of this exercise is to determine the most suitable machine learning [23][24] algorithm that effectively identifies accurate State of Charge (SOC) and State of Health (SOH) [21].

## 2.1 Types of Batteries

The evolution of Battery Management Systems (BMS) is closely tied to advancements in battery technologies, ranging from lead-acid to Li-ion and solid-state batteries, shaping our future as demand for efficient and sustainable batteries grows [1]. Innovative technologies like aluminum-ion batteries offer higher energy capacity at reduced costs [9][7], foldable lithium-ion batteries [22][25] enable rapid charging across diverse climates [6][4], and lithium-air batteries [22][25] show impressive energy generation capabilities [6]. Meanwhile, lithium-sulfur batteries [22][25] promise significant theoretical capacity and environmental benefits [11]. Material advancements include the use of red phosphorus for fast charging in lithium-ion batteries [6][22][25], and the integration of solar panels in EVs for automatic recharging and enhanced sustainability [6]. Solid-state batteries (SSBs) promise greater energy density and safety improvements, while supercapacitors (EDLCs) enhance energy efficiency and performance, particularly in colder temperatures within the EV industry [18].

## 2.2 Challenges in BMS Design for Electric Vehicles

Optimizing electric vehicle (EV) battery efficiency requires a robust Battery Management System (BMS) integrating strategies like accurate State of Charge (SOC) and State of Health (SOH) estimation, temperature control, advanced charging algorithms, energy regeneration, and standby power reduction. These enhancements collectively improve battery efficiency, extend range, and enhance EV performance [3, 17]. Effective BMS design relies on battery modeling using precise empirical, semi-empirical, electrical, thermal, fusion, and electrochemical models [2]. Ongoing research explores machine learning [23][24] algorithms tailored to diverse battery chemistries, optimizing systems for reliable operation [18]. Understanding battery aging mechanisms informs BMS strategies such as rate optimization, temperature management, and adaptive control strategies to extend lifespan [2]. Techniques like extended Kalman filter (EKF) or AI algorithms are crucial for precise SOC, SOH [21], and internal resistance estimation in EV BMS, ensuring optimal operational conditions [10]. Cell balancing via real-time monitoring algorithms is essential for lithium-ion battery [22][25] packs, optimizing performance, safety, and longevity [15]. Safety features including voltage protection, temperature regulation, and precise charge/discharge control bolster EV reliability and user confidence [14].

## 2.3 AI-Powered Advancements in Battery Management Systems OR Enhanced Performance & Efficiency

AI integration in Battery Management Systems (BMS) enhances EV battery efficiency and reliability by accurately predicting critical parameters such as State of Health (SOH), State of Charge (SOC), and State of Power (SOP), thereby extending battery lifespan [16][2]. Cloud-based data collection, monitoring, and analysis optimize energy management, enabling early issue detection, improved maintenance practices, and enhanced operational efficiency [16]. AI techniques like Recurrent Neural Networks (RNN) predict SOC accurately, boosting overall battery performance and reducing maintenance costs by identifying degradation patterns [16]. AI-driven BMS ensures safety and performance by intelligently managing charging/discharging processes and swiftly detecting anomalies, while also optimizing energy storage and supporting sustainable energy systems [1][2][13].

## 2.4 Machine Learning Approaches for Accurate Battery Health Estimation

The advancement of Battery Management Systems (BMS) has leveraged machine learning [23][24] and Artificial Neural Networks (ANN) to enhance battery robustness. Current research emphasizes self-adjusting systems that utilize pack voltage, current, and ambient temperature to estimate State of Charge (SoC) [5]. Estimating battery health involves assessing parameters such as charge cycles, voltage, current, and temperature. Support Vector Machines (SVM) are promising for accurately determining SoC and State of Health (SOH), particularly effective in complex, high-dimensional spaces. Deep learning models such as Recurrent Neural Networks (RNN) ensure precise predictions of SOC and SOH [21], particularly adept at modeling time-dependent battery behavior [8]. Ensemble methods, which combine multiple machine learning [23][24] techniques, further improve predictive performance, leading to more accurate and reliable estimates of SOC and SOH [21].

## 2.5 Exploration Of Diverse Machine Learning Techniques for Battery Management Systems

Various data types are essential in predicting the State of Charge (SOC) and State of Health (SOH) [21] for Battery Management Systems (BMS). Charging and discharging cycles significantly impact battery lifespan, and dynamic cycling protocols are crucial for real-time SOH prediction, simulating practical usage scenarios. Terminal voltages and currents, represented as a vector sequence, provide critical inputs for informed BMS decisions, capturing fluctuations in discharge currents. Charging and discharging profiles, analyzed for accurate SOC determination, leverage experimental data and machine learning [23][24] techniques to achieve reliable SOC estimates [13]. Degradation parameters such as accumulated charge and discharge, state of charge, and applied current enable machine learning algorithms [23][24] to predict SOH [21], facilitating early detection and proactive maintenance measures [5].

## 2.6 Comprehensive Machine Learning Algorithms For SOC, DOH & Predictive Maintenance Predictions In BMS

**XGBoost** An ensemble learning algorithm, is highly effective in predicting the State of Health (SOH) for Battery Management Systems (BMS). Its strengths lie in efficient second-order gradient descent optimization, built-in regularization, and robust handling of sparse data [5].

**Gaussian Process Regression (GPR)** Utilizes Bayesian, non-parametric techniques to estimate SOH by extracting meaningful features from battery charging profiles. It constructs a probabilistic model that provides both predictions and confidence measures, assessed using metrics like R2 and MAE [8].

**Artificial Neural Network (ANN)** ANNs excel in predicting SOC, SOH [21], and remaining useful life (RUL) of batteries. They model complex, nonlinear relationships and handle noisy real-world data effectively. The empirical equation for ANN includes weights ( $W_{ij}$ ), input vectors ( $x_j$ ), and biases ( $b_i$ ) [12].

**Support Vector Machine (SVM)** SVM is adept at predicting SOH [21] by extracting health performance features from battery charging profiles. It excels in handling high-dimensional data and modeling complex, nonlinear relationships. The empirical equation for SVM includes weights ( $W$ ), kernel functions ( $K$ ), support vectors ( $x_i, x$ ), and biases ( $B$ ) [8].

**Linear Regression (LR)** LR is known for its simplicity and interpretability in predicting SOH [21] based on crucial health performance features extracted from battery behavior. The straightforward equation includes coefficients ( $b_0, b_1, b_2, \dots$ ) for input features ( $x_1, x_2, x_3, \dots$ ) [8].

**Random Forest (RF)** RF, an ensemble learning method, robustly predicts SOH by aggregating multiple decision trees. It handles high-dimensional data well, resists overfitting, and provides insights into feature importance crucial for BMS [8].

**Gradient Boosting Regressor** Gradient Boosting Regressor sequentially adds decision trees to correct errors, achieving high predictive accuracy and robustness against overfitting. It is widely used in predicting battery health parameters within BMS.

**LSTM & Stacked LSTM** LSTM architectures are effective for time series forecasting, capturing sequential dependencies in battery data for accurate predictions of SOC, SOH [21], and RUL [19][20].

**ARIMA & SARIMA** ARIMA and SARIMA models are traditional time series methods used for predicting battery parameters, handling non-seasonal and seasonal trends respectively, and contributing to BMS predictive performance.

## 2.7 Comparison with Baseline Models:

### Baseline Models Evaluated:

#### 1. Persistence Model (Last Value):

- **Description:** This model predicts the SOC for the next time step using the last observed SOC value.
- **Rationale:** A straightforward baseline assuming SOC changes minimally between consecutive time steps.

#### 2. Moving Average Model:

- **Description:** This model predicts the SOC based on the average of SOC values over a specified window of previous time steps.
- **Rationale:** Captures simple trends in SOC variation without accounting for underlying dynamics.

### Performance Comparison:

#### Linear Regression vs. Baseline Models:

- **Observation:** Linear Regression, while more sophisticated than the Persistence and Moving Average models, did not consistently outperform them across all scenarios.
- **Insight:** This suggests that for applications where the SOC dynamics are relatively stable or linear, simpler models may suffice without the need for more complex algorithms.

#### Random Forests and Gradient Boosting vs. Baseline Models:

- **Observation:** Both Random Forests and Gradient Boosting consistently outperformed the baseline models across various SOC prediction scenarios.
- **Insight:** Their ability to capture non-linear relationships and dependencies in SOC data provides clear advantages over simplistic baseline approaches, indicating their suitability for more complex SOC prediction tasks.

#### Stacked LSTM Models vs. Baseline Models:

- **Observation:** Stacked LSTM models significantly outperformed the baseline models, especially in scenarios where SOC dynamics exhibit complex sequential dependencies.
- **Insight:** The superior performance underscores the value of deep learning architectures in accurately modeling the intricate time-dependent patterns inherent in SOC data.

### 3. Materials And Methods

#### 3.1 Data Collection

For this project, we have considered datasets from multiple battery manufacturers. The first manufacturer dataset consists of 1,84,293 rows, the second manufacturer dataset has 3,83,450 rows, and the third manufacturer dataset contains 3,60,035 rows. Each dataset includes fundamental columns such as Time, Temperature, Cycle, Current, Capacity, and Voltage. These datasets serve as the cornerstone of our research, providing extensive and varied data points derived from the manufacturer's actual battery operations.

Including critical parameters such as Temperature, Cycle, and Current enables a thorough analysis of battery behavior and performance under diverse operating conditions. These datasets will be pivotal in our exploration and modeling efforts to enhance understanding and prediction capabilities related to battery performance and State of Health (SOH).

#### 3.2 Data Preparation and Exploration

In preparing the project data from leading battery manufacturers, I meticulously enhanced datasets from different databases (dataset1, dataset2, dataset3). The process began with thorough data cleaning to address inconsistencies, missing values, and outliers, ensuring raw data reliability. Cubic interpolation smoothed time series data to reduce noise, improving dataset reliability. Integrating information from all three datasets created a cohesive dataset covering diverse battery scenarios. Feature engineering enriched the dataset for predictive modeling by creating new features and transforming existing ones. Additional steps included normalization, scaling, handling missing values, outliers, and partitioning data into training and testing sets for machine learning [23][24] analysis. These preparations laid a robust foundation for accurate predictions related to battery parameters.

#### 3.3 Data Visualization




Fig. 1. Current vs Voltage




Fig. 2. Capacity vs Time




Fig. 3. Temperature vs Time




Fig. 4 Current vs Time




Fig. 5. Voltage vs Temperature

1. **Current and Voltage plot:** The plot shows multiple cycles where the voltage rises and falls. This is typical of battery charge and discharge cycles. The consistent pattern suggests the battery is undergoing regular charge and discharge cycles.
2. **Capacity and Time plot:** The plot shows a decreasing trend in battery capacity over time. As the battery undergoes more charge and discharge cycles, its ability to hold charge (capacity)

reduces. This is a standard phenomenon in batteries and is a measure of battery health or State of Health (SOH)[21]. The decline appears somewhat linear with a few fluctuations. This suggests that the battery is degrading at a somewhat consistent rate over time, with minor variations.

3. **Temperature and Time plot:** The plot illustrates temperature fluctuations during battery charge and discharge cycles, with peaks indicating heating during high activity and troughs representing cooling during inactivity. This visualization captures the battery's operational patterns, offering insights into its health. regular monitoring is crucial for optimizing battery usage, ensuring safety, and facilitating maintenance.
4. **Current and Time Plot:** The plot displays cyclic current changes, reflecting battery charge and discharge cycles. Sharp spikes suggest high power demand or rapid charging, while troughs represent energy provision to external systems. Near-zero current indicates inactivity or minimal battery usage. This visualization offers insights into the battery's operational behavior, informing on usage habits, charging patterns, and potential wear-and-tear scenarios.
5. **Voltage and Temperature Plot:** The plot reveals a relationship between battery voltage and temperature, indicating a trend where temperature tends to rise as voltage decreases. Lower voltages may be linked to higher temperatures, possibly due to increased internal resistance or intensive discharge events. The spread of data points at specific voltage levels suggests variability, influenced by external factors or overall battery health. This visualization offers valuable insights into battery behavior, potential issues, and optimal operating conditions.

#### 4. Results and Discussion

**SOH Prediction Analysis:** Various prediction models for the State of Health (SOH)[21] exhibit distinct performance metrics. Linear Regression, with an RMSE of 0.1496, demonstrates moderate accuracy but is surpassed by more sophisticated methods. Decision Trees achieve exceptional accuracy with an RMSE of  $2.25e-05$ , highlighting their ability to capture subtle health patterns effectively. Random Forests perform robustly with an RMSE of  $1.74e-05$ , leveraging their ensemble approach. Gradient Boosting maintains competitive accuracy (RMSE:  $3.73e-05$ ) in modeling complex relationships. Support Vector Regression (SVR) shows moderate accuracy (RMSE: 0.1282), suggesting room for improvement. XGB Regressor consistently provides precise (RMSE: 0.00023) SOH predictions. Stacked LSTM models excel in capturing time-dependent nuances with an RMSE of 0.000405. ARIMA and SARIMA also demonstrate notable performance in SOH prediction, each with varying RMSE values.

**SOC Prediction Insights:** Analysis of State of Charge (SOC) prediction models reveals significant observations. Linear Regression exhibits considerable inaccuracy, with RMSE ranging widely from 9.85 to 48.17, highlighting its limitations in capturing SOC dynamics. Decision Trees generally outperform Linear Regression but show potential for further enhancement. Random Forests consistently perform well across different SOC scenarios. Gradient Boosting achieves competitive accuracy in capturing intricate SOC patterns. Support Vector Regression (SVR) faces challenges, suggesting optimization opportunities. Stacked LSTM models demonstrate strong performance in capturing sequential dependencies within SOC data, consistently achieving low RMSE values.

**Maintenance Prediction:** The Random Forest Classifier achieves flawless accuracy (1.0) in predicting maintenance requirements, underscoring its reliability in predictive maintenance applications.

The diverse models used for SOC, SOH, and maintenance prediction offer valuable insights into battery behavior. Variations in accuracy highlight the need to tailor models to specific data characteristics, paving the way for continuous refinement and advancements in battery health prediction and maintenance strategies.

## 5. Conclusion

The research conducted in this paper marks a significant advancement in the field of battery health forecasting and predictive maintenance, employing various machine learning [23][24] models to improve the accuracy of predicting the State of Charge (SOC), State of Health (SOH)[21], and maintenance needs. Key-achievements include:

**State of Charge (SOC) Prediction:** Advanced models, particularly Stacked Long Short-Term Memory (LSTM) networks, demonstrated robust performance in SOC predictions, showcasing their capability to capture complex time-dependent patterns within battery data. The SOC prediction accuracy has been significantly enhanced through innovative feature engineering and the integration of advanced time series analysis methods.

**State of Health (SOH) Prediction:** The SOH predictions varied across different models. The XGBoost Regressor and Stacked LSTM models performed exceptionally well, with Root Mean Square Error (RMSE) values of 0.00023 and 0.000405, respectively. These results highlight the potential of these models in accurately assessing battery health and predicting future performance.

**Predictive Maintenance:** The Random Forest Classifier excelled in maintenance prediction, achieving perfect accuracy (1.0). This indicates the model's reliability in identifying maintenance needs, thereby supporting proactive maintenance strategies that can minimize downtime and reduce unexpected failures.

The integration of machine learning techniques in battery management systems represents a transformative approach, offering substantial improvements in energy storage optimization and maintenance planning. These advancements have profound implications for industries reliant on energy-intensive processes, such as manufacturing and IT infrastructure, and sectors like electric vehicle servicing, where efficient energy management is critical.

### Future Directions:

- Enhancing Model Robustness and Generalization:** Prioritize developing robust machine learning models capable of generalizing across different driving conditions, battery types, and environmental factors. Transfer learning and meta-learning offer promising ways to improve adaptability and performance with varying data availability.
- Integration of Hybrid Modeling Approaches:** Explore hybrid approaches combining physics-based models with data-driven machine-learning techniques to enhance interpretability without compromising predictive accuracy. This integration can support real-time adjustments based on evolving battery characteristics and operational conditions.
- Scalability and Real-time Deployment:** Develop lightweight machine learning models optimized for edge computing and embedded systems. Techniques like model compression, quantization, and efficient inference algorithms will enable real-time SOC predictions while minimizing computational overhead. Distributed learning approaches can facilitate continuous model refinement across interconnected battery systems.
- Ethical and Regulatory Considerations:** Address the ethical implications of predictive algorithms in safety-critical applications. Focus on transparent model validation, robustness testing under extreme conditions, and ensuring fairness in algorithmic decision-making. Collaboration with regulatory bodies is essential to establish guidelines for evaluating the reliability and safety of machine learning models in battery management systems.
- Long-term Performance and Degradation Prediction:** Concentrate on developing predictive models capable of forecasting long-term battery performance and degradation trends. This includes exploring advanced forecasting techniques, anomaly detection algorithms for early

fault diagnosis, and strategies for predictive maintenance to extend battery lifespan and optimize energy management in electric vehicles and renewable energy storage systems

### Disclaimer (Artificial intelligence)

Option 1:

Author(s) hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of manuscripts.

Option 2:

Author(s) hereby declare that generative AI technologies such as Large Language Models, etc have been used during writing or editing of manuscripts. This explanation will include the name, version, model, and source of the generative AI technology and as well as all input prompts provided to the generative AI technology

Details of the AI usage are given below:

1. I am Harshavardhan Yedla and I didn't use any of the AI technologies
2. I am Lakshmana Rao Koppada and I didn't use any of the AI technologies
3. I am Ram Sekhar Bodala and I didn't use any of the AI technologies

### References

1. Akarslan, E., Mahmut, S., &Çınar, Ç. (2022). A battery management system design including a SoC estimation approach for lead-acid batteries. *Journal of Materials Science and Mechatronics*, 9(1), 45-58.
2. Ghalkhani, M., & Habibi, S. R. (2022). Review of the Li-ion battery, thermal management, and AI-based battery management system for EV application. *Energies*, 15(3), 748.
3. How, D. N. T., Hannan, M. A., Hossain Lipu, M. S., & Ker, P. J. (2019). State of charge estimation for lithium-ion batteries using model-based and data-driven methods: A review. *IEEE Access*, 7, 136116-136136.
4. Imanishi, N., & Yamamoto, O. (2019). Perspectives and challenges of rechargeable lithium-air batteries. *Materials Today Advances*, 4, 100031.
5. O'Boyle, K., Park, J., & Ajiboye, D. M. (2022). Data-driven state of health (SoH) prediction for lithium-ion batteries. *ECS Meeting Abstracts*, 2022.
6. Perathoner, S., & Centi, G. (2018). Advanced nanocarbon materials for future energy applications. In J. A. Rodríguez-Pérez, M. Fernández-García, & G. Rojas (Eds.), *Emerging Materials for Energy Conversion and Storage* (pp. 305–325). Elsevier.
7. Perumal, P., Raj, B., Mohapatra, M., & Basu, S. (2022). Sustainable approach for reclamation of graphite from spent lithium-ion batteries. *Journal of Physics: Energy*, 4(4), 045003.
8. Pradeep, J., Sri Harsha, S., Prabhu, R. J., Subramani, K., Mahendran, G., & Selvaganapathi, T. (2022). Comparison of SoH prediction ML technique for electric vehicles. In *Sixth International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud) (I-SMAC)* (pp. 510–515).
9. Raja, V. K. B., Raja, I., & Kavvampally, R. (2021). Advancements in battery technologies of electric vehicle. *Journal of Physics: Conference Series*, 2129, 012011. IOP Publishing.

10. Ravi, R., & Surendra, U. (2020). Calculation of state of charge and state of health of a battery management system in electric vehicle. *International Research Journal on Advanced Science Hub*, 2(8), 49–51.
11. Salminen, J., Kallio, T., Omar, N., Van den Bossche, P., Van Mierlo, J., & Gualous, H. (2014). Transport energy–lithium ion batteries. In Y. Zhang (Ed.), *Future Energy* (pp. 291–309). Elsevier.
12. Sandberg, P. E. C. (2012). Integrating battery energy storage with a BMS for reliability, efficiency, and safety in vehicles. In *2012 IEEE Transportation Electrification Conference and Expo (ITEC)* (pp. 1–3). IEEE.
13. Steinstraeter, M., Buberger, J., & Trifonov, D. (2020). Battery and heating data in real driving cycles.
14. Thiruvonasundari, D., & Deepa, K. (2021). Evaluation and comparative study of cell balancing methods for lithium-ion batteries used in electric vehicles. *International Journal of Renewable Energy Development*, 10(3).
15. Xi, Z., Wang, R., Fu, Y., & Mi, C. (2022). Accurate and reliable state of charge estimation of lithium ion batteries using time-delayed recurrent neural networks through the identification of overexcited neurons. *Applied Energy*, 305, 117962.
16. Zaitsev, A., Butarovich, D., & Smirnov, A. (2020). Basic principles of automotive modular battery management system design. In *IOP Conference Series: Materials Science and Engineering*, 819, 012024. IOP Publishing.
17. Zhang, Y., Liu, H., Zhang, Z., Luo, Y., Guo, Q., & Liao, S. (2020). Cloud computing-based real-time global optimization of battery aging and energy consumption for plug-in hybrid electric vehicles. *Journal of Power Sources*, 479, 229069.
18. Li, D., Zhang, X., Han, B., & Shen, H. (2019). State of charge estimation for batteries using recurrent neural networks. In *2019 4th International Conference on Control, Robotics and Cybernetics (CRC)* (pp. 23-28).
19. Jiang, W., Zhang, Q., Pecht, M. G., & Li, J. (2020). State of Charge Estimation of Lithium-ion Battery Using Deep Convolutional Stacked Bidirectional LSTM. *IEEE Access*, 8, 1538-1548.
20. He, H., Xiong, R., & Guo, H. (2019). Long Short-Term Memory Networks for Accurate State-of-Charge Estimation of Li-ion Batteries. *IEEE Transactions on Industrial Informatics*, 15(9), 5351-5361.
21. Wang, Y., Li, C., Chen, Z., & Zhang, J. (2021). State of health estimation of lithium-ion batteries using machine learning techniques: A comprehensive review. *Journal of Power Sources*, 497, 229991.
22. Zhao, L., Zhang, Y., Wang, J., & Liu, J. (2021). Recent advances in thermal management of lithium-ion batteries for electric vehicles. *Applied Thermal Engineering*, 181, 116014.
23. Chen, W., Zhang, Y., Wang, X., & Wu, Y. (2020). AI-based battery management system for electric vehicles: A review. *IEEE Transactions on Intelligent Transportation Systems*, 21(11), 4932-4946.
24. Tan, W., Zhang, Q., Li, Z., & Liu, Z. (2021). Advanced materials for next-generation lithium-sulfur batteries: Progress and perspectives. *Advanced Energy Materials*, 11(20), 2100312.
25. Kumar, S., Singh, G., & Singh, P. (2020). State of charge estimation for lithium-ion batteries using ensemble learning techniques: A comparative study. *Energy Conversion and Management*, 209, 112618.