

Original Research Article

CHARACTERIZATION AND QUANTIFICATION OF URBAN EXPANSION AND IMPACT ON URBAN PLANNING PRACTICE IN MOROGORO MUNICIPALITY, TANZANIA

Abstract

Rapid and haphazard urbanization is a significant problem. The major concern with urban expansion aside from habitat destruction, is the distribution of human resources and basic needs especially to the community living in the newly settlement patches. The aim of this study was to quantify the rate and characterise the pattern of urban expansion and assess the impact these may have on urban planning practice of the study area over a 30 years period (1990 to 2020) using remote sensing technology. Change detection was supported by images and supervised classification method. All output from classification method was assessed their accuracy by Kappa index of Agreement (KIA) and overall accuracy methods. Exploration of urban settlement expansion was analyzed by Applying Urban Expansion Intensity Index (UEII). Urban planning practice based on planning scheme prepared since 1990 to 2020 was determined by scanned all hardcopy of planning schemes, geo-reference and digitization all these process were done in ArchGIS 10.3 program.

Results of this study indicated that from 1990 to 2010 built up areas have been experiencing an increase of 4.8% to 18.1 % while non-built up areas have decreased from 96.1% to 81.9% within 30 years period. Urban planning practice in 1990 to 2020 increased of planned land where by plan before development on land increase from 0.8%

to 6.6% and plan after development on land increase from 0.2% to 10.8% of the total urban area.

Both urban expansion and urban planning practice experienced highest increase in 2010 to 2020. Based on the results of this study, it is recommended that Strong urban planning interventions should be carried out to minimize the growth speed of unplanned settlements by the Central governments investing more in the urban planning sector based on planning before development rather than invest more in planning after developments.

Key words: *urban expansion, urban planning, urban expansion intensity index, remote sensing and GIS technology*

1.0 INTRODUCTION

The most fundamental and critical challenge faced by urban areas in most developing countries, particularly in African countries is the crippling weakness of institutions of urban development planning and management. In the sub-region and the place and role of urban planning in promoting sustainable urban development in the countries of the region in the context of the prevailing dominance of informal economic activities and increasingly uncontrollable urban sprawl (Diaw *et al.*, 2002).

Urban Planning is the process of programming the coordination of the direction, structure and pattern of the development, growth and management of urban settlements with the goal of ensuring that all necessary land-use needs (including economic, social, environmental, institutional, cultural, recreational and leisure needs), for all the socio-economic population groups in the society are provided for in compatible and symbiotic location relationships and densities (Devas, 2001).Municipal authorities are usually too short of sufficient funds to meet their responsibilities. Generally, traditional urban planning has been reliant on the existence of stable, effective and accountable local government, as well as a strong civil society, in order to play a positive role (Devas,

2001). Failures of the urban planning authorities and developers to administer and manage land related processes are significant in sub-Saharan Africa countries (Kironde, 2006).

Previously, a number of researchers identified different measurement indices to indicate urban morphological techniques based on remote sensing data by exploring the spatial and temporal dynamics of these indices (Cobbinah *et al.*, 2020; Terfa *et al.*, 2019). One of these indices, Urban Expansion Intensity Index was popularly used to measure and characterized growth in emerging urban areas at the given period of time (Acheampong *et al.*, 2017; Ashiagbor *et al.*, 2019; Huang *et al.*, 2018; Shen *et al.*, 2017; Zhou *et al.*, 2019). Moreover, some researchers used statistical or diagrammatic methods to investigate the main indices of urban expansion, in order to reveal how these indices change as the distance from the city core increases (Graef *et al.*, 2017; Liu *et al.*, 2021; Sumari *et al.*, 2017). For instance, Sumari *et al.* (2020) used diagrammatic method to demonstrate the circular pattern of urban expansion in Yangtze River Delta. Jiao (2015), used logistic curve to fit the urban land densities of 28 major cities in China, and found that the urban land density is related to the distance from the urban center in an inversed S-shape way, which suggested that urban land has high density in center area and low density in marginal area.

Recent studies identify rapid and unplanned urban settlement of the moja threat. Cobbinah *et al.*, 2015), .Africa is expected to become home to nearly a quarter 1.3 billion of the world urban population in 2050. The finding from this study will therefore enhance sustainable urban planning for urban settlement expansion through reliable analysis on how urban settlements are growing with different rate and direction.

2.0 MATERIALS AND METHODS

2.1 Study area

The study area is Morogoro Municipality which is one of the nine districts in Morogoro region including Kilosa, Ifakara, Kilombero, Malinyi, Mvomero, Gairo, Ulanga and Morogoro Rural. Morogoro region occupies 72,939 km² that is approximately 8.2% of the total area of Tanzania mainland. The municipality is the capital of Morogoro region and it covers 540 km², which is 0.74% of the total area of Morogoro region (URT, 2016).




Figure 1 : Study area

2.2 Data collection

Data collection for this study involved spatial data and non-spatial data. Remote sensing data (Landsat imagery) for the years 1990-2000, 2000-2010, and 2010-2020 were obtained from the USGS Earth-Explorer (USGS-EE) website, as well as administrative boundary of the study area. Table 1 summarizes the datasets and their sources.

Table 1: Data used

Type of Spatial data	Type of data	Source	Purpose
Satellite data	Landsat imagery (1990-2000,2000-2010 and 2010- 2020)	USGS EE Website	To monitor urban settlement expansion
Spatial data	Administrative Boundaries	Morogoro Municipality	For preparation of the study area map
	Scanned Detailed layout plans	Ministry of lands, housing and human settlement development	To Justify impact of urban expansion on urban planning practice

2.3.0 Methods

2.3.1 Image acquisition and processing

Based on the study area the images were acquired from the United States Geological Survey Earth-Explorer (USGS EE) website. The images have been specified together with data set from United States Geological Survey Earth-Explorer (USGS EE) website. Data set include Landsat collection 1 level 1, Landsat 4-5 TM C1 Level 1 ,Landsat 7 EMT+C1 Level 1 and Landsat 8 OLI/TIRS C1 Level 1. Downloaded images had several bands which were composed by using Arc GIS Software, whereby Landsat 4-5 TM C1 Level1, Landsat 7 EMT + C1 Level band 1 to band 7, and Landsat 8 OLI/TIRS C1 Level 1 bands 1 to band 7 and band 10 were combined together by using Composite Bands tool in ArcGIS Program. The composed images were then clipped base on study area and processed together to create a single raster dataset so that they can be managed, viewed, and query small to vast collections of raster and image data as show in Figure 2. Cloud-free images of three Landsat optical sensors, namely: Landsat Thematic Mapper (TM): the Landsat Enhanced Thematic Mapper Plus (ETM+) and the Landsat Operational Land Imager (OLI) otherwise known as Landsat 8 were used in this present study.The Landsat images were acquired on the 1990 (TM data): 2000 (ETM+ data): 2010 (ETM+

data): 2020 (OLI data). All Landsat images were obtained from <http://earthexplorer.usgs.gov/> website of United States Geological Survey (USGS) from the path/row number 167/065. ENVI version 5.3 was used for image classification, with ERDAS Imagine version 2014 for accuracy assessments and ArcGIS version 10.3 for image data processing, visualization, and map generation. All images were registered to UTM coordinate system with WGS 84 datum zone 37 South for consistency, after that the images were clipped based on the boundary of the study area.




Figure 2.: Show the clipped processed images from 1990 to 2020 of the study area

2.3.2 Image classification

The technique of categorizing all pixels in a image or raw remotely sensed satellite data to get a particular set of labels or land cover themes is known as image classification (Gómez-Chova *et al.*, 2017; Weng and Lu, 2009). According to Lu *et al.* (2004), the major steps of image classification may include Choice of a suitable classification method. In this study supervised classification method was selected as the method for classifying images of deferent periods from 1990-2000, 2000-2010 and 2010-2020 (10 years in each category) in to two category built up area and un-built up area classes. Before rich to classification some steps should be followed as it shown in Figure 3.




Figure 1: The workflow on remote sensing monitoring of land use cover

2.3.3 Image classification and accuracy assessment

The classification results can be influenced by a variety of problems, including classification errors, registration errors, and training quality issues (Bechtel *et al.*, 2017; Gómez-Chova *et al.*, 2017; Mahmoud *et al.*, 2016; Xiong *et al.*, 2017; Yang and Lo, 2002). The most significant criterion for evaluating classification performance is accuracy. In this research, Kappa Index of Agreement (KIA) method for accuracy assessment was used. The Kappa Index of Agreement is a statistical measure adapted for

accuracy assessment in remote sensing fields (Congalton *et al.*, 2014). It is used to check for accuracy of classified satellite images versus some real ground-truth data as shown in the equation 2.1

$$k = \frac{N \sum_{i=1}^r X_{ii} - \sum_{i=1}^r (X_{i+} * X_{+i})}{N^2 - \sum_{i=1}^r (X_{i+} * X_{+i})} \dots\dots\dots 2.1$$

Where by r: number of row in the error matrix, xii: number of combinations along the diagonal, xi+: total observations in row i, x+i: total observations in column i. N: total number of cells.

To verify how accurately the pixel was sampled into the proper land cover class, the ground truthing technique together with Google earth pro were employed. A hand held GPS (Garmin) was used for field data collection of location data (Coordinates) together with Google earth whereby a total of 200 points for two land use types (built up and non-built up) were collected on the field ,each land use types carried 100 points collected from the field.

2.3.4 Urban expansion intensity index

Previously, number of researchers identified different indices for measurement urban morphological based on remote sensing data by exploring the spatial and temporal dynamics of these indices. One of these indices, Urban Expansion Intensity Index was popularly used to measure and characterized growth in emerging urban areas at the time (Mozumder and Tripathi, 2014; Shen *et al.*, 2017; Zhou *et al.*, 2019). The classified images were used to detect and monitor urban expansion in the study area and one spatial metric/index was adopted. Urban Expansion Intensity Index (UEII). (Eq:2.2) was used to compute the average annual proportion of newly increased built-up land of a spatial unit, standardized by the total area of that spatial unit (HU *et al.*, 2007). In this study urban expansion intensity index of each ward was calculated the UEII using Equation 1.2, in the

study area to characterize the spatial distribution of urban expansion for urban planner and policy makers.

$$UEII_i = \frac{(ULA_i^{t2} - ULA_i^{t1})}{TLA_i \times \Delta t} \times 100 \dots\dots\dots 2.2$$

Where,

Where UEII_i is Urban Expansion Intensity Index of unit i; ULA^{t2}_i and ULA^{t1}_i are the areas of built-up land at time t2 and t1 respectively; TLA_i is the total land area within the study area i and Δt is the study time period. The division standard for interpreting UEII values is as follows. This ranges from <0.28 (very slow expansion): 0.28–0.59 (slow expansion): 0.5–1.05 (medium-speed expansion): 1.05–1.92 (high-speed expansion): and >1.92 (very high-speed expansion), (Ren *et al.*, 2013).

2.3.5 Urban planning practices

Urban planning should play an important role in guiding and regulating urban expansion from the perspective of overall spatial structure and orderly development pattern. This study used scanned map data obtained from the Ministry of Land ,Housing and Human Settlement Development to develop a map showing zoning area covered by neighbourhood planning schemes prepared before urban development and after development (regularization Planning schemes) as shown in the Figure 5. Georeferencing tool in Qgis was used to register coordinate system of all scanned image in Universal Transverse Mercator Zone 37M_.All images were then lie within the Zone 37M Zone. Shape file polygon file was created in Qgis to enable digitization of boundary covering area of each detail planning schemes for both planning schemes created before development and after development .After digitization of all planning scheme symbology

were used to differentiate between the planning developed after and before urban development within the area of Morogoro municipality.




Figure 2: The workflow on GIS technology monitoring detailed planning schemes before and after urban development plans

3.0 RESULTS AND DISCUSSION

3.1 Accuracy assessment

To determine the accuracy of land cover classifications, accuracy assessments of classified images were performed. Accuracy assessment was performed using stratified random sampling and kappa coefficient and overall accuracy percentage for all the classified images for the year 1990, Kappa Index of Agreement (KIA) was found to be 87.0%, for year 2000 it was 83%, 89% for 2010, and 93% for 2020, the overall accuracy for the study period 1990, 2000, 2010 and 2020 are 95% ,92% ,94% and 97% (Figure

5), accuracy of classified Land sat images are statistically significant and acceptable for further studies. The methodology was used to test the approach for a large and diverse region where urban expansion is often uncoordinated and patchy, and consequently, where urban maps are most challenging to produce, yet most needed.




Figure 5: Accuracy assessments of the classified images based on the two classes

3.2 Image classification output

The supervised classification method and images date provides tremendous results in detecting urban changes in Figure 6. Images classification accuracy was validated by Kappa Index of Agreement (KIA) and overall accuracy methods (Figure 5). For the years 1990, 2000, 2010, and 2020, the two LULC classes (built-up areas and non-built-up areas) were defined. (Figure 6), and the area for each LULC classes has been presented (Table. 5). Morogoro Municipality has experienced tremendous and very rapid urbanization . In 1990 to 2020 built-up increased from 3.9% to 18.9% of the total urban area of Morogoro municipality while non built up LULC class decreased from 96.1% to 81.9% of the total urban area of Morogoro municipality. Spatial distribution of the built-up extent and urban growth from 1990 to 2020 are depicted in (Figure 7). Built-up growth tended to expand outward towards all directions but mainly in the north-west.




Figure 6: Change of of built-up area in Morogoro Municipality from 1990 to 2020

Table 2: Percentages of Urban expansion from 1990 to 2020

	1990	2000	2010	2020
LAND	%	%	%	%
Built-up	3.9	4.8	6.6	18.1
Non Built-up	96.1	95.2	93.4	81.9

3.3 Changes in urban pattern

Changed analyses and quality discrepancies between photos of the same area taken at different time series were used to detect land use and land cover change. Urban development pattern as shown in (Figure 7) demonstrates the classified images of four

different time series obtained by calculating the area of different covers and observe the changes at the same place which shows land use increase in urban built-up area from the city centre. Calculation of the quantified built-up of wards for each time period was done in order to examine the change expansion of urban form from non-built up to built-up (Figure 7).




Figure 7: Spatial pattern of built-up expansion for study area from 1990 to 2020

Figure 8 shows that the rate of increase of built-up area of Morogoro Municipality from 1990 to 2020 was high for the three time period (i.e. 1990-2000, 2000-2010, and 2010-2020 interval). Urban expansion of built-up land in Kihonda, Lukobe, Kichangani and Kingolwira increased by 1.6 km², 1.6 km², 0.6 km², and 0.8 km² respectively, compared to the rest of the wards between the period 2010 and 2020.




Figure 8: Spatial temporal distribution of urban area from 1990 to 2020

3.4 Assessment of urban expansion

Urban expansion intensity index has revealed urban growth of Morogoro municipality as very slow speed expansion during 1990 to 2000, 2000 to 2010 experienced very slow speed expansions while in 2010 to 2020 experienced medium speed expansion as it shown in Table 3.

Table 3: Urban expansion intensity of Morogoro Municipal from 1990 to 2020

Years	1990_2000	2000_2010	2010_2020
UEII	0.10	0.20	1.10
Speed Status of Expansion	Very Slow Speed Expansion	Very Slow Speed Expansion	Medium Speed Expansion

The amount of UEII was used mainly as a quantitative measure and an indicator of urban expansion, and the pattern observed thereof. The UEII in Mji Mkuu ward is higher than

the rest of the wards for the period 2010-2020, revealing a disproportionate distribution with the other time periods (1990-2000 and 2000-2010) in that section of the town as shown in Figure 9.




Figure 9: Urban Expansion Intensity Index (%) from 1990 to 2020

3.5 Growth of urban planning practice

Urban planning growth has been revealed that the land covered by detailed layout plans (plan after and before development) from 1990 to 2020 in Morogoro municipality are increasing continually although plans after development tends to overpass plans before development at the begin of 2010 as shown in Figure 10. In 1990 to 2000 plans before development was dominated on land than plan after development while in 2010 to 2020 plan after development become more dominated on land than plan before development as shown in Figure 10.




Figure 10: Trend of urban plans after development (regularization layout plans) and before development plans (Neighbourhood layout plans) from 1990 to 2020



Figure 11: Growth of urban layout plans, plans after and before development from 1990 to 2020

3.5 Urban expansion versus urban planning practice

The study has revealed that Morogoro municipality has experiencing urban expansion and urban planning growth over 30 years study period from 1990 to 2020. Within 30 year study period it has been shown that urban expansion outpaced urban planning practice where by urban expansion increased 18.1% of total urban area while urban planning practice increased 17.4 % of total area of urban area as shown in (Table 4). In urban planning practice plans after development are dominant by 10.8 % while plans before development occupied 6.6 % of total urban area see in (Table 4). It indicates an upward trend in the urban expansion and planning practise whereby urban expansion increased from 4.8% area coverage in 1990to 2000 and 18.1% in 2010 to 2020 while urban planning practice increased from 1% coverage in 1990 to 2000 and 17.4% in 2010 to 2020 (Table 4). This pattern can be linked to ongoing development as a result of increasing demand for housing over time, as a result of a fast growing population.

Table 4: Percentages of urban planning area and urban expansion area over total urban area for the period 1990 to 2020 of the study area

Years	PBD%	PAD%	DLP%	UEA %	TUA %= 540 km ²
1990-2000	0.8	0.2	1	4.8	100
2000-2010	4.5	2.9	7.4	6.6	100
2010-2020	6.6	10.8	17.4	18.1	100

*PBD =Plans before Development, PAD= Plans after Development, UEA=Urban Expansion area, TUA= Total Urban Area, DLP = Detail Layout Plans

Table 4 shows trends of urban planning practice and unplanned settlements within 30 years study period. Urban planning practice includes plans before development and plans after development. Between the time periods 2010 to 2020 plans before development

decreased from 67.7% to 36.6 and plans after development increased from 43.7% to 59.8% of urban expansion area as shown in (Table 5). In this study urban planning practices experienced depression and acceleration growth. Urban planning practice experienced acceleration by 20.4% in 1990 to 2000 and 111.4% in 2000 to 2010, but in 2010 to 2020 experienced depression from 111.4% to 96.4% over total urban expansion area, while un-planned settlements experienced the opposite whereby in 1990 to 2010 experienced depression growth from 79.6% to 0% and acceleration started in 2010 to 2020 from 0% to 3.6% of urban expansion area (Table 5). This trend is attributed to outdated laws, un-cleared urban planning policies and political influence.

Table 5: Percentages of urban planning area over urban expansion area in 1990 to 2020 of the study area

Years	PBD %	PAD%	UPS%	TDLPA%	UEA in km ²
1990-2000	15.8	4.6	79.6	20.4	25.9
2000-2010	67.7	43.7	0	111.4	35.9
2010-2020	36.6	59.8	3.6	96.4	97.9

*PBD =Plans before Development, PAD= Plans after Development, TUA= Total Urban Area, UPS= Unplanned settlements, TDLPA = Total Detail Layout Plans Area, UEA=Urban Expansion area

Figure 11 shows the implication of urban expansion to urban planning practices. In this study urban expansion is seen as having influence and as determinant factor for urban planning practice growth. Figure 12 shows that urban expansion always has higher speed of expansion over urban planning practice growth over the 30 year study period. In 1990 to 2010 urban planning practices experienced growth percentage range from 0.2% to 4.5% while urban expansion percentage range was 4.8% to 6.6% of total urban area. This implies that there is a decrease of un-planned settlements. In 2010 to 2020 urban planning practices experienced growth % range from 4.5% to 10.8% of total urban area. The higher

percentage of land covered by urban planning practice and low percentage of urban expansion area implies that there is low risk of increasing unplanned settlement versus the low percentage of land covered by urban planning practice and higher percentage of urban expansion area the higher risk of increasing unplanned settlements.




Figure 12: Urban expansion versus urban planning practices from 1990 to 2020

4.0 CONCLUSION

Urban expansion using series Land sat imagery based on three-time interval phases (1990-2000, 2000-2010 and 2010-2020) has quantify urban expansion and pattern of the study area. The outcome of this study indicated that from 1990 to 2010 urban expansion have been experiencing an increase of 4.8% to 18.1 % while non-built up areas have decreased from 96.1% to 81.9% within 30 years period .Urban planning practice in 1990 to 2020 increased of planned land where by plans before development on land increase from 0.8% to 6.6% and plans after development on land increase from 0.2% to 10.8% of the total urban area. Both urban expansion and urban planning practice experienced highest

increase in 2010 to 2020. . This rise is likely due to population growth and migration from rural areas . Morogoro municipality can be described as Omni-directional (scattered and leapfrog) since the urban spread occurs in all directions (admittedly, constrained by the municipality boundary in the current study), spreading farther from the town centre, but mostly biased on the northward side of the town centre. This could be mainly because the northward side has more space that is flat with gentle slopes that favour for settlement development and the west northward side is an upcoming leafy suburb with controlled development schemes. In this study, undeveloped areas are likely to experience more instances of urban expansion in the future;

5.0 RECOMMENDATIONS

Based on the results of this study, it is recommended that

Strong urban planning interventions should be carried out to minimize the growth speed of unplanned settlements by the Central governments investing more in the urban planning sector based on planning before development rather than invest more in planning after developments. Local government and policy makers should provide clear policy and sufficient funding for the urban planning sector. Undeveloped land in urban area should be planned with the provision of required infrastructure such as roads

Central government should facilitate supply of required remote sensing data and GIS technology to urban planning experts in every city, municipality and town ship to ensure easy application of sophisticated technology that will enhance urban planning for sustainable development.

6.0 REFERENCES

- Acheampong, R. A., Agyemang, F. S. K. and Abdul-Fatawu, M. (2017). Quantifying the spatio-temporal patterns of settlement growth in a metropolitan region of Ghana. *GeoJournal* 82(4): 823–840.
- Ashiagbor, G., Amoako, C., Asabere, S. B. and Quaye-Ballard, J. A. (2019). Landscape Transformations in Rapidly Developing Peri-urban Areas of Accra, Ghana: Results of 30 years. *GeoScience* 11(1): 172–182.
- Bechtel, B., Demuzere, M., Sismanidis, P., Fenner, D., Brousse, O., Beck, C., Van Coillie, F., Conrad, O., Keramitsoglou, I., Middel, A., Mills, G., Niyogi, D., Otto, M., See, L. and Verdonck, M. L. (2017). Quality of Crowdsourced Data on Urban Morphology. The Human Influence Experiment (HUMINEX). *Urban Science*, 1(2): 1-15.
- Cobbinah, P. B., Gaisie, E., Oppong-Yeboah, N. Y. and Anim, D. O. (2020). Kumasi: Towards a sustainable and resilient cityscape. *Cities* 97: 1-10.
- Cobbinah, P. B., Michael, O. and Erdiaw-Kwasie, P. A. (2015). Africa's urbanisation: Implications for sustainable development. *Journal of Cities* 2015: 1-11.
- Congalton, R. G., Gu, J., Yadav, K., Thenkabail, P. and Ozdogan, M. (2014). Global land cover mapping: A review and uncertainty analysis. *Remote Sensing* 6(12): 12070–12093.
- Diaw, K., Blay, D. and Adu-Anning, C. (2002). Socio-Economic Survey of Foresty Fringe Communities: Krokosua Hills Forest Reserve. A report submitted to the Forestry Commission of Ghana. Pg.86
- Gómez-Chova, L., Amorós-López, J., Mateo-García, G., Muñoz-Marí, J. and Camps-. *Journal of Applied Remote Sensing* 11(1): 1-12.

- Graef, F., Uckert, G., Schindler, J., König, H. J., Mbwana, H. A., Fasse, A., Mwinuka, L., Mahoo, H., Kaburire, L. N., Saidia, P., Yustas, Y. M., Silayo, V., Makoko, B., Kissoly, L., Lambert, C., Kimaro, A., Sieber, S., Hoffmann, H., Kahimba, F. C., and Mutabazi, K. D. (2017). Expert-based ex-ante assessments of potential social, ecological, and economic impacts of upgrading strategies for improving food security in rural Tanzania using the ScalA-FS approach. *Food Security* 9(6): 1255–1270.
- Hu, J.L., Kao, C.H., 2007. Efficient energy-saving targets for OECD economies. *Energy Policy* 35 (1), 373–382.
- Huang, F., Chen, L., Qi, H. and Zhai, H. (2018). Analysis of urban expansion and the driving forces in eastern coastal region of China. *Proc. SPIE* 2018: 1-34.
- Jiao, L. (2015). Urban land density function: A new method to characterize urban expansion. *Landscape and Urban Planning* 139(2015): 26–39.
- Kironde (2006).The regulatory framework, unplanned development and urban poverty: findings from Dar Es Salaam, Tanzania .**Land Use Policy, 23 (4) (2006), pp. 460-472**, 10.1016/j.landusepol.2005.07.004
- Liu, J., Jiao, L., Zhang, B., Xu, G., Yang, L., Dong, T., Xu, Z., Zhong, J. and Zhou, Z. (2021). New indices to capture the evolution characteristics of urban expansion structure and form. *Ecological Indicators* 122: 107-112.
- Lu, D., Mausel, P., Brondízio, E. and Moran, E. (2004). Change detection techniques. *International Journal of Remote Sensing* 25(12): 2365–2401.
- Mahmoud, M. I., Duker, A., Conrad, C., Thiel, M. and Ahmad, H. S. (2016). Analysis of settlement expansion and urban growth modelling using geoinformation for assessing potential impacts of urbanization on climate in Abuja City, Nigeria. *Remote Sensing* 8(3).

- Mozumder, C. and Tripathi, N. K. (2014). Geospatial scenario based modelling of urban and agricultural intrusions in Ramsar wetland deepor beel in northeast India using a multi-layer perceptron neural network. *International Journal of Applied Earth Observation and Geoinformation* 32(1): 92–104.
- Ren, P., Gan, S., Yuan, X., Zong, H. and Xie, X. (2013). Spatial Expansion and sprawl quantitative analysis of mountain city built-up area. In: F. Bian, Y. Xie, X. Cui & Y. Zeng (Eds.), *Geo-informatics in resource management and sustainable ecosystem*. Berlin: Springer. pp. 166–176
- Shen, G., Ibrahim Abdoul, N., Zhu, Y., Wang, Z. and Gong, J. (2017). Remote sensing of urban growth and landscape pattern changes in response to the expansion of Chongming Island in Shanghai, China. *Geocarto International* 32(5): 488–502.
- Son, N. T., Chen, C. F., Chen, C. R. and Chiang, S. H. (2016). Mapping urban growth of the capital city of Honduras from Landsat data using the impervious surface fraction algorithm. *Geocarto International* 31(3): 328–341.
- Sumari, N. S., Shao, Z., Huang, M., Sanga, C. A. and Van Genderen, J. L. (2017). Urban expansion: A geo-spatial approach for temporal monitoring of loss of agricultural LAND. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 42(2W7): 1349–1355.
- Sumari, Neema Simon, Cobbinah, P. B., Ujoh, F. and Xu, G. (2020). On the absurdity of rapid urbanization: Spatio-temporal analysis of land-use changes in Morogoro, Tanzania. *Cities* 107: 1-11.
- Terfa, B. K., Chen, N., Liu, D., Zhang, X. and Niyogi, D. (2019). Urban expansion in Ethiopia from 1987 to 2017: Characteristics, spatial patterns, and driving forces. *Sustainability (Switzerland)* 11(10).

- URT. (2016). *Morogoro District Council the Council Five Year Development Plan 2016/2017 – 2020/2021*. [<http://morogorodc.go.tz/storage/app/uploads/public/5bc3411035bc341103de0c973003325.pdf>] site visited 12/08/2021.
- Weng, Q. and Lu, D. (2009). Landscape as a continuum: An examination of the urban landscape structures and dynamics of Indianapolis City, 1991-2000, by using satellite images. *International Journal of Remote Sensing* 30(10): 2547–2577.
- Xiong, J., Thenkabail, P. S., Gumma, M. K., Teluguntla, P., Poehnelt, J., Congalton, R. G., Yadav, K. and Thau, D. (2017). Automated cropland mapping of continental Africa using Google Earth Engine cloud computing. *ISPRS Journal of Photogrammetry and Remote Sensing* 126: 225–244.
- Yang, X. and Lo, C. P. (2002). Using a time series of satellite imagery to detect land use and land cover changes in the Atlanta, Georgia metropolitan area. *International Journal of Remote Sensing* 23(9): 1775–1798.
- Zhang, Y., Bai, X. and Wang, T. (2017). Boundary finding based multi-focus image fusion through multi-scale morphological focus-measure. *Information Fusion* 35: 81–101.
- Zhou, L., Sun, Q., Dang, X. and Wang, S. (2019). Comparison on multi-scale urban expansion derived from nightlight imagery between China and India. *Sustainability (Switzerland)*: 11(16).